

## श्रमिकको ज्याला दर

सि. नं.	कामदारहरुको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	७५०.००	७९०.००	८७०.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	१०७०.००	११२५.००	१२००.००
३	उच्च माध्यमिक तह उर्तिण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन			१५००.००
४	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट,	प्रति दिन	१०३०.००	१०८०.००	११८५.००
५	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक, आदी ।	प्रति दिन	८४५.००	८९०.००	९८०.००
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी ।	प्रति दिन	७५०.००	७९०.००	८४५.००
७	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, व्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.एल.सी वा सो सरह), आदी ।	प्रति दिन	६९०.००	७२५.००	७९५.००
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार, आदी ।	”	६३०.००	६६०.००	७२५.००
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२१.५०	२३.००	२५.००
	<b>सडकको कामको लागि</b>				
१	पिच स्प्रेयर, पिच व्वायलर	प्रति दिन	७६५.००	८०५.००	८८०.००
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने) ।	प्रति दिन	७५०.००	७९०.००	८७०.००
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह ।	प्रति दिन	७८५.००	८२५.००	९०५.००
४	प्याच वर्कर (रात्री समयमा काम गर्ने) ।	प्रति दिन	१०७०.००	११२५.००	१२३०.००
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	११००.००	११५५.००	१२३०.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	७८५.००	८२५.००	८९०.००
७	वोलरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	५५००.००	५७७५.००	६३५०.००
८	स्करपियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६६००.००	६९३०.००	७६२०.००
	माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।				

## घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआव्जा निर्धारण

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआव्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।

सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	आ.व. २०७९/०८० को प्रस्तावित दर(रु)					
				व्यवसायिक भवनको हकमा			आवासीय भवनको हकमा		
				सिभिल कार्य	विधुत कार्य	स्यानिटरी कार्य	सिभिल कार्य	विधुत कार्य	स्यानिटरी कार्य
१	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व.फु.	३६२२.५६	१०९.८८	२७४.६५	२८४८.२४	९३.४०	२३३.४५
२		मध्यम	व.फु.	३०६४.१०	७०.२७	२०३.८२	२४०९.१५	६०.५८	१७३.२५
३		सामान्य	व.फु.	२७०१.७७	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५
४	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व.फु.	३०४५.९३	८९.१९	२२२.९४	२३९४.८६	७५.८१	१८९.५०
५		मध्यम	व.फु.	२५१९.४३	५७.८५	१६५.४५	१९८०.९०	४९.१७	१४०.६३
६		सामान्य	व.फु.	२२८६.२८	२६.१८	१०९.७८	१७९७.५८	२२.२५	९३.३१
७	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व.फु.	३५५१.५७	१०९.८८	२७४.६५	२७९२.४२	९३.४०	२३३.४५
८		मध्यम	व.फु.	२९५८.९३	७१.२७	२०३.८२	२३२६.४६	६०.५८	१७३.२५
९		सामान्य	व.फु.	२७१४.९१	३२.२५	१३५.२४	२१३४.५९	२७.४२	११४.९५
१०	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व.फु.	३४३३.२०	८९.१९	२२२.९४	२६९९.३६	७५.८१	१८९.५०
११		मध्यम	व.फु.	२४१८.१७	५७.८५	१६५.४५	१९०१.२९	४९.१७	१४०.६३
१२		सामान्य	व.फु.	२२९९.१०	२६.१८	१०९.७८	१८०७.७२	२२.२५	९३.३१
१३	लोड बियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व.फु.	३५६४.४२	१०९.८८	२७४.६५	२८०२.५३	९३.४०	२३३.४५
१४		मध्यम	व.फु.	३०१३.९४	७१.२७	२०३.८२	२३६९.७१	६०.५८	१७३.२५
१५		सामान्य	व.फु.	२७५३.१३	३२.२५	१३५.२४	२१६४.६५	२७.४२	११४.९५
१६	लोड बियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व.फु.	३०९२.६५	८९.१९	२२२.९४	२४३१.६०	७५.८१	१८९.५०
१७		मध्यम	व.फु.	२५६३.४१	५७.८५	१६५.४५	२०१५.४८	४९.१७	१४०.६३
१८		सामान्य	व.फु.	२३४४.००	२६.१८	१०९.७८	१८४२.९७	२२.२५	९३.३१
१९	लोड बियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई) , टायल छाना	मध्यम	व.फु.	२९२९.०१	५७.८५	१६५.४५	२३०२.९९	४९.१७	१४०.६३
२०		सामान्य	व.फु.	२७१७.३०	२६.१८	१०९.७८	२१३६.४८	२२.२५	९३.३१
२१	लोड बियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व.फु.	३५८०.०१	१०९.८८	२७४.६५	२८१४.७८	९३.४०	२३३.४५
२२		मध्यम	व.फु.	३०२९.५२	७१.२७	२०३.८२	२३८२.००	६०.५८	१७३.२५
२३		सामान्य	व.फु.	२७६८.७२	३२.२५	१३५.२४	२१७६.९०	२७.४२	११४.९५
२४	लोड बियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व.फु.	३१०७.५३	८९.१९	२२२.९४	२४४३.३०	७५.८१	१८९.५०
२५		मध्यम	व.फु.	२५७८.२८	५७.८५	१६५.४५	२०२७.१७	४९.१७	१४०.६३
२६		सामान्य	व.फु.	२३५८.८८	२६.१८	१०९.७८	१८५४.६७	२२.२५	९३.३१

२७	लोड बियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), आर सि सि छाना	मध्यम	ब.फु.	३४९२.६०	५७.८५	१६५.४५	२७४६.०६	४९.१७	१४०.६३
२८		सामान्य	ब.फु.	३२३१.७९	२६.१८	१०९.७८	२५४१.००	२२.२५	९३.३१
२९	लोड बियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना	मध्यम	ब.फु.	२९९३.९८	५७.८५	१६५.४५	२३५४.०२	४९.१७	१४०.६३
३०		सामान्य	ब.फु.	२७८२.२८	२६.१८	१०९.७८	२१८७.५६	२२.२५	९३.३१
३१	लोड बियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना	मध्यम	ब.फु.	३२८९.२१	५७.८५	१६५.४५	२५८६.१४	४९.१७	१४०.६३
३२		सामान्य	ब.फु.	३०६९.८१	२६.१८	१०९.७८	२४१३.६४	२२.२५	९३.३१
३३	लोड बियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	मध्यम	ब.फु.	३३५७.५७	५७.८५	१६५.४५	२६३९.८९	४९.१७	१४०.६३
३४		सामान्य	ब.फु.	३१९०.२३	२६.१८	१०९.७८	२५०८.३२	२२.२५	९३.३१
३५	लोड बियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	मध्यम	ब.फु.	३६५७.४८	५७.८५	१६५.४५	२८७५.७०	४९.१७	१४०.६३
३६		सामान्य	ब.फु.	३१९०.१५	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
३७	लोड बियरिङ्ग दुङ्गाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	ब.फु.	२६९७.९२	२६.१८	१०९.७८	२१२१.२४	२२.२५	९३.३१
३८	लोड बियरिङ्ग दुङ्गाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	ब.फु.	२९५७.८४	२६.१८	१०९.७८	२३५७.०५	२२.२५	९३.३१
३९	लोड बियरिङ्ग दुङ्गाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	ब.फु.	३५६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१
४०	लोड बियरिङ्ग दुङ्गाको गारो (सिमेन्टको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	ब.फु.	३८६२.१३	२६.१८	१०९.७८	३०३६.६१	२२.२५	९३.३१
४१	लोड बियरिङ्ग दुङ्गाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	ब.फु.	४०९०.१५	१०९.८८	२७४.६५	३२१५.८८	९३.४०	२३३.४५
४२		मध्यम	ब.फु.	३५३९.६७	७१.२७	२०३.८२	२७८३.०७	६०.५८	१७३.२५
४३		सामान्य	ब.फु.	३२७८.८६	३२.२५	१३५.२४	२५७८.०१	२७.४२	११४.९५

**भवनको बनावट र फिनिसिङ्ग तथा सामान/उपकरण जडानको आधारमा वर्गीकरण**

क) लिफ्ट जडान भएको हकमा रु २५,४२,५००।०० (भ्याट समेत) थप गर्नु पर्नेछ । (६ व्यक्ति क्षमता भएको लिफ्ट)

ख) सेप्टिक ट्यांक तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्यांकनमा रु १५९००२।५ (भ्याट बाहेक) घटाउनुपर्नेछ ।

ग) संयुक्त आवास (Apartment) र Housing का भवनहरूको मुल्यांकन गर्दा भवनले ओगटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरू तथा Land scaping कार्य हरूको मुल्यांकन यस दर रेटमा समावेश नगरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ ।

घ) माथीका सिभिल कार्यका दर रेटहरू सामान्य किसिमका जग भएका भवनहरूको लागि निर्धारण गरिएको हो । अन्य किसिमका जगहरूको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सोको छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने ।

ङ) उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मुल्यांकन गर्दा त्रुटि लगायतका मुल्यांकनका विधि र सूत्र (Formula) "भवनको लागत मुल्यांकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ ।

## फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>विभिन्न साइजका TMT Bar</b>				
	a) 8 mm dia	के.जी	८६.००	९२.००	९९.००
	b) 10,12,16,20, mm dia	के.जी	८४.००	९१.००	९८.००
	c) 25 mm dia	के.जी	८५.००	९२.००	९९.००
	c) 28,32 mm dia	के.जी	८५.००	९२.००	९९.००
२	<b>विभिन्न साइजको TOR Steel</b>				
	a) 8mm dia TOR steel	के.जी	८२.००	८८.००	९४.००
	b) 10-25mm TOR steel	के.जी	७९.००	८५.००	९१.००
	c) 28-32mm TOR steel	के.जी	८२.००	८८.००	९४.००
३	TOR kari-4.75, 7 mm dia	के.जी	८६.००	९२.००	१०१.००
४	डण्डी बाँध्नेतार	के.जी	९२.००	९९.००	१०६.००
५	एम.एस.सोलिड स्वायर रड	के.जी	७०.००	७५.००	८०.००
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	८१.४२	८७.००	९३.००
७	विभिन्न साइजको व्याक पाईप	के.जी	८१.००	८७.००	९३.००
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	८३.१९	८९.००	९६.००
९	विभिन्न साइजको आइ.विम	के.जी	८२.३०	८८.००	९४.००
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१३९.१०	१५०.००	१६१.००
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१३९.१०	१५०.००	१६१.००
११	<b>G.I. Wire</b>				
	<b>i) Heavy Zinc coated</b>				
	8 guage	के.जी	१०५.००	११३.००	१२९.००
	10 guage	के.जी	१०५.००	११३.००	१२९.००
	12guage	के.जी	१०५.००	११३.००	१२९.००
	<b>ii) Medium zinc Coated</b>				
	8 guage	के.जी	१००.००	१०८.००	१२४.००
	10 guage	के.जी	१००.००	१०८.००	१२४.००
	12guage	के.जी	१००.००	१०८.००	१२४.००
	<b>iii) Light Zinc Coated/Commercial</b>				
	8 guage	के.जी	९५.००	१०२.००	११७.००
	10 guage	के.जी	९५.००	१०२.००	११७.००
	12guage	के.जी	९५.००	१०२.००	११७.००
१२	मेथिनवाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	२३१.००	२४९.००	२७३.००
१३	मेथिनवाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	२८०.००	३०२.००	३३२.००
१४	मेथिनवाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	४५७.००	४९३.००	५४२.००

### फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१५	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो रोवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	३०२.००	३२६.००	३५८.००
१६	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो रोवियन वाक्स mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	२७२.००	२९३.००	३२२.००
१७	<b>Barbed Wire (काँडेतार)</b>				
	12 guage commercial, Medium duty	के.जी	९७.३५	१०५.००	११५.००
	U-hook for barbed wire fencing	गोटा	०.७५	०.८१	०.८९
१८	<b>Fabrication of chain link mesh of size</b>				
	1"x1" 12 guage	बर्ग मी.	६९७.००	७५२.००	८२७.००
	1.5"x1.5" 12 guage	बर्ग मी.	६५२.००	७०४.००	७७४.००
	2"x2" 10 guage	बर्ग मी.	५१७.००	५५८.००	६१३.००
	3"x3" 10 guage	बर्ग मी.	४२३.००	४५६.००	५०१.००
	4"x4" 10 guage	बर्ग मी.	३३७.००	३६३.००	३९९.००
१९	<b>विभिन्न प्रकारको जालीहरु</b>				
	मसिनो खालको Mosquito proof जाली	व.मि.	११६.००	१२५.००	१३७.००
	वालुवा चाल्ने जाली	व.मि.	१२९.००	१३०.००	१४३.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७४.००	७९.००	८६.००
	ब्रास क्रसिङ्ग जाली	व.मि.	१८९.००	२०४.००	२२४.००
	स्टील जाली (crossing )	व.मि.	१५२.००	१६४.००	१८०.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२६३.००	२८४.००	३१२.००
	<b>फलामबाट निर्मित सामानहरु</b>				
२०	विभिन्न साइजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३०.००	१४०.००	१५४.००
२१	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१२९.००	१४१.००
२२	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५४०.००	५९४.००
२३	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३७८.००	४१५.००
२४	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	व.फि.	२८०.००	३०२.००	३३२.००
२५	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५४०.००	५९४.००
२६	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५०X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	७०२.००	७७२.००
२७	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत ( भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२८७४.९२	३१०४.००	३४१४.००
२८	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१३५.००	१४८.००
२९	विभिन्न साइजको किला काटी	के.जी.	११२.००	१२०.००	१३२.००
३०	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१७८.००	१९५.००
३१	फलामे सामग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	४५.००	४८.००	५२.००
३२	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१५१.००	१६६.००
३३	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	१९४०.००	२०९५.००	२३०४.००

### फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३४	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९४.००	२०९.००	२२९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२६२.००	२८८.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३१०.००	३३४.००	३६७.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	४०६.००	४४६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०८.००	५४८.००	६०२.००
३५	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.			४७०.००

## सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१	<b>Bitumen</b>				
	VG 10	के.जी			११५.००
	VG 30	के.जी			११६.००
२	CRMB-DIGO 55 Bitumen	के.जी	७५.८२	८१.००	८९.००
३	<b>Cationic Bitumen Emulsion</b>				
	छिटो जम्ने (RS 60%)	के.जी	६८.५०	७३.००	८४.००
	छिटो जम्ने (RS 65%)	के.जी	७२.५०	७८.००	८९.००
	छिटो जम्ने (RS 70%)	के.जी	७६.५०	८२.००	९४.००
	मध्यम जम्ने (MS 60%)	के.जी	६९.३५	७४.००	८५.००
	मध्यम जम्ने (MS 65%)	के.जी	७३.३५	७९.००	८९.००
	ढीलो जम्ने (SS60%)	के.जी	७०.६०	७६.००	८६.००
४	Slurry Seal with 60% bitumen	के.जी	७५.७०	८१.००	९३.००
५	Hi - seal Redymix	के.जी	९८.५२	९८.५२	११२.००
६	Polymer Bitumen	के.जी	१०९.५२	१०९.५२	१२५.००
७	सडक कालोपत्रे गर्दा विटुमीन नजुष्कीनको लागी प्रयोग गर्ने सामान <b>Anti stripping</b>	के.जी	३२२.५०	३२२.५०	३७०.००
८	कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३१.५०	३१.५०	३५.००
९	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१७३.००	१७३.००	१९८.००
	b) Most Grade	के.जी	१९१.००	१९१.००	२१९.००
	c) Glass beads	के.जी	१५७.००	१५७.००	१८०.००
१०	<b>Elastomeric Bearing Pad</b>				
	Free Type	गोटा	२३१०७.००	२३१०७.००	२४०३१.२८
	Fix end Dowel Type	गोटा	४९०३२.००	४९०३२.००	५०९९३.००
११	<b>Expansion Joint Works</b>				
	Single strip seal	र. मि.	९६५०.००	९६५०.००	१०१३२.००
	Slab seal (320*50)	र. मि.	१९२३०.००	१९२३०.००	१९९९९.००
१२	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७८५००.००
१३	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७८५००.००
१४	<b>High density polyethene geo-membrane</b>				
	1.00 mm thickness	व.मि.	६३४.००	६३४.००	६८४.००
	2.00 mm thickness	व.मि.	१२६५.००	१२६५.००	१३६४.००
१५	<b>Needle punched non woven geo-textile</b>				
	weight-120gm/sqm	व.मि.	७२.००	७२.००	७७.००
	weight-150gm/sqm	व.मि.	८०.००	८०.००	८६.००
	weight-200gm/sqm	व.मि.	११७.००	११७.००	१२६.००
१६	Tendon sheath	मी.	३६०.००	३६०.००	३८८.००

## सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/०८०
१७	Tendon wire	टन	१४८८२०.००	१४८८२०.००	१५१७९६.००
१८	Anchorage block with cap	गोटा	९९५०.००	९९५०.००	१०४४७.००
१९	Road divider ( polythene )	गोटा	१६५०.००	१६५०.००	१७३२.००
२०	Dust bin ( polythene ) 165 ltr	गोटा	३१३५.००	३१३५.००	३२९१.००
२१	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९००००.००	१९००००.००	१९३८००.००
२२	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६०००.००	६०००.००	६२४०.००
२३	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०५००.००	१०५००.००	१०९२०.००
२४	Geogrids	ब. मि.			१४०.००
	<b>भोलुडे पुल सम्बन्धि</b>				
१	Φ 13 mm thimble	गोटा	७४.००	७४.००	७९.००
२	Φ 26 mm thimble	गोटा	३७२.००	३७२.००	४०१.००
३	Φ 32 mm thimble	गोटा	६३७.००	६३७.००	६८७.००
४	Φ 36 mm thimble	गोटा	१२७३.००	१२७३.००	१३७३.००
५	Φ 40 mm thimble	गोटा	१५९१.००	१५९१.००	१७१६.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४२४.००	४२४.००	४५७.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	६६९५.००	६६९५.००	७२२३.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	२९०.००	२९०.००	३१२.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	३८०.००	३८०.००	४१०.००
१०	High tensile friction grip nut bolts	के.जी.	३५०.००	३५०.००	३७७.००
११	Hot deep galvinazation	के.जी.	४८.००	४८.००	५१.००
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) Equivalent to J.K.S 3D; Type A02-80/1.5-1.6 FEZ , Approx. Wt. 3.0 kg/m2	ब. मि.		३६४०.००	३८९८.००
१३	Binding loops stainless steel type 1.4/100/NIRO, approx wt 6.0 Kg/Bundle	प्रति बण्डल		२१५९०.००	२२९००.००

## स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	मेशिनबाट उत्पादित ईटा (१-नं.)				
	का.म.न.पा.	प्रति हजार	१६२००.००	१६२००.००	१६८४८.००
	दक्षिणकाली न.पा.	प्रति हजार	१६७८०.००	१६७८०.००	१७४५१.००
	किर्तिपुर न.पा.	प्रति हजार	१६६४०.००	१६६४०.००	१७३०५.००
	चन्द्रागिरी न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१७५५५.००
	नागार्जुन न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१७५५५.००
	तारकेश्वर न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१७५५५.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६७०.००	१६६७०.००	१७३३६.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७००.००	१६७००.००	१७३६८.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१६७४०.००	१६७४०.००	१७४०९.००
	शंखरापुर न.पा.	प्रति हजार	१७०१०.००	१७०१०.००	१७६९०.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६५४०.००	१६५४०.००	१७२०१.००
२	चिम्नी भट्टाको ईटा				
	का.म.न.पा.	प्रति हजार	१४५४०.००	१४५४०.००	१५१२१.००
	दक्षिणकाली न.पा.	प्रति हजार	१४४२०.००	१४४२०.००	१४९९६.००
	किर्तिपुर न.पा.	प्रति हजार	१४३००.००	१४३००.००	१४८७२.००
	चन्द्रागिरी न.पा.	प्रति हजार	१४१९०.००	१४१९०.००	१४७५७.००
	नागार्जुन न.पा.	प्रति हजार	१४३००.००	१४३००.००	१४८७२.००
	तारकेश्वर न.पा.	प्रति हजार	१४४७०.००	१४४७०.००	१५०४८.००
	टोखा न.पा. न.पा.	प्रति हजार	१४५४०.००	१४५४०.००	१५१२१.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१४९१०.००	१४९१०.००	१५५०६.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१४७९०.००	१४७९०.००	१५२९८.००
	शंखरापुर न.पा.	प्रति हजार	१५०५०.००	१५०५०.००	१५६५२.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१४७८०.००	१४७८०.००	१५३७१.००
३	तराई को १ नं.ईटा				
	का.म.न.पा.	प्रति हजार	१६५००.००	१६५००.००	१७१६०.००
	दक्षिणकाली न.पा.	प्रति हजार	१७१७०.००	१७१७०.००	१७८५६.००
	किर्तिपुर न.पा.	प्रति हजार	१६६९०.००	१६६९०.००	१७३५७.००
	चन्द्रागिरी न.पा.	प्रति हजार	१६५००.००	१६५००.००	१७१६०.००
	नागार्जुन न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१७३१६.००
	तारकेश्वर न.पा.	प्रति हजार	१६७२०.००	१६७२०.००	१७३८८.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१७३१६.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७६०.००	१६७६०.००	१७४३०.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१७३१६.००
	शंखरापुर न.पा.	प्रति हजार	१६९६०.००	१६९६०.००	१७६३८.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६७६०.००	१६७६०.००	१७४३०.००
४	टुक्रा ईटा	घ.मि.	२५००.००	२५००.००	२६२५.००
५	सिमेन्टको ईटा				
	BK108N	प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	प्रति हजार	१६२७४.००	१६२७४.००	१६२७४.००
६	<b>Autoclaved Aerated Concrete Blocks(Sand based)</b>				
	Size 2*8*4"	गोटा	१२७.००	१२७.००	१३७.००
	Size 2*8*6"	गोटा	१९०.००	१९०.००	२०५.००
	Size 2*8*8"	गोटा	२५६.००	२५६.००	२७६.००
७	ECO BRICK ( Sada)	गोटा	१८.००	१८.००	१९.००

### स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	ECO BRICK ( Colour)	गोटा	२०.००	२०.००	२१.००
८	खानीको ढुंगा				
	का.म.न.पा.	घ.फि	६३.००	६३.००	६७.००
	दक्षिणकाली न.पा.	घ.फि	५९.००	५९.००	६३.००
	किर्तिपुर न.पा.	घ.फि	६२.००	६२.००	६६.००
	चन्द्रागिरी न.पा.	घ.फि	७२.००	७२.००	७७.००
	नागार्जुन न.पा.	घ.फि	७४.००	७४.००	७९.००
	तारकेश्वर न.पा.	घ.फि	७३.००	७३.००	७८.००
	टोखा न.पा. न.पा.	घ.फि	७१.००	७१.००	७६.००
	बुढानिलकण्ठ न.पा.	घ.फि	६७.००	६७.००	७२.००
	गोकर्णेश्वर न.पा.	घ.फि	६८.००	६८.००	७३.००
	शंखरापुर न.पा.	घ.फि	७२.००	७२.००	७७.००
	कागेश्वरी मनहरा न.पा.	घ.फि	७०.००	७०.००	७५.००
९	विभिन्न प्रकारको खानीको बालुवा				
	का.म.न.पा.	घ.फि	८८.००	८८.००	९४.००
	दक्षिणकाली न.पा.	घ.फि	९२.००	९२.००	९९.००
	किर्तिपुर न.पा.	घ.फि	९१.००	९१.००	९८.००
	चन्द्रागिरी न.पा.	घ.फि	८९.००	८९.००	९६.००
	नागार्जुन न.पा.	घ.फि	९१.००	९१.००	९८.००
	तारकेश्वर न.पा.	घ.फि	९१.००	९१.००	९८.००
	6f]vf g=kf= g=kf=	घ.फि	९०.००	९०.००	९७.००
	बुढानिलकण्ठ न.पा.	घ.फि	९१.००	९१.००	९८.००
	गोकर्णेश्वर न.पा.	घ.फि	६६.००	६६.००	७१.००
	शंखरापुर न.पा.	घ.फि	६६.००	६६.००	७१.००
	कागेश्वरी मनहरा न.पा.	घ.फि	९०.००	९०.००	९७.००
१०	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि	८९.००	८९.००	९६.००
	दक्षिणकाली न.पा.	घ.फि	९१.००	९१.००	९८.००
	किर्तिपुर न.पा.	घ.फि	९१.००	९१.००	९८.००
	चन्द्रागिरी न.पा.	घ.फि	९०.००	९०.००	९७.००
	नागार्जुन न.पा.	घ.फि	९१.००	९१.००	९८.००
	तारकेश्वर न.पा.	घ.फि	९१.००	९१.००	९८.००
	टोखा न.पा. न.पा.	घ.फि	९१.००	९१.००	९८.००
	बुढानिलकण्ठ न.पा.	घ.फि	९२.००	९२.००	९९.००
	गोकर्णेश्वर न.पा.	घ.फि	८२.००	८२.००	८८.००
	शंखरापुर न.पा.	घ.फि	८२.००	८२.००	८८.००
	कागेश्वरी मनहरा न.पा.	घ.फि	८२.००	८२.००	८८.००
११	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि	८८.००	८८.००	९४.००
	दक्षिणकाली न.पा.	घ.फि	९५.००	९५.००	१०२.००
	किर्तिपुर न.पा.	घ.फि	९३.००	९३.००	१००.००
	चन्द्रागिरी न.पा.	घ.फि	९४.००	९४.००	१०१.००
	नागार्जुन न.पा.	घ.फि	९४.००	९४.००	१०१.००
	तारकेश्वर न.पा.	घ.फि	९५.००	९५.००	१०२.००
	टोखा न.पा. न.पा.	घ.फि	९५.००	९५.००	१०२.००
	बुढानिलकण्ठ न.पा.	घ.फि	९४.००	९४.००	१०१.००
	गोकर्णेश्वर न.पा.	घ.फि	९५.००	९५.००	१०२.००
	शंखरापुर न.पा.	घ.फि	९५.००	९५.००	१०२.००

## स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	कागेश्वरी मनहरा न.पा.	घ.फि.	९५.००	९५.००	१०२.००
१२	<b>क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि</b>				
	का.म.न.पा.	घ.फि.	९४.००	९४.००	१०१.००
	दक्षिणकाली न.पा.	घ.फि.	९४.००	९४.००	१०१.००
	किर्तिपुर न.पा.	घ.फि.	९५.००	९५.००	१०२.००
	चन्द्रागिरी न.पा.	घ.फि.	९५.००	९५.००	१०२.००
	नागार्जुन न.पा.	घ.फि.	९५.००	९५.००	१०२.००
	तारकेश्वर न.पा.	घ.फि.	९५.००	९५.००	१०२.००
	टोखा न.पा. न.पा.	घ.फि.	९६.००	९६.००	१०३.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९५.००	९५.००	१०२.००
	गोकर्णेश्वर न.पा.	घ.फि.	९४.००	९४.००	१०१.००
	शंखरापुर न.पा.	घ.फि.	९१.००	९१.००	९८.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९४.००	९४.००	१०१.००
१३	<b>क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि</b>				
	का.म.न.पा.	घ.फि.	८१.००	८१.००	८७.००
	दक्षिणकाली न.पा.	घ.फि.	८२.००	८२.००	८८.००
	किर्तिपुर न.पा.	घ.फि.	८१.००	८१.००	८७.००
	चन्द्रागिरी न.पा.	घ.फि.	८२.००	८२.००	८८.००
	नागार्जुन न.पा.	घ.फि.	८३.००	८३.००	८९.००
	तारकेश्वर न.पा.	घ.फि.	८३.००	८३.००	८९.००
	टोखा न.पा. न.पा.	घ.फि.	८४.००	८४.००	९०.००
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	८४.००	९०.००
	गोकर्णेश्वर न.पा.	घ.फि.	८३.००	८३.००	८९.००
	शंखरापुर न.पा.	घ.फि.	८१.००	८१.००	८७.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८२.००	८२.००	८८.००
१४	<b>Crusher run sub-base material (63mm down)</b>				
	का.म.न.पा.	घ.फि.	७१.००	७१.००	७६.००
	दक्षिणकाली न.पा.	घ.फि.	७६.००	७६.००	८२.००
	किर्तिपुर न.पा.	घ.फि.	७०.००	७०.००	७५.००
	चन्द्रागिरी न.पा.	घ.मि.	७१.००	७१.००	७६.००
	नागार्जुन न.पा.	घ.फि.	७२.००	७२.००	७७.००
	तारकेश्वर न.पा.	घ.फि.	७२.००	७२.००	७७.००
	टोखा न.पा. न.पा.	घ.फि.	७३.००	७३.००	७८.००
	बुढानिलकण्ठ न.पा.	घ.फि.	७६.००	७६.००	८२.००
	गोकर्णेश्वर न.पा.	घ.फि.	७६.००	७६.००	८२.००
	शंखरापुर न.पा.	घ.फि.	७९.००	७९.००	८५.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	७८.००	७८.००	८४.००
१५	<b>40 mm down crushed Base material (Wet)</b>				
	का.म.न.पा.	घ.फि.	८२.००	८२.००	८८.००
	दक्षिणकाली न.पा.	घ.फि.	८३.००	८३.००	८९.००
	किर्तिपुर न.पा.	घ.फि.	८२.००	८२.००	८८.००
	चन्द्रागिरी न.पा.	घ.फि.	८४.००	८४.००	९०.००
	नागार्जुन न.पा.	घ.फि.	८४.००	८४.००	९०.००
	तारकेश्वर न.पा.	घ.फि.	८५.००	८५.००	९१.००
	टोखा न.पा. न.पा.	घ.फि.	८५.००	८५.००	९१.००

## स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	८४.००	९०.००
	गोकर्णेश्वर न.पा.	घ.फि.	८२.००	८२.००	८८.००
	शंखरापुर न.पा.	घ.फि.	८५.००	८५.००	९१.००
	कागेश्वरी मनोहरा न.पा.	घ.फि.	८५.००	८५.००	९१.००
१६	<b>छानामा छाउने क्ले टायलहरू</b>				
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१९.००
	चिम्नी भट्टाको टायल	गोटा	१६.००	१६.००	१७.००
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३४.००
	चिम्नी भट्टाको धुरी	गोटा	२६.००	२६.००	२८.००
१७	<b>भुईँमा/ कौसीमा छाप्ने क्ले टायलहरू</b>				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिम्नी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१८	<b>छाप्ने ढुङ्गा (Flag stone)</b>				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	७६.००	७६.००	८२.००
	१ <sup>१</sup> / <sub>२</sub> " सम्म बाक्लो " " "	व.फि	८८.००	८८.००	९४.००
	२ सम्म बाक्लो ढुङ्गा " " "	व.फि	१०३.००	१०३.००	१११.००
	२.५ सम्म बाक्लो ढुङ्गा " " "	व.फि	१११.००	१११.००	११९.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा " " "	व.फि	१३८.००	१३८.००	१४८.००
१९	खोलाको वोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	१०५.००	१०५.००	११३.००
२०	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे बेसि खानी बाहेकको)	घ.फि.	५७.२४	५७.२४	६१.००
२१	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	६५.००	६५.००	७०.००
२२	भवनको भुईँ कोठामा पुर्न, सोलिडको Void filling गर्न प्रयोग गरिने बालुवा	"	४५.३६	४५.३६	४८.००
२३	ढुगाको धुलो (Stone dust)	घ.फि.	४१.०४	४१.०४	४४.००
२४	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	३१८.६०	३१८.६०	३४३.००
२५	सवयेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५५०.८०	५५०.८०	५९४.००
२६	भुस	के.जि.	५.५०	५.५०	५.००
२७	गोबर	के.जि.	५.००	५.००	५.००
२८	<b>निर्माण कार्यको लागी पानी</b>				
	३ कि.मी. सम्म को दुरीमा	लिट्र	०.२६	०.२६	०.२८
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	०.३१	०.३१	०.३३
२९	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३३.००
३०	Plastic felt (२०मी. × १मी.)	रोल	२३५.००	२३५.००	२५४.००
३१	१८-२० फिट लामो बाँस	गोटा	२१०.००	२१०.००	२४०.००

**प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>NP-2 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	५७०.००	५७०.००	५७०.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२६०.००	१२६०.००	१२६०.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७५०.००	१७५०.००	१७५०.००
	450 mm dia.	र.मि	१८५२.००	१८५२.००	१८५२.००
	500 mm dia.	र.मि	२०८०.००	२०८०.००	२०८०.००
	600 mm dia.	र.मि	२७४०.००	२७४०.००	२७४०.००
	700 mm dia.	र.मि	३५७५.००	३५७५.००	३५७५.००
	750 mm dia.	र.मि	३८७०.००	३८७०.००	३८७०.००
	800 mm dia.	र.मि	४३२०.००	४३२०.००	४३२०.००
	900 mm dia.	र.मि	५८३५.००	५८३५.००	५८३५.००
	1000 mm dia.	र.मि	६८०५.००	६८०५.००	६८०५.००
	1200 mm dia.	र.मि	८३०१.००	८३०१.००	८३०१.००
	1500 mm dia.	र.मि	१७४५०.००	१७४५०.००	१७४५०.००
२	<b>NP-3 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	१३१०.००	१३१०.००	१३१०.००
	200 mm dia.	र.मि	१७४५.००	१७४५.००	१७४५.००
	250 mm dia.	र.मि	२१८५.००	२१८५.००	२१८५.००
	300 mm dia.	र.मि	३१४०.००	३१४०.००	३१४०.००
	350 mm dia.	र.मि	३५२०.००	३५२०.००	३५२०.००
	375 mm dia.	र.मि	३७६०.००	३७६०.००	३७६०.००
	400 mm dia.	र.मि	४०१०.००	४०१०.००	४०१०.००
	450 mm dia.	र.मि	४५००.००	४५००.००	४५००.००
	500 mm dia.	र.मि	५०२०.००	५०२०.००	५०२०.००
	600 mm dia.	र.मि	६२००.००	६२००.००	६२००.००
	700 mm dia.	र.मि	७४८५.००	७४८५.००	७४८५.००
	750 mm dia.	र.मि	८६००.००	८६००.००	८६००.००
	800 mm dia.	र.मि	९३८५.००	९३८५.००	९३८५.००
	900 mm dia.	र.मि	१२१७२.००	१२१७२.००	१२१७२.००
	1000 mm dia.	र.मि	१३५२५.००	१३५२५.००	१३५२५.००
	1200 mm dia.	र.मि	१६१००.००	१६१००.००	१६१००.००
	1500 mm dia.	र.मि	२५३००.००	२५३००.००	२५३००.००
३	<b>NP-2 RCC Collar</b>				
	150 mm dia	गोटा	१४५.००	१४५.००	१४५.००
	200 mm dia	गोटा	१९३.००	१९३.००	१९३.००
	250 mm dia	गोटा	२३९.००	२३९.००	२३९.००
	300 mm dia	गोटा	३२४.००	३२४.००	३२४.००
	350 mm dia	गोटा	३५७.००	३५७.००	३५७.००

**प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	375 mm dia	गोटा	३९२.००	३९२.००	३९२.००
	400 mm dia	गोटा	४५१.००	४५१.००	४५१.००
	450 mm dia	गोटा	४७६.००	४७६.००	४७६.००
	500 mm dia	गोटा	५३५.००	५३५.००	५३५.००
	600 mm dia	गोटा	७०६.००	७०६.००	७०६.००
	700 mm dia	गोटा	९२०.००	९२०.००	९२०.००
	750 mm dia	गोटा	९९५.००	९९५.००	९९५.००
	800 mm dia	गोटा	१११०.००	१११०.००	१११०.००
	900 mm dia	गोटा	१५००.००	१५००.००	१५००.००
	1000 mm dia	गोटा	१७५२.००	१७५२.००	१७५२.००
	1200 mm dia	गोटा	२१३७.००	२१३७.००	२१३७.००
	1500 mm dia	गोटा	४४९२.००	४४९२.००	४४९२.००
४	<b>NP-3 Class Collars</b>				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७१.००	१८७१.००	१८७१.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	<b>NP-3 Pipes Socket and Spigot</b>				
	150 mm dia.	र.सि	१४८०.००	१४८०.००	१४८०.००
	200 mm dia.	र.सि	२०१०.००	२०१०.००	२०१०.००
	250 mm dia.	र.सि	२५१०.००	२५१०.००	२५१०.००
	300 mm dia.	र.सि	३६०५.००	३६०५.००	३६०५.००
	400 mm dia.	र.सि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.सि	५१८०.००	५१८०.००	५१८०.००
	500 mm dia.	र.सि	५७७०.००	५७७०.००	५७७०.००
	600 mm dia.	र.सि	७१३०.००	७१३०.००	७१३०.००
	700 mm dia.	र.सि	८६१०.००	८६१०.००	८६१०.००
	800 mm dia.	र.सि	१०७९०.००	१०७९०.००	१०७९०.००
	900 mm dia.	र.सि	१४०००.००	१४०००.००	१४०००.००

### प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	1000 mm dia.	र.मि	१४८१४.००	१४८१४.००	१४८१४.००
	1200 mm dia.	र.मि	१८६००.००	१८६००.००	१८६००.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia	र.मि	४३६००.००	४३६००.००	४३६००.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	८२५.००	८२५.००	७००.००
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	७२५.००	७२५.००	६००.००
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	ब्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	ब्याग	१०.७०	१०.७०	११.५५
६	<b>Ready Mix Concrete (चक्रपथवाट ३ कि.मि. वाहिर सम्म)</b>				
	M 10 Grade	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15 Grade	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20 Grade	घ. मि	१५२२५.००	१५२२५.००	१५२२५.००
	M 25 Grade	घ. मि	१६२७५.००	१६२७५.००	१६२७५.००
	M 30 Grade	घ. मि	१७११५.००	१७११५.००	१७११५.००
	M 35 Grade	घ. मि	१८३८२.००	१८३८२.००	१८३८२.००
	M 40 Grade	घ. मि	१९९५०.००	१९९५०.००	१९९५०.००
	M 45 Grade	घ. मि		२१४५०.००	२१४५०.००
७	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२००.००	१२६०.००
८	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	१०५०.००	११०२.००
९	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	९५०.००	१०१६.००
१०	<b>सादा सेतो सिसा</b>				
	३ मी.मी.	व.फि.	४९.००	४९.००	५२.००
	३.५ मी.मी.	व.फि.	५६.००	५६.००	५९.००
	४ मी.मी.	व.फि.	६५.००	६५.००	६९.००
	५ मी.मी.	व.फि.	७५.००	७५.००	७९.००
	६ मी.मी.	व.फि.	१००.००	१००.००	१०६.००
	८ मी.मी.	व.फि.	१५०.००	१५०.००	१५९.००
	१० मी.मी.	व.फि.	१९०.००	१९०.००	२०२.००
	१२ मी.मी.	व.फि.	२२०.००	२२०.००	२३४.००
११	<b>बुट्टेदार सिसा</b>				
	३.मी.मी.	व.फि.	४८.४१	४८.४१	५१.००
	४ मी.मी.	व.फि.	५६.६५	५६.६५	६०.००
१२	<b>पोलि फाईबर ग्लास</b>				
	६ मी.मी.	व.फि.	१५४.५०	१५४.५०	१६४.००
१३	<b>कालो रङ्गको सिसा</b>				
	३.मी.मी.	व.फि.	९६.००	९६.००	१०२.००
	४ मी.मी.	व.फि.	१०३.००	१०३.००	१०९.००
	५ मी.मी.	व.फि.	१२०.००	१२०.००	१२७.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	६ मी.मी.	व.फि.	१८०.००	१८०.००	१८४.००
	८ मी.मी.	व.फि.	२५०.००	२५०.००	२६४.००
	१० मी.मी.	व.फि.	३५०.००	३५०.००	३७३.००
	१२ मी.मी.	व.फि.	४००.००	४००.००	४२६.००
१४	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	१२३.००
१५	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६२००.००	६२००.००	६५१०.००
१६	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१९६.००
१७	<b>Readymade Plaster of Parish</b> cornice and molding				
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२५३.००
	Up to 5" wide	र.मि	२८५.००	२८५.००	३०३.००
	Up to 8" wide	र.मि	३९३.००	३९३.००	४१९.००
	Above 8" wide	र.मि	१६१.००	१६१.००	१७१.००
१८	Plaster of paris	कि.ग्रा.	२३.००	२३.००	२४.००
१९	Wall putty-Normal	कि.ग्रा.	३५.००	३५.००	३७.००
२०	Wall putty-water proof	कि.ग्रा.	६०.००	६०.००	६३.००
२१	<b>राजस्थानी मार्बल</b>				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६८.००	१६८.००	१७९.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१८४.००	१८४.००	१९६.००
२२	<b>ग्रेनाइट</b>				
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	२६२.००	२६२.००	२७९.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३५२.००	३५२.००	३६६.००
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	३९५.००	३९५.००	४२१.००
२३	<b>कोटा स्टोन</b>				
	1" thick	व.फि.	१५०.००	१५०.००	१५९.००
	3/4" thick	व.फि.	१३७.००	१३७.००	१४६.००
२४	<b>Porcelain Glazed Tiles</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	व.फि.	१२६.००	१२६.००	१३४.००
	floor tile	व.फि.	८५.००	८५.००	९०.००
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५७.००
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४५.००
	Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१९१.००
	Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५५.००
	24" x 24" GVT	व.फि.	१६५.००	१६५.००	१७५.००
	24" x 24" GRES Vertified ( Digital Floor)	व.फि.	१४४.००	१४४.००	१५३.००
	12" x 12" GRES homogenous Vertified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००
	24" x 24" Vertified	व.फि.	१११.००	१११.००	११८.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Floor tiles-				
	16"X16"	व.फि.	९८.००	९८.००	१०४.००
	12"x12"	व.फि.	८८.००	८८.००	९३.००
	12"X12" (White / Ivory)	व.फि.	७७.००	७७.००	८२.००
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००
	12"x24" (Walls)	व.फि.	१३४.००	१३४.००	१३७.००
	12"x18"(wall)	व.फि.	१०३.००	१०३.००	१०९.००
	Artificial Granite (800mmx2600mm)	व.फि.			४७९.००
	GVT Floor Tile (900mm x 1800mm)	व.फि.			३७३.००
	Double Charge Floor tile (800mmx800mm)	व.फि.			१५९.००
	Double Charge Floor tile (600mmx600mm)	व.फि.			१२७.००
	GVT Floor Tile (800mm x 1600mm)	व.फि.			२१३.००
	10"x24" (Walls)	व.फि.			१३३.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.			२३८.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.			१७०.००
	Planks Tile-GVT (200mm x 1200mm)	व.फि.			२३५.००
	Planks tile-Ceramic (148mm x 600mm)	व.फि.			१६१.००
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.			१२१.००
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.			१२१.००
	Ceramic Floor-(600mm x 600 mm)	व.फि.			१३९.००
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.			१२१.००
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.			१४२.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.			१५५.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.			१९८.००
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.			१६७.००
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.			१८०.००
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.			१४९.००
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.			१५८.००
	Vitrified Floor-Matte (600mm x 600mm)	व.फि.			१४९.००
२५	<b>छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य</b>				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६२३.००	६२३.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७५.००	७९.००
२६	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting</b>				
	Heritage granular	व.फि.	८७.००	८७.००	९२.००
	Heritage flakes	व.फि.	१०७.००	१०७.००	११४.००
	Heritage granite finish	व.फि.	८७.००	८७.००	९२.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Heritage Top coat (plastic lamination)	व.फि	२२.००	२२.००	२३.००
२७	Plastic Sheet 500 guage	व.मि	३८.००	३८.००	४०.००
	Plastic Tripal 500 guage	व.मि	४१.००	४१.००	४३.००
२८.०	Sandwich/EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि	२५२.००	२५२.००	२५२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	<b>EPS Sandwich panel work( metal sheet based) including fitting</b>				
	Providing and fitting EPS Sandwich Panel, FR 3 rated , Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
	Ivory color/white color Flat partition and exterior wall				
	<b>Thickness</b>				
	50mm	व.फि			३५४.१६
	75mm	व.फि			४०८.३६
	100mm	व.फि			४६२.३५
	125mm	व.फि			५१८.९६
	150mm	व.फि			५७२.०८
	Gray color RP wall panel				
	<b>Thickness</b>				

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	50mm	व.फि			३९०.६६
	75mm	व.फि			४४३.७६
	100mm	व.फि			५४०.००
	125mm	व.फि			५९९.४९
	150mm	व.फि			६९०.८०
	wooden color siding wall panel				
	<b>Thickness</b>				
	75mm	व.फि			४९३.५४
	100mm	व.फि			५४९.९६
	125mm	व.फि			६९३.०९
	150mm	व.फि			६५८.३६
	Blue and Orange Roof panel				
	<b>Thickness</b>				
	50mm	व.फि			४०९.४७
	75mm	व.फि			४६३.६७
	100mm	व.फि			५६३.२३
	125mm	व.फि			५७२.०८
	150mm	व.फि			६२८.५०
	Zinc panel( combat and black color)				
	<b>Thickness</b>				
	50mm	व.फि			५०९.०३
	75mm	व.फि			५४५.५३
	100mm	व.फि			६४६.९९
	125mm	व.फि			६६७.२९
	150mm	व.फि			७०९.५०
	<b>Sandwich PUFF panel work( metal sheet based) including fitting</b>				
	Providing and Fitting PUF sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4~0.5mm PPGI with PUF core insulation of density 45~50 kg/m <sup>3</sup> , Base Metal width 1105mm and effective width 1,000mm, length 2m~13m of approved color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
	Ivory color/white color Flat puff wall				
	<b>Thickness</b>				
	40mm	व.फि			४०३.००
	50mm	व.फि			४२८.००
	75mm	व.फि			४९५.००
	100mm	व.फि			५६७.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Puff Panel Roof(orange/Blue)</b>				
	30mm	व.फि			३८४.००
	40mm	व.फि			४०८.००
	50mm	व.फि			४४०.००
	75mm	व.फि			५१६.००
	100mm	व.फि			५९२.००
	<b>Steel door</b>				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8-0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि			११००.००
	<b>Panel door</b>				
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि			७२०.००
	<b>UPVC Window</b>				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि			८८८.००
२९	<b>CLADDING</b>				
१	MCM Brick Cladding	व.फि		३८०.००	४०५.००
२	MCM Slate Stone Cladding	व.फि		४५०.००	४७९.००
३	MCM Oasis Stone Cladding	व.फि		४९०.००	५२२.००
४	MCM Wood Cladding	व.फि		५६०.००	५९७.००
५	MCM Travertine Stone Cladding	व.फि		६९०.००	७३५.००
३०	<b>Laminates</b>				
१	Liner 0.7mm			१०५०.००	१११९.००
२	0.8 mm SUD			१५००.००	१५९९.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8			१७००.००	१८१२.००
४	PGL 0.8 mm			१७००.००	१८१२.००
५	Marker Grade MGD 0.8 mm			१८००.००	१९१९.००
६	SUD 0.8 mm			१५००.००	१५९९.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm			१७००.००	१८१२.००
८	gloss PRG 0.8 mm			१७००.००	१८१२.००
९	marker grade MGD 0.8 mm			१८००.००	१९१९.००
१०	metal ZRL 0.8 mm			५५००.००	५८६४.००
११	Plain 1mm			२५००.००	२६६५.००
१२	Texture 1mm			३०००.००	३१९८.००
१३	SUD 1mm			२६००.००	२७७२.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM			३५००.००	३७३१.००

## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१५	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm			४०००.००	४२६४.००
१६	HDG 1mm			४५००.००	४७९७.००
१७	Unicore 1mm			७५००.००	७९९६.००
१८	Metal 1mm			७५००.००	७९९६.००
	<b>EXTERIOR FAÇADE</b>				
	Clads Solids 6mm	व.फि		६५०.००	६९३.००
	Clads Wood Grains 6mm	व.फि		७२५.००	७७२.००

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरु</b>				
१	कालो ढुंगाको बूटा सहितको थाम ६"× ९"× ६०"	प्रति गोटा	७००००.००	७००००.००	७२१००.००
२	कालो ढुंगाको बूटा सहितको थाम ६"× ९"× ६.६"	प्रति गोटा	१०५०००.००	१०५०००.००	१०७१००.००
३	कालो ढुंगाको बूटा सहितको थाम १२"× १२"× ७.६"	प्रति गोटा	२४००००.००	२४००००.००	२४४८००.००
४	४" बाक्लो पेट्टी ढुंगा (१०"× ४")	फिट	८००.००	८००.००	८५६.००
५	४" बाक्लो नागोल ढुंगा (१०"× ४")	फिट	९००.००	९००.००	९६३.००
६	४" बाक्लो बूटेदारी कसिमो, कार्नेस र फयो (१०"× ४")	फिट	३७००.००	३७००.००	३८८५.००
७	कालो साइडल ढुंगा (इल्हो) (३०"× ३०"× १८")	प्रति गोटा	४००००.००	४००००.००	४१६००.००
८	Peti kuna Dhunga(19.9"*9"*18")	प्रति गोटा	२७२०.००	२७२०.००	२८५६.००
९	Peti kuna Dhunga(10"*10"*14")	प्रति गोटा	१९००.००	१९००.००	१९९५.००
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००	९९७.००
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००	१४२८.००
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००	२५७२.००
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००	३१३९.००
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००	१४२८.००
१५	ढुङ्गेधारा	गोटा	११५५.००	११५५.००	१२१२.००
	<b>माटो बाट निर्मित परम्परागत निर्माण सामग्रीहरु</b>				
१	Daachi Appa	गोटा	२५.००	२५.००	२६.००
२	Daachi kuna	गोटा	३५.००	३५.००	३७.००
२	Twa Aapa	गोटा	२७.००	२७.००	२९.००
३	Gol Aapa	गोटा	२७.००	२७.००	२९.००
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००	३४२.००
५	Kalash(4"x6")	गोटा	५३.००	५३.००	५६.००
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००	१७०.००
७	Nagol	गोटा	२७.००	२७.००	२९.००
८	Nagol kuna	गोटा	४०.००	४०.००	४३.००
९	Kashimo	गोटा	२७.००	२७.००	२९.००
१०	Kashimo Kuna	गोटा	४०.००	४०.००	४३.००
११	Sakuli	गोटा	२७.००	२७.००	२९.००
१२	Sakuli Kuna	गोटा	४०.००	४०.००	४३.००
१३	Paan butta	गोटा	२७.००	२७.००	२९.००
१४	Paan butta Kuna	गोटा	४०.००	४०.००	४३.००
१५	Sano Fa butta	गोटा	२७.००	२७.००	२९.००
१६	Sano Fa butta Kuna	गोटा	४०.००	४०.००	४३.००
१७	Thulo Fa butta	गोटा	२७.००	२७.००	२९.००
१८	Thulo Fa butta kuna	गोटा	४०.००	४०.००	४३.००
१९	Naya fa butta	गोटा	२७.००	२७.००	२९.००
२०	Naya fa butta Kuna	गोटा	४०.००	४०.००	४३.००
२१	Sano ga butta	गोटा	२७.००	२७.००	२९.००
२२	Sano ga butta Kuna	गोटा	४०.००	४०.००	४३.००
२३	Thulo Ga butta	गोटा	२७.००	२७.००	२९.००
२४	Thulo Ga butta Kuna	गोटा	४०.००	४०.००	४३.००
२५	Pumha buta	गोटा	२७.००	२७.००	२९.००

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२६	Pumha buta Kuna	गोटा	४०.००	४०.००	४३.००
२७	Tinkune swa	गोटा	२७.००	२७.००	२९.००
२८	Tinkune swa Kuna	गोटा	४०.००	४०.००	४३.००
२९	Tinkune Pali	गोटा	२७.००	२७.००	२९.००
३०	Tinkune Pali kuna	गोटा	४०.००	४०.००	४३.००
३१	Sano swa butta	गोटा	२७.००	२७.००	२९.००
३२	Sano swa butta Kuna	गोटा	४०.००	४०.००	४३.००
३३	Thulo swa Butta	गोटा	२७.००	२७.००	२९.००
३४	Thulo swa Butta Kuna	गोटा	४०.००	४०.००	४३.००
३५	Nag tauko R/L	गोटा	१३२.००	१३२.००	१४२.००
३६	Nag Ghati R/L	गोटा	७०.००	७०.००	७५.००
३७	Nag Jiu	गोटा	२७.००	२७.००	२९.००
३८	Kuna	गोटा	४०.००	४०.००	४३.००
३९	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१४२.००
४०	Nag Ghati	गोटा	७०.००	७०.००	७५.००
४१	Thulo Nag Jiu	गोटा	२७.००	२७.००	२९.००
४२	Thulo Nag Jiu Kuna	गोटा	४०.००	४०.००	४३.००
४३	Nag Male/Female	गोटा	५३०.००	५३०.००	५६७.००
४४	Khal Nagol	गोटा	२७.००	२७.००	२९.००
४५	Khal Nagol Kuna	गोटा	४०.००	४०.००	४३.००
४६	Khal Fyo	गोटा	२७.००	२७.००	२९.००
४७	Khal Fyo Kuna	गोटा	४०.००	४०.००	४३.००
४८	Lahara butta	गोटा	२७.००	२७.००	२९.००
४९	Lahara butta Kuna	गोटा	४०.००	४०.००	४३.००
५०	Nagbeli	गोटा	२७.००	२७.००	२९.००
५१	Nagbeli kuna	गोटा	४०.००	४०.००	४३.००
५२	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३४.००
५३	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३४.००
५४	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३४.००
५५	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३४.००
५६	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३४.००
५७	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३४.००
५८	Palifo R/L	गोटा	२७.००	२७.००	२९.००
५९	Palifo R/L Kuna	गोटा	४०.००	४०.००	४३.००
६०	Palifo Bitch	गोटा	४०.००	४०.००	४३.००
६१	Naya Palifo	गोटा	२७.००	२७.००	२९.००
६२	Naya Palifo Kuna	गोटा	४०.००	४०.००	४३.००
६३	Shida Palifo	गोटा	२७.००	२७.००	२९.००
६४	Shida Palifo kuna	गोटा	४०.००	४०.००	४३.००
६५	Thulo Palifo R/L	गोटा	२७.००	२७.००	२९.००
६६	Thulo Palifo R/L Kuna	गोटा	४०.००	४०.००	४३.००
६७	Thulo Palifo Bitch	गोटा	२७.००	२७.००	२९.००
६८	2" Singh	गोटा	३२.००	३२.००	३४.००
६९	2" Garud	गोटा	३२.००	३२.००	३४.००
७०	Dhalimo	गोटा	३२.००	३२.००	३४.००

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
७१	3" Singh	गोटा	४२.००	४२.००	४५.००
७२	3" Garud	गोटा	४२.००	४२.००	४५.००
७३	3" singh full Jodiyako	गोटा	५३.००	५३.००	५७.००
७४	3" Astmangal	गोटा	४२.००	४२.००	४५.००
७५	3" Garud full	गोटा	५३.००	५३.००	५७.००
७६	4" Singh	गोटा	५३.००	५३.००	५७.००
७७	4" Garud	गोटा	५३.००	५३.००	५७.००
७८	Twa fyo	गोटा	२७.००	२७.००	२९.००
७९	Twa fyo Kuna	गोटा	४०.००	४०.००	४३.००
८०	4" Astmangal	गोटा	५३.००	५३.००	५७.००
८१	6" Singh	गोटा	१०५.००	१०५.००	११३.००
८२	6" Garud	गोटा	१०५.००	१०५.००	११३.००
८३	Chaal butta	गोटा	२७.००	२७.००	२९.००
८४	Chaal butta Kuna	गोटा	४०.००	४०.००	४३.००
८५	2" fyo	गोटा	२७.००	२७.००	२९.००
८६	2" fyo Kuna	गोटा	४०.००	४०.००	४३.००
८७	4" fyo	गोटा	२७.००	२७.००	२९.००
८८	4" fyo Kuna	गोटा	४०.००	४०.००	४३.००
८९	Tara Butta Puralo	गोटा	२७.००	२७.००	२९.००
९०	Tara Butta Puralo Kuna	गोटा	४०.००	४०.००	४३.००
९१	Naya tara butta	गोटा	२७.००	२७.००	२९.००
९२	Naya tara butta Kuna	गोटा	४०.००	४०.००	४३.००
९३	Swafo tara	गोटा	२७.००	२७.००	२९.००
९४	Swafo tara Kuna	गोटा	४०.००	४०.००	४३.००
९५	Sikri butta	गोटा	२७.००	२७.००	२९.००
९६	Sikri butta Kuna	गोटा	४०.००	४०.००	४३.००
९७	Na Sikri	गोटा	२७.००	२७.००	२९.००
९८	Na Sikri Kuna	गोटा	४०.००	४०.००	४३.००
९९	Nhaya butta sano	गोटा	२७.००	२७.००	२९.००
१००	Na Sikri Kuna	गोटा	४०.००	४०.००	४३.००
१०१	Nhaya butta Thulo	गोटा	२७.००	२७.००	२९.००
१०२	Nhaya butta Thulo Kuna	गोटा	४०.००	४०.००	४३.००
१०३	Gol Nagol	गोटा	२७.००	२७.००	२९.००
१०४	Gol Nagol kuna	गोटा	४०.००	४०.००	४३.००
१०५	Ga swa butta	गोटा	२७.००	२७.००	२९.००
१०६	Ga swa butta Kuna	गोटा	४०.००	४०.००	४३.००
१०७	Chandrama butta	गोटा	२७.००	२७.००	२९.००
१०८	Chandrama butta kuna	गोटा	४०.००	४०.००	४३.००
१०९	Ga tha butta	गोटा	२७.००	२७.००	२९.००
११०	Ga tha butta Kuna	गोटा	४०.००	४०.००	४३.००
१११	Bajra lahara	गोटा	२७.००	२७.००	२९.००
११२	Bajra lahara Kuna	गोटा	४०.००	४०.००	४३.००
११३	Simakacha	गोटा	२७.००	२७.००	२९.००
११४	Simakacha Kuna	गोटा	४०.००	४०.००	४३.००
११५	Methpau	गोटा	२७.००	२७.००	२९.००

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
११६	Chir butta	गोटा	२७.००	२७.००	२९.००
११७	Chir butta Kuna	गोटा	४०.००	४०.००	४३.००
११८	Thi butta	गोटा	२७.००	२७.००	२९.००
११९	Thi butta Kuna	गोटा	४०.००	४०.००	४३.००
१२०	32 No. swa	गोटा	२७.००	२७.००	२९.००
१२१	32 No. swa Kuna	गोटा	४०.००	४०.००	४३.००
१२२	Sano Ribbon	गोटा	२७.००	२७.००	२९.००
१२३	Sano Ribbon Kuna	गोटा	४०.००	४०.००	४३.००
१२४	Thulo Ribbon	गोटा	२७.००	२७.००	२९.००
१२५	Thulo Ribbon Kuna	गोटा	४०.००	४०.००	४३.००
१२६	Bajra tara butta	गोटा	२७.००	२७.००	२९.००
१२७	Bajra tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१२८	fa paliha swa	गोटा	६०.००	६०.००	६४.००
१२९	2" Tham	गोटा	५३.००	५३.००	५७.००
१३०	3" Tham	गोटा	६९.००	६९.००	७४.००
१३१	4" Tam	गोटा	१०५.००	१०५.००	११३.००
१३२	Ga tara butta	गोटा	२७.००	२७.००	२९.००
१३३	Ga tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१३४	Full tara butta	गोटा	२७.००	२७.००	२९.००
१३५	Full tara butta Kuna	गोटा	४०.००	४०.००	४३.००
१३६	Meth	गोटा	५००.००	५००.००	५३९.००
१३७	12" Tham Set	गोटा	१८९६.००	१८९६.००	२०२८.००
१३८	6"x6" teliya/ 6*6 tinkune	गोटा	२२.००	२२.००	२३.००
१३९	8*8 teliya	गोटा	३५.००	३५.००	३७.००
१४०	Teliya nagol	गोटा	२५.००	२५.००	२६.००
१४१	Teliya nagol kuna	गोटा	३७.००	३७.००	३९.००
१४२	Khoshi Kerafo	गोटा	२७.००	२७.००	२९.००
१४३	Khoshi Kerafo Kuna	गोटा	४०.००	४०.००	४३.००
१४४	teliya skating	गोटा	३७.००	३७.००	३९.००
१४५	Naya lahara butta	गोटा	२७.००	२७.००	२९.००
१४६	Naya lahara butta Kuna	गोटा	४०.००	४०.००	४३.००
१४७	kamal lahara	गोटा	२७.००	२७.००	२९.००
१४८	kamal lahara Kuna	गोटा	४०.००	४०.००	४३.००
१४९	Sano kera Fo	गोटा	२७.००	२७.००	२९.००
१५०	Sano kera Fo Kuna	गोटा	४०.००	४०.००	४३.००
१५१	Thulo kera fo	गोटा	२७.००	२७.००	२९.००
१५२	Thulo kera fo Kuna	गोटा	४०.००	४०.००	४३.००
१५३	Dhalimo	गोटा	३२.००	३२.००	३४.००
१५४	Dhalimo Kuna	गोटा	४०.००	४०.००	४३.००
१५५	Illa butta	गोटा	२७.००	२७.००	२९.००
१५६	Illa butta Kuna	गोटा	४०.००	४०.००	४३.००
१५७	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२९.००
१५८	Parda Butta Sano R/L Kuna	गोटा	४०.००	४०.००	४३.००
१५९	Parda Butta Sano Bitch	गोटा	४०.००	४०.००	४३.००
१६०	Parda butta Thulo R/L	गोटा	२७.००	२७.००	२९.००

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१६१	Parda butta Thulo R/L Kuna	गोटा	४०.००	४०.००	४३.००
१६२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४३.००
१६३	Pu pali butta	गोटा	६३.००	६३.००	६७.००
१६४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६७.००
१६५	Kalash jhalar	गोटा	६३.००	६३.००	६७.००
१६६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६७.००
१६७	ganesh Gajur Pali Kuna	गोटा	१०५.००	१०५.००	११३.००
१६८	60 No. khwabutta	गोटा	२७.००	२७.००	२९.००
१६९	60 No. khwabutta Kuna	गोटा	४०.००	४०.००	४३.००
१७०	Tiki jhaya	गोटा	२७.००	२७.००	२९.००
१७१	bhyafyo apa	गोटा	६९.००	६९.००	७४.००
१७२	Naya Jhalar	गोटा	२७.००	२७.००	२९.००
१७३	Naya Jhalar Kuna	गोटा	४०.००	४०.००	४३.००
१७४	nyakucha	गोटा	२७.००	२७.००	२९.००
१७५	Jingati	गोटा	१०.००	१०.००	१०.००
१७६	Lock Dhuri	गोटा	७५.००	७५.००	८०.००
१७७	Dhuku	गोटा	७५.००	७५.००	८०.००
१७८	मा आपा	गोटा	१९.००	१९.००	२०.००
१७९	त्वा आपा	गोटा	२५.००	२५.००	२६.००
१८०	फ्या अपा	गोटा	२७.००	२७.००	२९.००
१८१	दची कुला	गोटा	३५.००	३५.००	३७.००
१८२	गोंगचा सानो	गोटा	१५०.००	१५०.००	१६१.००
१८३	गोंगचा फभैला	गोटा	२५०.००	२५०.००	२६९.००
१८४	गोंगचा ठूलो	गोटा	३००.००	३००.००	३२३.००
१८५	न्याकुचा	गोटा	२२.००	२२.००	२३.००
१८६	श्री गणेश	गोटा	११५५.००	११५५.००	१२१२.००
१८७	कुमार	गोटा	११५५.००	११५५.००	१२१२.००
१८८	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२१००.००
१८९	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३१५०.००
१९०	ठूलो कलश	गोटा	१७३.००	१७३.००	१८६.००
१९१	मसीनो सूकि	के.जी.	१४.००	१४.००	१५.००
१९२	खस्रो सुकि	के.जी.	८.००	८.००	८.००
१९३	गड्डा चुन	के.जि.	२३.००	२३.००	२४.००
१९४	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१४१७.००
१९५	पित्तल पाता	के.जी.	१०२५.००	१०२५.००	१०७६.००
१९६	पारो	तोला	३००.००	३००.००	३२३.००
१९७	सूकि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१४५५.००
१९८	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	५०९.००

### काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	६' सम्मको सालकाठ	घ. फि	५६००.००	५६००.००	५८८०.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	५८००.००	५८००.००	६०९०.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६२५०.००	६२५०.००	६५६२.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६६००.००	६६००.००	६९३०.००
५	साज काठ	घ. फि	३३५०.००	३३५०.००	३५१७.००
६	जामुन काठ	घ. फि	२९५०.००	२९५०.००	२२५७.००
७	सल्लाको काठ	घ. फि	१५५०.००	१५५०.००	१६२७.००
८	सिसौ काठ	घ. फि	३५००.००	३५००.००	३६७५.००
९	जंगली सिसौ काठ ,,	घ. फि	५२७०.००	५२७०.००	५५३३.००
१०	उतीस को काठ	घ. फि	६२५.००	६२५.००	६६८.००
११	काठ बाउरा	के.जी	१८.००	१८.००	१९.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेट मेसिनमेड वाटरपुफ, बोरर फि सोलीडकोर फ्लसडोर सटर				
	<b>साधारण</b>				
	Plain	व.फि	२३५.००	२३५.००	२५३.००
	Ordinary-one side teak water proof	व.फि	२८०.००	२८०.००	३०१.००
	Both side teak water Proof	व.फि	३२५.००	३२५.००	३५०.००
	<b>वाटर पुफ गरिएको</b>				
	Plain	व.फि	२४५.००	२४५.००	२६४.००
	One side teak	व.फि	२८८.००	२८८.००	३१०.००
	Both side teak	व.फि	३३३.००	३३३.००	३५८.००
१३	<b>कुदिएको काठको काम तयारी</b>				
	भ्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०८०.००	१०८०.००	१०८०.००
	भ्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१२६०.००	१२६०.००	१३२३.००
	भ्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८०.००	७२४.००
	भ्याङ्गको रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२५०.००	२३६२.००
	देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	१३५००.००	१३५००.००	१३५००.००
	देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	२२५००.००	२२५००.००	२२५००.००
	विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	३९५०.००	३९५०.००	३९५०.००
	घोडाको आकृति गरि कुदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७२८०.००	७२८०.००	७२८०.००
	सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३५०.००	१३५०.००	१३५०.००
	मध्यम प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१६२०.००	१६२०.००	१६२०.००

## काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	२२५०.००	२२५०.००	२३६२.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१९८०.००	१९८०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	र.फि.	१६२०.००	१६२०.००	१६२०.००
	४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	१७१०.००	१७१०.००	१७१०.००
१४	<b>Wooden Parquet Flooring</b>				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	व.फि.	५६०.००	५६०.००	५९९.००
१५	<b>विभिन्न मोटाईको प्लाइउडहरू</b>				
	<b>साधारण प्लाइउड</b>				
	३ मी.मी	व.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी	व.फि.	२६.००	२६.००	२६.००
	४ मी.मी	व.फि.	२६.००	२६.००	२८.००
	६ मी.मी	व.फि.	५३.००	५३.००	५३.००
	८ मी.मी	व.फि.	५७.००	५७.००	५७.००
	१२ मी.मी	व.फि.	८०.००	८०.००	८०.००
	१९ मी.मी B/B	व.फि.	१०७.००	१०७.००	११२.००
	१८ मी.मी PLY	व.फि.	११०.००	११०.००	११५.००
१६	<b>वाटर प्रुफ प्लाइउड</b>				
	४ मी.मी	व.फि.	५२.००	५२.००	५२.००
	६ मी.मी	व.फि.	६७.००	६७.००	६५.००
	८ मी.मी	व.फि.	६३.००	६३.००	६७.००
	९ मी.मी	व.फि.	८९.००	८९.००	८९.००
	१२ मी.मी	व.फि.	९९.००	९९.००	९९.००
	१५ मी.मी PLY	व.फि.	११३.००	११३.००	११३.००
	१८ मी.मी B/B	व.फि.	१३९.००	१३९.००	१३९.००
१७	<b>Natural Teak Plywood</b>				
	३ मी.मी	व.फि.	४८.००	४८.००	५१.००
	४ मी.मी (Group Match of in 5 pcs)	व.फि.	६९.००	६९.००	७४.००
	४ मी.मी (Regular)	व.फि.	६०.००	६०.००	६४.००
	४ मी.मी (Crown)	व.फि.	४३.००	४३.००	४६.००
	४ मी.मी (Berl)	व.फि.	४९.००	४९.००	५२.००
	४ मी.मी (Whitest line)	व.फि.	३९.००	३९.००	४२.००
	४ मी.मी (Beach)	व.फि.	४६.००	४६.००	४९.००
	४ मी.मी (Recon 18 No.)	व.फि.	३७.००	३७.००	३९.००
१८	<b>सनमाईका तथा फरमाईका</b>				
	सनमाईका (4' x 8')	व.फि.	१७.००	१७.००	१८.००

## काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	फोरमाईका	व.फि	७५.००	७५.००	८०.००
	हार्डवोर्ड (Hard board) 12 mm thick	व.फि	४४.००	४४.००	४७.००
१९	<b>DECORATIVE (THICKER)</b>				
	6 OST	व.फि	१२६.००	१२६.००	१३५.००
	6 BST	व.फि	१६०.००	१६०.००	१७२.००
	9 OST	व.फि	१४०.००	१४०.००	१५०.००
	9 BST	व.फि	१७३.००	१७३.००	१८६.००
	12 OST	व.फि	१५३.००	१५३.००	१६४.००
	12 BST	व.फि	१८७.००	१८७.००	२०१.००
	19 B/B OST	व.फि	१६५.००	१६५.००	१७७.००
	19 B/B BST	व.फि	२००.००	२००.००	२१५.००
	18 OST	व.फि	१८७.००	१८७.००	२०१.००
	18 BST	व.फि	२२१.००	२२१.००	२३८.००
२०	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated ) ( excluding the cost of fitting, transportation, Painting)</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७४.००	१७४.००	१८७.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३७.००	२३७.००	२५५.००
	<b>Oneside water proof ply fitting</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१९९.००	१९९.००	२१४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२६८.००	२६८.००	२८८.००
२१	<b>काठको लिष्टि</b>				
	1/2" wide	र.फि.	१४.००	१४.००	१५.००
	3/4" wide	र.फि.	१६.००	१६.००	१७.००
	1.5" wide	र.फि.	२७.००	२७.००	२९.००
	Decorative	र.फि.	३८.००	३८.००	४०.००
२२	<b>Infill Material</b>				
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	४०९.००
	Frame U - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	४०९.००
	Board 9 mm	गोटा	२२२७.००	२२२७.००	२४००.००
	Fiber mess tape (for 90mm/roll)	गोटा	३००.००	३००.००	३२३.००
	PU sasuage rod	गोटा	१८००.००	१८००.००	१८९०.००
२३	<b>Parquet(sisam,saaj &amp; Teak)</b>				
	1"x3"x6mm thickness	व.फि	२००.००	२००.००	२१५.००
	1"x6"x8mm thickness	व.फि	३००.००	३००.००	३२३.००
	2"x10"x10mm thickness	व.फि	४००.००	४००.००	४३१.००
	3"x14"x12mm thickness	व.फि	५५०.००	५५०.००	५८८.००
	3"x18"x14mm thickness	व.फि	६५०.००	६५०.००	६९५.००
२४	<b>Tounge &amp; Groove(T.G.)Flooring</b>	व.फि			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि	७००.००	७००.००	७४९.००
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि	६५०.००	६५०.००	६९५.००
२५	<b>Wall panelling</b>				
	pine	व.फि	५००.००	५००.००	५३५.००
	saaj,Teak	व.फि	६००.००	६००.००	६४२.००
	Sisam	व.फि	७००.००	७००.००	७४९.००

## काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>3"Skirting</b>				
	pine	र.फि.	१५०.००	१५०.००	१६१.००
	saaj,Teak	र.फि.	२००.००	२००.००	२१५.००
	Sisam	र.फि.	३००.००	३००.००	३२३.००
	<b>4"Skirting</b>	र.फि.			
	pine	र.फि.	२००.००	२००.००	२१५.००
	saaj,Teak	र.फि.	२५०.००	२५०.००	२६९.००
	Sisam	र.फि.	३५०.००	३५०.००	३७७.००
	<b>5"Skirting</b>				
	pine	र.फि.	२५०.००	२५०.००	२६९.००
	saaj,Teak	र.फि.	३००.००	३००.००	३२३.००
	Sisam	र.फि.	४००.००	४००.००	४३१.००

## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>102 SERIES WINDOWS</b>					
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ).	Sq.ft.	६५७.००	६५७.००	६८९.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ).	Sq.ft.	७२३.००	७२३.००	७५९.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८३६.००	८७७.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९२०.००	९६६.००
५	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m <sup>3</sup> /h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/- 3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractors has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr		१५०६४.००	१५६६६.००
<b>90 SERIES WINDOWS</b>					
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५२९.००	५२९.००	५५०.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६०४.००	६३४.००

## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७१.००	५७१.००	५९९.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६५८.००	६५८.००	६९०.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४२८.००	४५६.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	४९२.००	५२४.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१८८.००	२००.००
<b>102 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५१९.००	५५३.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	५६३.००	६००.००
<b>64 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	३९०.००	४१५.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७८.००	४७८.००	५०९.००
<b>ACOUSTIC PARTITION</b>					
१	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.		४५०००.००	४६८००.००
<b>STRUCTURAL GLAZING</b>					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५४८.००	५८४.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६३६.००	६७८.००
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७७३.००	८२४.००
<b>GLASS DOOR &amp; PARTITION</b>					

## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२५९.००	१३२९.००
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८१७.००	८१७.००	८७१.००
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३५४.००	१४२९.००
<b>Aluminium Composite Panel (ACP).</b>					
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३३३.००	३५५.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४४७.००	४७६.००
<b>FABRIC LINED ACOUSTIC PANEL</b>					
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m		२५०००.००	२६०००.००
<b>ALUMINIUM DOOR &amp; WINDOW</b>					
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns ( $\pm$ 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m <sup>3</sup> /h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq.m		१६२५०.००	१६९००.००
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK ( CASEMENT- NC 65 HDS ): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m		१०००००.००	१०२०००.००
<b>Steel Door &amp; Windows</b>					

## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Steel Door (a set with frame)				
	900x2100	set		२१०००.००	२१८४०.००
	1000x2100	set		२२०००.००	२२८८०.००
२	ABS Door				
	900x2100	set		१८०००.००	१८७२०.००
३	Panel Door				
	900x2100	set		१४०००.००	१४४६०.००
४	Window				
	115mm	set		८७५.००	९३२.००

UPVC Profile for Door/Window					
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
<b>A</b>	<b>Single glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	७२१५.००	७२१५.००	७५७५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६६६४.००	६६६४.००	६९९७.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७८६७.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७८६७.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८२१४.००	८२१४.००	८६२४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८३२८.००	८३२८.००	८७४४.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	९३२८.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	९३२८.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८६०६.००	८६०६.००	९०३६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	९९९९.००	९९९९.००	१०४९०.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि	८६२६.००	८६२६.००	९०५७.००
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि	९७९६.००	९७९६.००	१०२८५.००
१२	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०३५३.००	१०३५३.००	१०७६७.००
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१०७१७.००	१०७१७.००	१११४५.००
१३	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	६७२७.००	६७२७.००	७०६३.००
<b>B</b>	<b>Double glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९४३५.००	९४३५.००	९९०६.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	८९३५.००	८९३५.००	९३८१.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	१०२०३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	१०२०३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०४३९.००	१०४३९.००	१०८५६.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०५४७.००	१०५४७.००	१०९६८.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१११०३.००	१११०३.००	११५४७.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१०८२५.००	१०८२५.००	११२५८.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	९६११.००	९६११.००	१००९१.००
	Supplying and installation of RoHS Complint, 100% lead free, 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers,gaskets,brush,seal,moon locks,push locks,drining cover.etc.				

UPVC Profile for Door/Window					
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Single glazing</b>				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colour with 5mm glass )	व.मि			१४६०१.००
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि			१४१५९.००
3	upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass)	व.मि			१४८६७.००
4	upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass)	व.मि			१४८६७.००
5	upvc single door with half pannel half glass ( fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि			१५०४४.००
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour )	व.मि			१५०४४.००
7	upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass)	व.मि			१५४८६.००
8	upvc sliding door with net ( fream 52x88mm,sash 88x42mm ,white coliu with 5mm glass)	व.मि			१५४८६.००
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि			१४१५९.००
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि			१५९२९.००
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि			१५४८६.००
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि			१५९२९.००
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि			१६८१४.००
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि			१७२५६.००
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि			१४१५९.००
	<b>Double glazing</b>				
1	upvc sliding window with net ( fream 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि			१५७५२.००
2	upvc sliding window without net (fream 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि			१५४८६.००
3	upvc tophung window (fream 60x60mm ,sash 60x78mm,ehite colour with 5mm double glass)	व.मि			१५९२९.००
4	upvc casement window (fream 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि			१५९२९.००
5	upvc single door with half pannel half glass ( fream 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि			१७०७९.००
6	upvc double door ( fream 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि			१७२५६.००
7	upvc sliding dooe with net ( fream 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि			१७६९९.००
8	upvc sliding door without net ( fream 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि			१७२५६.००
9	supply and fixing of 80x50mm white colour casement window	व.मि			१५९२९.००

### छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	ग्याल्भनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७०८	४७०८	४७८१.००
	0.22 mm (30 guage Medium)	बण्डल	५१४२	५१४२	५२३९.००
	0.24 mm (30 guage Heavy)	बण्डल	५५२२	५५२२	५५९२.००
	0.26 mm (28 guage light)	बण्डल	५८४१	५८४१	५८९०.००
	0.28 mm (28 guage Medium)	बण्डल	६१८६	६१८६	६२७७.००
	0.31 mm (28 guage Heavy)	बण्डल	६७३५	६७३५	६८६०.००
	0.35 mm (26 guage light)	बण्डल	७४६०	७४६०	७६०३.००
	0.37 mm (26 guage Medium)	बण्डल	८०९७	८०९७	८०९७.३५
	0.41 mm (26 guage Heavy)	बण्डल	८६१९	८६१९	८७४३.००
	0.45 mm (24 guage light)	बण्डल	९४०७	९४०७	९४८५.००
	0.50 mm (24 guage Medium)	बण्डल	१०३९८	१०३९८	१०४३३.००
	0.52 mm (24 guage Heavy)	बण्डल	११३३६	११३३६	१०७९८.००
	0.75 mm	बण्डल	१५४१६	१५४१६	१५५०२.००
२	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	५८५८	५८५८	६१५१.००
	0.22 mm (30 guage Medium)	बण्डल	६२६५	६२६५	६५७८.००
	0.24 mm (30 guage Heavy)	बण्डल	६७०८	६७०८	७०४३.००
	0.26 mm (28 guage light)	बण्डल	७०६२	७०६२	७४१५.००
	0.28 mm (28 guage Medium)	बण्डल	७४३४	७४३४	७८०५.००
	0.31 mm (28 guage Heavy)	बण्डल	७९८२	७९८२	८३८१.००
	0.35 mm (26 guage light)	बण्डल	८८३२	८८३२	९२७३.००
	0.37 mm (26 guage Medium)	बण्डल	९४५१	९४५१	९९२३.००
	0.41 mm (26 guage Heavy)	बण्डल	१००८०	१००८०	१०४८२.००
	0.45 mm (24 guage light)	बण्डल	१०९२९	१०९२९	११३६६.००
	0.50 mm (24 guage Medium)	बण्डल	११९३८	११९३८	१२४१५.००
	0.52 mm (24 guage Heavy)	बण्डल	१२३८१	१२३८१	१२८७५.००
	0.55 mm(24 guage Medium)	बण्डल	१२९६५	१२९६५	१३४८३.००
	0.75 mm	बण्डल	१७४१६	१७४१६	१८११२.००
३	ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७०८	४७०८	४९४३.००
	0.22 mm (30 guage Medium)	बण्डल	५१०६	५१०६	५३६१.००
	0.24 mm (30 guage Heavy)	बण्डल	५४८७	५४८७	५७६१.००
	0.26 mm (28 guage light)	बण्डल	५८०५	५८०५	६०९५.००
	0.28 mm (28 guage Medium)	बण्डल	६१४२	६१४२	६४४८.००
	0.31 mm (28 guage Heavy)	बण्डल	६६८१	६६८१	७०१५.००
	0.35 mm (26 guage light)	बण्डल	७४०७	७४०७	७७७७.००
	0.37 mm (26 guage Medium)	बण्डल	८०३५	८०३५	८४३७.००
	0.41 mm (26 guage Heavy)	बण्डल	८५६६	८५६६	८९९४.००
	0.45 mm (24 guage light)	बण्डल	९३६३	९३६३	९८३०.००
	0.50 mm (24 guage Medium)	बण्डल	१०३४५	१०३४५	१०७५.००
	0.52 mm (24 guage Heavy)	बण्डल	१०७१७	१०७१७	१११४५.००
	0.75 mm	बण्डल	१५४१६	१५४१६	१६०३२.००
४	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	१६०२	१६०२	१६८१.००
	0.22 mm base metal	बण्डल	१७४३	१७४३	१८३०.००
	0.24 mm base metal	बण्डल	१८६७	१८६७	१९६०.००
	0.26 mm base metal	बण्डल	१९७३	१९७३	२०७२.००

## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	0.28 mm base metal	बण्डल	२०८८	२०८८	२१९२.००
	0.31 mm base metal	बण्डल	२२६५	२२६५	२३७८.००
	0.35 mm base metal	बण्डल	२५१३	२५१३	२६३८.००
	0.38 mm base metal	बण्डल	२७१७	२७१७	२८५२.००
	0.41 mm base metal	बण्डल	२८९४	२८९४	३०३८.००
<b>५</b>	<b>४ फिट X ८ फिट को जि.आई. प्लेन सिट</b>				
	1.1 mm base metal	पिस	३२६५	३२६५	३४२८.००
	0.90 mm base metal	पिस	२६९९	२६९९	२८३४.००
	0.80 mm base metal	पिस	२४३४	२४३४	२५५५.००
	0.75 mm base metal	पिस	२२८३	२२८३	२३९७.००
	0.70 mm base metal	पिस	२१३३	२१३३	२२३९.००
	0.62 mm base metal	पिस	१९१२	१९१२	२००७.००
	0.55 mm base metal	पिस	१७०८	१७०८	१७९३.००
	0.50 mm base metal	पिस	१५५८	१५५८	१६३५.००
	0.48 mm base metal	पिस	१४९६	१४९६	१५७०.००
	0.45 mm base metal	पिस	१४१६	१४१६	१४८६.००
	0.42 mm base metal	पिस	१३२७	१३२७	१३९३.००
	0.40 mm base metal	पिस	१२६५	१२६५	१३२८.००
	0.37 mm base metal	पिस	११७७	११७७	१२३५.००
	0.35 mm base metal	पिस	११३३	११३३	११८९.००
	0.30 mm base metal	पिस	९९१	९९१	१०६०.००
	0.28 mm base metal	पिस	९२९	९२९	९९४.००
<b>६</b>	<b>४ x ८ फिट को रङ्गिन प्लेन सिट</b>				
	0.90 mm base metal	पिस	२९८२	२९८२	३१३१.००
	0.80 mm base metal	पिस	२७०८	२७०८	२८४३.००
	0.75 mm base metal	पिस	२५४०	२५४०	२६६६.००
	0.70 mm base metal	पिस	२४३४	२४३४	२५५५.००
	0.62 mm base metal	पिस	२१७७	२१७७	२२८५.००
	0.55 mm base metal	पिस	१९५६	१९५६	२०५३.००
	0.50 mm base metal	पिस	१७८८	१७८८	१८७६.००
	0.48 mm base metal	पिस	१७१७	१७१७	१८०२.००
	0.45 mm base metal	पिस	१६१९	१६१९	१७००.००
	0.42 mm base metal	पिस	१५१३	१५१३	१५८८.००
	0.40 mm base metal	पिस	१४८७	१४८७	१५६१.००
	0.37 mm base metal	पिस	१३८९	१३८९	१४५८.००
	0.35 mm base metal	पिस	१३२७	१३२७	१३९३.००
	0.30 mm base metal	पिस	११७७	११७७	१२३५.००
	0.28 mm base metal	पिस	१११५	१११५	११७०.००
<b>७</b>	<b>GI Expanded metal Mesh</b>				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१५९	१५९	१५९.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	२१२	२१२	२१२.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३३	१३३	१३३.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१७७	१७७	१७६.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१२४	१२४	१२३.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९	१५९	१५९.००
<b>८</b>	<b>UPVC Roofing Sheet (3mm thick )</b>				
	PMMA coating & Mesh ( Regular )	व.मि.	१५०६.००	१५०६.००	१५८१.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२००.००	१२००.००	१२६०.००

## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	२०२१.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	१९२५.००	१९२५.००	२०२१.००
	UPVC Clip	गोटा	२६.००	२६.००	२७.००
	self tapping screw 3"	गोटा	३०.००	३०.००	३१.००
	self tapping screw 2.2"	गोटा	२०.००	२०.००	२१.००
	self tapping screw 2"	गोटा	११.००	११.००	११.००
	self tapping screw 1.5"	गोटा	८.५०	८.५०	९.००
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.		१४५२.६०	१५२५.००
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.		१२९१.२०	१३५५.००
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.		११२९.८०	११८६.००
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.		१४००.००	१४७०.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.		१३००.००	१३६५.००
<b>९</b>	<b>Eco-UPVC Roofing Sheet (Ultra Modern Technology)</b>				
	Corrugated sheets(2mm)	व.फि.	६६.३७	६६.३७	७०.००
	Corrugated ridge (2mm) (3'*1.4')	गोटा	७४५.१३	७४५.१३	७९७.००
	Corrugated ridge side(2mm)(3'*1.4')	गोटा	४४७.७९	४४७.७९	४७७.००
	Spanish tile without fiber mesh(3mm)	व.फि.	१०१.७७	१०१.७७	१०८.००
	Spanish tile with fiber mesh(3mm)	व.फि.	११०.६२	११०.६२	११७.००
	Spanish ridge(3mm)(3'*1.4')	गोटा	१३४३.३६	१३४३.३६	१४१०.००
	Spanish ridge side(3mm)	गोटा	७४५.१३	७४५.१३	७९४.००
	Spanish tile tripod(3mm)	गोटा	९९६.४६	९९६.४६	१०६६.००
	Clip Set	गोटा	८.८५	८.८५	९.००
<b>१०</b>	<b>एल्मुनियम प्लेन सिट</b>				
	(क) २६ गेज	व.फि.	२९.००	२९.००	३०.००
	(ख) ३० गेज	व.फि.	२७.००	२७.००	२८.००
<b>११</b>	<b>Corrugated/Plain Fiber Glass Sheet</b>				
	०.८ मी. मी. मोटो प्लेन	व.फि.	११५.००	११५.००	१२२.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२७.००	१२७.००	१३५.००
	१.२ मी.मी. मोटा प्लेन	व.फि.	१२७.००	१२७.००	१३५.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१४६.००	१४६.००	१५५.००
	२ मी.मी. मोटो प्लेन	व.फि.	२१६.००	२१६.००	२३०.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२५५.००	२५५.००	२७१.००
	३ मी. मी. मोटो प्लेन	व.फि.	२९३.००	२९३.००	३१२.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३८२.००	३८२.००	४०७.००
<b>१२</b>	<b>ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft)</b>				
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर	१०७६.००	१०७६.००	११२९.००
	Ridge Cover corrugated	र.मिटर	१५५०.००	१५५०.००	१६२७.००
	Self tapping screw 75mm with clip set	गोटा	२०.००	२०.००	२१.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर		१६००.००	१६८०.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर		१६००.००	१६८०.००
	Self tapping screw 3" with clip set	गोटा		३०.००	३१.००
	Self tapping screw 2.2" with clip set	गोटा		२५.००	२६.००
<b>१३</b>	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६७.००	६७.००	७१.००
<b>१४</b>	Fiber Glass छानाको लागि Ribet nut	गोटा	७.००	७.००	७.००

## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१५	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१४६.००
१६	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००
१८	<b>Roofing Material</b>				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर		४०००.००	४२००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर		३०००.००	३१५०.००
१९	<b>Fiber Plain Sheet</b>				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.		१००.००	१०६.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.		१२०.००	१२७.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.		१४५.००	१५४.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.		१५५.००	१६५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.		१९५.००	२०७.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.		२४०.००	२५५.००
२०	<b>Fiber Corrugated Sheet</b>				
	Fiber S span Thickness 2mm, width 42"	र.फि.		६४०.००	६८२.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र.फि.		१२५.००	१३३.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र.फि.		१७०.००	१८१.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र.फि.		४८५.००	५१७.००
	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	व.मी.		२९६०.००	३१०८.००
	IKO Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	व.मी.		४००.००	४२६.००
	Providing and installing 12mm thick Cement Fiber Board (Thailand) complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	व.मी.		१५६०.००	१६३८.००
२१	<b>Black Color/Combat Color Zinc Panel for wall &amp; Roof</b>				
	50mm			४५६.००	४८६.००
	75mm			४६३.००	४९३.००
	100mm			५१२.००	५४५.००
	125mm			६०८.००	६४८.००
	150mm			६५२.००	६९५.००
२२	<b>Blue &amp; Orange Color Roofing Panel</b>				

### छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	50mm			३९८.००	४२४.००
	75mm			४४७.००	४७६.००
	100mm			५३६.००	५७१.००
	125mm			५४५.००	५८१.००
	150mm			५९३.००	६३२.००

### Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Plain Particle Board (Exteriors Grade)</b>				
	९ मी .मी	व.फि	३८.००	३८.००	४०.००
	१२ मी .मी	व.फि	४३.००	४३.००	४५.००
	१८ मी .मी	व.फि	५५.००	५५.००	५८.००
	२५ मी .मी	व.फि	७४.००	७४.००	७८.००
२	<b>PPB One side lamination Melaminated faced (Exterior Grade)</b>				
	९ मी .मी	व.फि	७७.००	७७.००	८२.००
	१२ मी .मी	व.फि	८६.००	८६.००	९१.००
	१८ मी .मी	व.फि	१०२.००	१०२.००	१०८.००
	२५ मी .मी	व.फि	१३२.००	१३२.००	१४०.००
३	<b>PPB Both side lamination Melaminated faced (Exteriors Grade)</b>				
	९ मी .मी	व.फि	८६.००	८६.००	९१.००
	१२ मी .मी	व.फि	९९.००	९९.००	१०५.००
	१८ मी .मी	व.फि	११४.००	११४.००	१२१.००
	२५ मी .मी	व.फि	१४५.००	१४५.००	१५४.००
४	<b>Plain Particle Board (Interiors Grade)</b>				
	९ मी .मी	व.फि	२८.००	२८.००	२९.००
	१२ मी .मी	व.फि	३२.००	३२.००	३४.००
	१८ मी .मी	व.फि	४८.००	४८.००	५१.००
	२५ मी .मी	व.फि	६१.००	६१.००	६५.००
५	<b>PPB One side lamination Melaminated faced (InteriorGrade)</b>				
	३ मी .मी	व.फि	४२.००	४२.००	४४.००
	६ मी .मी	व.फि	५९.००	५९.००	६२.००
	९ मी .मी	व.फि	६८.००	६८.००	७२.००
	१२ मी .मी	व.फि	७७.००	७७.००	८२.००
	१८ मी .मी	व.फि	८९.००	८९.००	९४.००
	२५ मी .मी	व.फि	१११.००	१११.००	११८.००
६	<b>PPB Both side lamination Melaminated faced (Interiors Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	५१.००
	६ मी .मी	व.फि	६४.००	६४.००	६८.००
	९ मी .मी	व.फि	७७.००	७७.००	८२.००
७	<b>PPB One side lamination Melaminated faced (Interior Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	५१.००
	४ मी .मी	व.फि	५५.००	५५.००	५८.००
	६ मी .मी	व.फि	६८.००	६८.००	७२.००
	९ मी .मी	व.फि	८८.००	८८.००	९३.००
	१२ मी .मी	व.फि	९९.००	९९.००	१०५.००
	१८ मी .मी	व.फि	१२७.००	१२७.००	१३५.००
	२५ मी .मी	व.फि	१७६.००	१७६.००	१८७.००
८	<b>PPB Both side lamination Melaminated faced -Alstone Hybrid Board (WPC Board) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	३ मी .मी	व.फि	५५.००	५५.००	५८.००
	४ मी .मी	व.फि	६१.००	६१.००	६५.००
	६ मी .मी	व.फि	७६.००	७६.००	८१.००
	९ मी .मी	व.फि	९५.००	९५.००	१०१.००
	१२ मी .मी	व.फि	१०५.००	१०५.००	१११.००
	१८ मी .मी	व.फि	१३३.००	१३३.००	१४१.००

## Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	, २५ मी .मी	व.फि.	१८०.००	१८०.००	१९१.००
९	<b>Alstone Hybrid Board (WPC Board)</b>				
	६ मी .मी (१२२० X २४४०)	व.फि.	१७५.००	१७५.००	१८६.००
	१२ मी .मी	व.फि.	२८०.००	२८०.००	२९८.००
	१८ मी .मी	व.फि.	४२३.००	४२३.००	४५१.००
१०	<b>Alstone Hybrid Board</b>				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि.	८४.००	८४.००	८९.००
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि.	१२०.००	१२०.००	१२७.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि.	२२१.००	२२१.००	२३५.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि.	३०५.००	३०५.००	३२५.००
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि.	३७०.००	३७०.००	३९४.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि.	५५३.००	५५३.००	५८९.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि.	७९३.००	७९३.००	८६०.००
	WPC door framme 100*50 mm upto ht 7 ft	व.फि.	३८०.००	३८०.००	४०५.००
	WPC door shutter 30 mm th. (7*3) size	व.फि.	५४०.००	५४०.००	५७५.००
	18 mm th. WPC OLIGO (colour)	व.फि.	५७५.००	५७५.००	६१३.००
११	<b>Alstone Hybrid Board (WPC Board) ,</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	६ मी .मी size ( 1220*2440) mm	व.फि.	१६८.००	१६८.००	१७९.००
	१२ मी .मी size ( 1221*2440) mm	व.फि.	३१९.००	३१९.००	३४०.००
	१८ मी .मी size ( 1222*2440) mm	व.फि.	४४४.००	४४४.००	४७३.००
१२	<b>Supplying and fixing of Thai gypsum board</b>				
	Wall partition	व.फि.	१२४.००	१२४.००	१३२.००
	Wall paneling	व.फि.	८२.००	८२.००	८७.००
	12.5mm thick Gypsum Board False ceiling	व.फि.	८३.००	८३.००	८८.००
१३	<b>Fiber cement board (Wall)</b>				
	3.2 MM (2'x2')	व.फि.	२६.००	२६.००	२७.००
	3.2 MM (4'x8')	व.फि.	२८.००	२८.००	२९.००
	3.5 MM (4'x8')	व.फि.	३२.००	३२.००	३४.००
	4MM (4'x8')	व.फि.	३३.००	३३.००	३५.००
	6MM (4'x8')	व.फि.	४७.००	४७.००	५०.००
	8MM (4'x8')	व.फि.	६३.००	६३.००	६७.००
	9MM (4'x8')	व.फि.	७१.००	७१.००	७५.००
	10MM (4'x8')	व.फि.	८०.००	८०.००	८५.००
	12MM (4'x8')	व.फि.	८९.००	८९.००	९४.००
	<b>Fiber cement board (Floor)</b>				
	15MM (4'x8')	व.फि.		१३४.४५	१४३.००
	18MM (4'x8')	व.फि.		१६०.७७	१७१.००
	20MM (4'x8')	व.फि.		१८०.३२	१९२.००
	<b>Fiber cement board (Cassiano)</b>				
	8MM (4'x8')	व.फि.		८८.२०	९४.००
१४	<b>Fiber Cement Board (Planck)</b>				
	8MM (3"x9'-10") 9'-10"Rft	व.फि.	३२.००	३२.००	३४.००
	8MM (6"x9'-10") 9'-10"Rft	व.फि.	५०.००	५०.००	५५.००
	8MM (8"x9'-10") 9'-10"Rft	व.फि.	६८.००	६८.००	७४.००
	8MM Coloured Teak Texture Walnut (6"x9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
	8MM Coloured Teak Texture GST (6"x9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
	8MM Coloured Teak Texture Cherry Red (6"x9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००

### Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	8MM Coloured Teak Texture Afromosia -Brown (6"x9'-10") 9'-10"Rft	व.फि.		६४.८६	६९.००
१५	Infill wall Partition using 6mm Board on 74mm Stud	व.मि		४९९७.२४	५२४७.००
	Infill wall Partition using 10mm Board on 74mm Stud		६३७०.००	५९६३.५८	६२६९.००
	Infill wall Partition using 6mm Board on 50mm Stud			४०५६.५२	४२५९.००
	Dry wall Partition using 10mm Board on 74mm Stud			५०९३.६६	५२६४.००
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९०.००	९०.००	९५.००
१७	<b>Material for Wall</b>				
	<b>Mural Wall:</b> 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	व.मि		१५०००.००	१५६००.००
१८	<b>Ivory Color Flat Wall Panel</b>				
	50mm			३४२.५०	३६५.००
	75mm			३५०.००	३७३.००
	100mm			३९८.००	४२४.००
	125mm			४९६.००	५२८.००
	150mm			५४५.००	५८९.००
१९	<b>Gray Color RP Wall Panel</b>				
	50mm			३७५.००	३९९.००
	75mm			३८२.००	४०७.००
	100mm			४३९.००	४५९.००
	125mm			५२८.००	५६२.००
	150mm			५७७.५०	६१५.००
२०	<b>Wooden Color Siding Wall Panel</b>				
	50mm				
	75mm			४६३.००	४९३.००
	100mm			५१२.००	५४५.००
	125mm			५६८.००	६०५.००
	150mm			६१०.००	६५०.००

### Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPION) non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	३०२.००	३०२.००	३२१.००
	b) 50 mm thick	व.फि	२३९.००	२३९.००	२५४.००
१	<b>False Ceiling/Partition/External cladding (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९३.००	९९.००
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२७९.००	२७९.००	२९७.००
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२४४.००	२४४.००	२६०.००
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with fibre cemnet board	व.फि	३११.००	३११.००	३३१.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	व.फि	२७४.००	२७४.००	२९२.००
	Supplying, making, fixing of 50mm thick full height of partirion with RAPICON wall panels	व.फि	२१७.००	२१७.००	२३१.००
	Supplying, making, fixing of 75mm thick full height of partirion with RAPICON wall panels	व.फि	२८८.००	२८८.००	३०७.००
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	३५.००	३५.००	३७.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा		२८००.००	२९४०.००
	150X300 Tile	गोटा		३५००.००	३६७५.००
	300X300 Tile	गोटा		४०००.००	४२००.००
३	<b>Cement board Aerocon C Board</b>				
	6 mm thick	व.फि	३४.००	३४.००	३६.००
	8 mm thick	व.फि	४२.००	४२.००	४४.००
	10 mm thick	व.फि	५३.००	५३.००	५६.००
	12 mm thick	व.फि	६४.००	६४.००	६८.००
४	<b>Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire</b>				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	३९३.००	४१९.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४२४.००	४२४.००	४५२.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५२४.००	५२४.००	५५८.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	व.फि	११२.००	११२.००	११९.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	व.फि	२६३.००	२६३.००	२८०.००
	75 mm thick	व.फि	३४७.००	३४७.००	३६९.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	२८२.००	२८२.००	३००.००

### Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२८६.००	२८६.००	३०४.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२५०.००	२५०.००	२६६.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३१९.००	३१९.००	३४०.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	३५९.००	३५९.००	३८२.००
५	<b>EPS ( Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos ) as face board on both sides (Size 2270*610mm)- excluding installation</b>				
	50mm thickness	व.फि	१८०.००	१८०.००	१९१.००
	60mm thickness	व.फि	२७५.००	२७५.००	२९३.००
	75mm thickness	व.फि	३३०.००	३३०.००	३५१.००
	90mm thickness	व.फि	३८५.००	३८५.००	४१०.००
	120mm thickness	व.फि	४६५.००	४६५.००	४९५.००
	Installation charge	व.फि	२५.००	२५.००	२६.००
	Other Accessories	व.फि	४५.००	४५.००	४७.००
६	<b>Precast boundary wall, Precast slab, Precast Beam</b>				
	H-beam	र.फि	१८५.००	१८५.००	१९७.००
	50 mm wall slab	व.फि	१६०.००	१६०.००	१७०.००
	120 mm floor slab (with installation)	व.फि	३५०.००	३५०.००	३७३.००
	70 mm water permeable				
	Color Block	व.फि	१३५.००	१३५.००	१४३.००
	Non Color Block	व.फि	१२०.००	१२०.००	१२७.००
७	<b>स्याण्डविच पफ रुफिङ्ग प्यानल(चौडाई ९५० मि.मि.)</b>				
	३० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२३०.००	२३०.००	२४५.००
	४० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२५०.००	२५०.००	२६६.००
	५० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि	२७५.००	२७५.००	२९३.००
	६० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम				३४५.००
८	<b>स्याण्डविच पफ बाल प्यानल (चौडाई ९५०मि.मि)</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२३५.००	२३५.००	२५०.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२५५.००	२५५.००	२७१.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३४५.००
	७५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३३०.००	३३०.००	३५१.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			४००.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४१५.००	४१५.००	४४२.००
	१२५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि		५०५.००	५३८.००
	१५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४९०.००	४९०.००	५२२.००
९	<b>स्याण्डविच पफ ब्रिक बाल प्यानल (चौडाई ९५०मि.मि )</b>				
	४० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	२८०.००	२८०.००	२९८.००
	५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	३००.००	३००.००	३१९.००
	७५ मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	३७५.००	३७५.००	३९९.००
	१०० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	४६०.००	४६०.००	४९०.००

## Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	१५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्टा)	व.फि	५३५.००	५३५.००	५७०.००
10	<b>स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि )</b>				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	२५५.००	२५५.००	२७१.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	२७५.००	२७५.००	२९३.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	३५०.००	३५०.००	३७३.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	४३५.००	४३५.००	४६३.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	५१५.००	५१५.००	५४९.००
11	<b>स्याण्डविच पफ स्लेब सिट</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			१७५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२००.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२२५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२८५.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३४०.००
12	<b>EPE Sandwich Pannel (Puff Density=20kg±2)</b>				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२४५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			२८०.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३१५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			३७०.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि			४३०.००
11	<b>पेलिकार्बोनेट रुफिङ सिट</b>				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च	व.फि	११९.००	११९.००	१२६.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाइ ३२ इन्च	व.फि	१४९.००	१४९.००	१५८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाइ ४२ इन्च	व.फि	१७७.००	१७७.००	१८८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाइ ४३ इन्च	व.फि	२२४.००	२२४.००	२३८.००
	<b>पेलिकार्बोनेट प्लेन तथा क्रिस्टल सिट</b>				
	नर्मल तथा क्रिस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च	व.फि	१८५.००	१८५.००	१९७.००
	नर्मल तथा क्रिस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.फि	२४७.००	२४७.००	२६३.००
	नर्मल तथा क्रिस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि	१५५.००	१५५.००	१६५.००
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च	व.फि	१२०.००	१२०.००	१२७.००
	<b>सि एण्ड जेड पर्लिन</b>				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४९.००	१४९.००	१५८.००
	सि एण्ड जेड पर्लिन(३२०/३६०/४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४७.००	१४७.००	१५६.००
	<b>अल्मिनियम</b>				
	पेन्टेडअल्मिनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल	१८५००.००	१८५००.००	१९२४०.००
	पेन्टेड अल्मिनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल	१४५००.००	१४५००.००	१५०८०.००
	पेन्टेडअल्मिनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१६५००.००	१६५००.००	१७१६०.००
	पेन्टेड अल्मिनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१२५००.००	१२५००.००	१३०००.००
	<b>Metal Tile Roofing Sheet</b>				

## Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	0.45 Thickness - (Red, Green, Blue)	बन्डल		२२१५०.००	२३०३६.००
	0.5 Thickness - (Chocolate)	बन्डल		२४५५०.००	२५५३२.००
	<b>Ridge Cap</b> (0.4 Thickness)	र फि		२००.००	२००.००
	<b>Gutter</b>				
	0.50 mm Thickness (Size- 12")	र फि		९५.००	१०१.००
	0.50 mm Thickness (Size- 16")	र फि			१२५.००
	0.50 mm Thickness (Size- 18")	र फि			१७५.००
	0.40 mm Thickness (Size- 12")	र फि		११५.००	१२२.००
	0.40 mm Thickness (Size- 16")	र फि		१६५.००	१३०.००
	0.40 mm Thickness (Size- 12")	र फि			१७५.००
	<b>Polycarbonate Corrugated Sheet</b>				
	1 mm Thickness	व.फि		१००.००	१०६.००
	1.25mm Thickness	व.फि			१२७.००
	1.5 mm Thickness	व.फि		१४५.००	१५४.००
	1.75mm Thickness	व.फि			१७५.००
	2mm Thickness	व.फि		१९०.००	२०२.००
	2.5 mm Thickness	व.फि		२३०.००	२४५.००
	3 mm Thickness	व.फि			३८५.००
	<b>Polycarbonate Plain Sheet</b>				
	1 mm Thickness	व.फि		८५.००	९०.००
	2 mm Thickness	व.फि		१७५.००	१८६.००
	2.5 mm Thickness	व.फि		२१५.००	२२९.००
	3 mm Thickness	व.फि		२६०.००	२७७.००
	4 mm Thickness	व.फि		३५०.००	३७३.००
	5 mm Thickness	व.फि		४३५.००	४६३.००
	6 mm Thickness	व.फि		५२५.००	५५९.००
	7 mm Thickness	व.फि			६४३.००
	8 mm Thickness	व.फि		७००.००	७४६.००
	9 mm Thickness	व.फि			८२१.००
	10 mm Thickness	व.फि		८८०.००	९३८.००
	12 mm Thickness	व.फि		१०५५.००	११०७.००

### भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२८.००	२८.००	२९.००
	(ग) ५" साइज	गोटा	४३.००	४३.००	४५.००
	(घ) ६" साइज	गोटा	५६.००	५६.००	५९.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२६०.००	२६०.००	२७७.००
	225 mm	गोटा	२२७.००	२२७.००	२४२.००
	150 mm	गोटा	१९५.००	१९५.००	२०७.००
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२०.००	२०.००	२१.००
	(ख) ४" लामो	गोटा	४०.००	४०.००	४२.००
	(ग) ६" लामो	गोटा	६७.००	६७.००	७१.००
	(घ) ८" लामो	गोटा	८०.००	८०.००	८५.००
	(ङ) १०" लामो	गोटा	९४.००	९४.००	१००.००
	(च) १२" लामो	गोटा	१०७.००	१०७.००	११४.००
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा	३२.००	३२.००	३४.००
	Special	गोटा	४७.००	४७.००	५०.००
५	ब्रासको कब्जा				
	2"x 1/2"	गोटा	६३.००	६३.००	६७.००
	2 1/2"x 3/4"	गोटा	७१.००	७१.००	७५.००
	3" x 3/4"	गोटा	८७.००	८७.००	९२.००
	2" x 3/4"	गोटा	७१.००	७१.००	७५.००
	2 1/2" x 3/4"	गोटा	७९.००	७९.००	८४.००
	3" x 3/4"	गोटा	८७.००	८७.००	९२.००
	3"x1"	गोटा	१८९.००	१८९.००	२०१.००
	4"x1"	गोटा	२८४.००	२८४.००	३०२.००
	5"x1"	गोटा	३७९.००	३७९.००	४०४.००
	6"x1"	गोटा	४५८.००	४५८.००	४८८.००
६	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१५१.००
	(ख) ४" लामो	गोटा	१८९.००	१८९.००	२०१.००
	(ग) ६" लामो	गोटा	२८४.००	२८४.००	३०२.००
	(घ) ८" लामो	गोटा	३७९.००	३७९.००	४०४.००
	(ङ) १०" लामो	गोटा	४७३.००	४७३.००	५०४.००
	(च) १२" लामो	गोटा	५६८.००	५६८.००	६०५.००
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५०.००	१५०.००	१५९.००
	8" Brass handle	गोटा	४५८.००	४५८.००	४८८.००
	10" Brass handle	गोटा	९४७.००	९४७.००	१००९.००
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	९४७.००	९४७.००	१००९.००
	(ख) १०" लामो	गोटा	१५६२.००	१५६२.००	१६४०.००
	(ग) १२" लामो	गोटा	१७३५.००	१७३५.००	१८२१.००
	Special Fittings				

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
९	एल ड्रप				
	८" लामो	गोटा	१०६२.००	१०६२.००	१११५.००
	१०" लामो	गोटा	११९९.००	११९९.००	१२५८.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१३११.००
१०	ह्याण्डल ८" लामो	गोटा	१२४९.००	१२४९.००	१३११.००
११	टावर बोल्ट				
	६" लामो	गोटा	२२५.००	२२५.००	२३९.००
	८" लामो	गोटा	३००.००	३००.००	३१९.००
	१०" लामो	गोटा	३७५.००	३७५.००	३९९.००
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	८९२.००	८९२.००	९५१.००
	१०" लामो	गोटा	११३०.००	११३०.००	११८६.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१३११.००
	ह्याण्डल				
	६" लामो	गोटा	२५०.००	२५०.००	२६६.००
	८" लामो	गोटा	३७५.००	३७५.००	३९९.००
	मोर्टिस लक				
	Ordinary	गोटा	६२५.००	६२५.००	६६६.००
	Chinese	गोटा	४१६.००	४१६.००	४४३.००
	Indian Godrej Company	गोटा	२५५७.००	२५५७.००	२६८४.००
	Brass		११३०.००	११३०.००	११८६.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१७८.००	१७८.००	१८९.००
	hydraulic	गोटा	१८७४.००	१८७४.००	१९६७.००
	Window I-hook	गोटा	१८.००	१८.००	१९.००
१४	Gate Hook				
	4" Gate hook	गोटा	३१.००	३१.००	३३.००
	5" Gate hook	गोटा	३५.००	३५.००	३७.००
	6" Gate hook	गोटा	४२.००	४२.००	४४.००
	Brass Gate hook	गोटा	७५.००	७५.००	७९.००
१५	Door stopper				
	Butterfly	गोटा	१४८.००	१४८.००	१५७.००
	Bell catch 2" size	गोटा	१९६.००	१९६.००	२०८.००
	C.P. handle	गोटा	४२५.००	४२५.००	४५३.००
	Power coated handle	गोटा	४०६.००	४०६.००	४३२.००
	Brass coated handle	गोटा	८७४.००	८७४.००	९३१.००
	Door stopper, single brass stopper	गोटा	१००.००	१००.००	१०६.००
	Door stopper double brass stopper	गोटा	१७८.००	१७८.००	१८९.००
१६	Screw Brass				
	20mm	गोटा	१.९२	१.९२	२.००
	25mm	गोटा	२.६७	२.६७	२.००
	35mm	गोटा	४.११	४.११	४.००
	50mm	गोटा	१२.०६	१२.०६	१२.००
	75mm	गोटा	१५.०८	१५.०८	१६.००
१७	Screw Steel				
	20mm	गोटा	१.१७	१.१७	१.००
	25mm	गोटा	१.९२	१.९२	२.००
	35mm	गोटा	२.३३	२.३३	२.००

### भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	50mm	गोटा	७.२०	७.२०	७.००
	75mm	गोटा	७.५४	७.५४	८.००
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९२.७०	९२.७०	९८.००
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९७.८५	९७.८५	१०४.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	सिमेन्ट पेन्ट	के.जि.	६५.००	६५.००	६९.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२७१.००	२७१.००	२८८.००
३	उड प्राइमर	लिट्र	३६५.००	३६५.००	३८९.००
४	सेन्थेटिक इनामेल पेन्ट	लिट्र	५०९.००	५०९.००	५४२.००
५	नेपाल रेडको म्याट फिनिशिंग	लिट्र	४९१.००	४९१.००	५२३.००
६	कोरुगेटेड रुफ पेन्ट	लिट्र	४६२.००	४६२.००	४९२.००
७	तयारी अल्मुनियम पेन्ट	लिट्र	५३०.००	५३०.००	५६५.००
८	तयारी बार्नेस	लिट्र	४२७.००	४२७.००	४५५.००
९	तयारी बार्नेर सेन्थेटिक	लिट्र	३३०.००	३३०.००	३५१.००
१०	भारतीय थिनर	लिट्र	२२४.००	२२४.००	२३८.००
११	उड एण्ड ग्लास पुटिन	के.जी	१२८.००	१२८.००	१३६.००
१२	मेटल पुटिन	के.जी	१५१.००	१५१.००	१६०.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	१९७.००	१९७.००	२१०.००
१४	नेपाली थिनर	लिट्र	२११.००	२११.००	२२४.००
१५	तारपिन तेल	लिट्र	२०८.००	२०८.००	२२१.००
१६	रेड अकसाइड पेन्ट	लिट्र	२५४.००	२५४.००	२७०.००
१७	उड प्रिजरभेटिव पेन्ट	लिट्र	२२२.००	२२२.००	२३६.००
१८	व्याक जापान	लिट्र	४६६.००	४६६.००	४९६.००
१९	राम तिलक	के.जि.	५४.००	५४.००	५७.००
२०	गेरु रंग	के.जि.	१३३.००	१३३.००	१४१.००
२१	चप्रा	के.जि.	१२८०.००	१२८०.००	१३४४.००
२२	स्लीट	लिट्र	८७.००	८७.००	९२.००
२३	तयारी बासेवल डिस्टेम्पर	लिट्र	२१७.००	२१७.००	२३१.००
२४	तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लिट्र	५११.००	५११.००	५४४.००
२५	तयारी वेदरकोट पेन्ट (exterior)	लिट्र	६१२.००	६१२.००	६५२.००
२६	प्लास्टिक ईमल्सन पेण्ट	लिट्र	६५०.००	६५०.००	६९३.००
२७	एक्सटेरियर वेदर कोट	लिट्र	६८३.००	६८३.००	७२८.००
२८	रोड मार्कीङ थमोप्लास्टीक पेण्ट	लिट्र	५६२.००	५६२.००	५९९.००
२९	लिनसिड आयल	लिट्र	१९१.००	१९१.००	२०३.००
३०	स्थानीय स्पीट	लिट्र	११४.००	११४.००	१२१.००
३१	मोविकल / फेविकल	के.जि.	२५५.००	२५५.००	२७१.००
३२	मैन पालिस	के.जि.	३४५.००	३४५.००	३६७.००
३३	अक्रजालिक एसिड	के.जि.	११८.००	११८.००	१२५.००
३४	१" चौडा पेन्ट ब्रस	गोटा	७०.००	७०.००	७४.००
३५	२" चौडा पेन्ट ब्रस	गोटा	१४०.००	१४०.००	१४९.००
३६	३" चौडा पेन्ट ब्रस	गोटा	२१०.००	२१०.००	२२३.००
३७	४" चौडा पेन्ट ब्रस	गोटा	२८०.००	२८०.००	२९८.००
३८	रंग लगाउने रोलर	गोटा	४००.००	४००.००	४२६.००
३९	Sand paper	गोटा	६.००	६.००	६.००
४०	Wall putty plain	के.जि.	३६.००	३६.००	३८.००
४१	Wall putty- water Proof		६०.००	६०.००	६३.००
४२	Plaster of Parish (POP)	के.जि.	२२.००	२२.००	२३.००
४३	Redoxide zink cromate primer For Bridge	लिट्र	४५०.००	४५०.००	४७९.००
४४	Silk Breathless easy	लिट्र	१२३८.००	१२३८.००	१२९९.००
४५	Epoxy Paint for Operation theater	लिट्र	११७०६.००	११७०६.००	१२१७४.००
४६	SPC CemTec Exterior Primer	लिट्र		२३३.२४	२४८.००
४७	SPC CemTec Interior Primer	लिट्र		१६८.५६	१७९.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
४८	SPC SynTec Enamel Paints	लिट्र		५०१.७६	५३४.००
४९	SPC WoodTec Primer	लिट्र		३०६.७४	३२७.००
५०	SPC Tetrox Red Oxide	लिट्र		२७०.४८	२८८.००
५१	SPC WalTec Wall Putty	के.जि.		३५.२८	३७.००
	<b>Decorative Painting Material</b>				
<b>A</b>	<b>Specialized paints</b>				
१	Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	११५३.००
२	Ellastocrab (Anti carbonisation paint)	लिट्र	७६२.००	७६२.००	८१२.००
३	Dr. wallz CeraInsul (Heat Reflecting Energy Saving Insulation Paint)	लिट्र		११३०.००	११८६.००
४	Dr. Wallz Firegard (Instumescent weather resistant chlorinated rubber fire resistant retardant coating)	लिट्र		११३८.००	११६६.००
५	Dr. Wallz Renustu	के.जि.		९७.३५	९७.३५
६	Health -Guard Silver Ion higeinic Coating Paint	लिट्र		९५०.००	९७०.००
७	Health Pro Self Sanitizing Silver Ion Higienic Coating	लिट्र		९५०.००	९७०.००
<b>B</b>	<b>Texture paints</b>				
१	Mediterrano	के.जि.	१७६.००	१७६.००	१८७.००
२	Stucco Veneziano	के.जि.	१६३९.००	१२७०.००	१३१६.००
३	Velvetino	के.जि.	४३०५.००	४३०५.००	४५२०.००
४	Travertino	के.जि.	४१२.००	३४६.००	३६२.००
५	Gtone plaster	के.जि.	१२१.००	१२१.००	१२९.००
६	Colorato (Multi color)	के.जि.	९२१.००	९२१.००	९५०.००
७	Pearl skin texture	के.जि.	१४९.००	१४९.००	१५८.००
८	TS 52 Spray white	के.जि.	१९९.००	१९९.००	२१२.००
९	Rustic	के.जि.	१९९.००	१९७.००	१९९.००
१०	Rockart	लिट्र	१९९.००	१८७.००	१९६.००
११	Manhattan	के.जि.	२३८.००	२३८.००	२४०.००
१२	Sabbia	के.जि.	२३८.००	२३८.००	२४०.००
१३	Sandy Stone	के.जि.	१७४.००	१७४.००	१८५.००
१४	Insulplast	के.जि.	२३७.००	२३७.००	२३७.००
१५	Poly Under White	के.जि.	२६४.००	२६४.००	२८१.००
१६	Antica(Top coat)	के.जि.	१२६७.००	१२६७.००	१३३०.००
१७	T.C 100(Top coat)	के.जि.	७२८.००	७२८.००	७६४.००
१८	Dekorica White	के.जि.	२६३१.००	२६३१.००	२७५७.००
१९	Poly Plaster	के.जि.	१०७.००	१०७.००	११२.३५
२०	Granite tone	के.जि.	१६५.००	१६५.००	१७०.००
२१	Graffiato	के.जि.	१५९.००	१५९.००	१६५.००
२२	Elligance stone	के.जि.	१८९.००	१८९.००	१९२.००
२३	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००
२४	Acro fine	के.जि.	१८१.००	१८१.००	१८६.००
२५	Marmocastro base	के.जि.	१३९.००	१३९.००	१४६.००
२६	Selva Granite	के.जि.	२१५.००	२१५.००	२१५.००
२७	Romart	के.जि.	२३९.००	२३९.००	२३९.००
२८	Renstu plaster putty	के.जि.		८६.७०	९१.००
२९	Hyperion base putty	के.जि.		५०७.००	५०७.००
३०	Cementzio base putty	के.जि.		२३०.००	२४५.००
३१	Helios base putty	के.जि.		४९७.००	४९७.००
३२	Cratere base putty	के.जि.		४८८.००	४८८.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३३	Cerrotta base putty	के.जि.		४८८.००	४८८.००
३४	Coppotto Di cemento	के.जि.		१७०८.००	१७०८.००
३५	Muroplast putty	के.जि.		७१.००	७५.००
३६	Acro pure ( PU top coat)	के.जि.		११४५.००	११४५.००
३७	Satenatto emulsion	लिटर		६००.००	६३०.००
३८	StuccoPlaster	लिटर		२८२.६४	२८९.००
३९	Elegantile	के.जि.		१९०.००	१९९.५०
४०	Multi Granite	के.जि.		१९०.००	१९९.५०
४१	Hermes Base	के.जि.		२३५.००	२४६.७५
४२	Botticelli Base	के.जि.		२८२.००	२९६.१०
४३	Granito Wall	के.जि.		१४६.००	१६०.००
<b>C</b>	<b>Weather coat paints</b>				
१	Guard	लिटर	५०३.००	५०३.००	५३६.००
२	Guard -3x	लिटर	५८८.००	५८८.००	६२६.००
३	Shield	लिटर	३२२.००	३२२.००	३४३.००
४	Acrotex matt	लिटर	५१०.००	५१०.००	५२०.००
५	Ext wall Primer	लिटर	२३८.००	२३८.००	२५३.००
६	SPC ExterShield Premium	लिटर		५७६.२४	६१४.००
७	SPC ExterShield Smooth	लिटर		४९२.९४	५२५.००
८	SPC ExterShield Standard	लिटर		३१५.५६	३३६.००
<b>D</b>	<b>Emulsion Paints/Distemper</b>				
१	Silk Emulsion paints	लिटर	५२२.००	५२२.००	५५६.००
२	Aqualin Int.Emulsion	लिटर	२८०.००	२८०.००	२९८.००
३	Pearl Emulsion paints	लिटर	७७२.००	७७२.००	८२३.००
४	Int. wall Primer	लिटर	१७२.००	१७२.००	१८३.००
५	Acrylic Washable Distemper	लिटर	१४२.००	१४२.००	१५१.००
६	Gold Enamel	लिटर	५१२.००	५१२.००	५४५.००
७	Universal primer ( wood primer)	लिटर	३१३.००	३१३.००	३३३.००
८	Red oxide metal primer	लिटर	२७६.००	२७६.००	२९४.००
	Water seal stretch (Damp coat)	लिटर			५२७.००
९	Construction Chemical / waterproof coating system				
	crack sill	लिटर	३८७.००	३८७.००	४१२.००
	crack fill A+B	लिटर	१७०.००	१७०.००	१८१.००
१०	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	४६६.००	४६६.००	४९६.००
	Acropreg W	लिटर	६१९.००	६१९.००	६५९.००
	Wall putty	के.जि.	३९.००	३९.००	४०.००
११	SPC InnraCare Premium Emulsion	लिटर		७०७.५६	७५४.००
१२	SPC InnraCare Smooth Emulsion	लिटर		५११.५६	५४५.००
१३	SPC InnraCare Standard Emulsion	लिटर		२७४.४०	२९२.००
१४	SPC EvtinVigil Washable Distemper	के.जि.		१३९.१६	१४८.००
	<b>Texture ISO certified 9001-2008 ( Silicone &amp; Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae &amp; Fungi resistant / Ultra violet resistant) for painting works</b>				
<b>A</b>	<b>Spanezia maestro finishes texture</b>				
१	Mediterrano texture	व.फि.	१२८.००	१२८.००	१३६.००
२	Traventino texture	व.फि.	१९५.००	१९५.००	२०७.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३	Velvetino texture	व.फि.	१६७.००	१६७.००	१७८.००
४	Gtone plaster and Colorato texture(Multicolour texture)	व.फि.	१३३.००	१३३.००	१४१.००
५	Stucco veneziano texture	व.फि.	१४०.००	१४०.००	१४९.००
६	Pearl skin texture	व.फि.	१२०.००	१२०.००	१२७.००
७	Marmorino texture	व.फि.	१५६.००	१५६.००	१६६.००
८	Mediterrano and Colorato texture(Multi color texture)	व.फि.		१५९.००	१६९.००
<b>B</b>	<b>Texture</b>				
१	Spray flat/ Spray dewes texture	व.फि.	६५.००	६५.००	६९.००
२	Featherglow/Royal touch/Superfine/Ceratex texture	व.फि.	७४.००	७४.००	७८.००
३	Rustic texture	व.फि.	९९.००	९९.००	१०५.००
४	Rockart texture	व.फि.	९३.००	९३.००	९९.००
५	Graffiato texture	व.फि.	१०३.००	१०३.००	१०९.००
६	Marmocastro texture	व.फि.	९०.००	९०.००	९५.००
७	Marmoplast texture	व.फि.	९०.००	९०.००	९५.००
८	Sabbia texture	व.फि.	११२.००	११२.००	११९.००
९	Manhattan texture	व.फि.	११२.००	११२.००	११९.००
१०	Sandy stone texture	व.फि.	१५४.००	१५४.००	१६४.००
११	Selva Granite texture	व.फि.	११६.००	११६.००	१२३.००
१२	Elligance stone texture	व.फि.	१०७.००	१०७.००	११३.००
१३	Granite tone texture	व.फि.	९८.००	९८.००	१०४.००
१४	Romaart texture	व.फि.	१२४.००	१२४.००	१२४.००
२१	Insulplast texture	व.फि.	१३५.००	१३५.००	१३९.१८
२२	Lastrafiniture texture	व.फि.	२३४.२७	२३४.२७	२४९.००
२३	Fossa finiture texture	व.फि.	२५३.८७	२५३.८७	२७०.००
२४	PierreDe Beaton texture	व.फि.	२१५.२२	२१५.२२	२२९.००
२५	Maglia texture	व.फि.	२४४.००	२४४.००	२६०.००
२६	Pietra texture	व.फि.	२५१.१४	२५१.१४	२६७.००
२७	Muro fussa texture	व.फि.	२९७.५३	२९७.५३	३१७.००
२८	Cattelo Di Cemento texture	व.फि.	२१४.३४	२१४.३४	२२०.१३
२९	Cratere texture	व.फि.	२५४.९१	२५४.९१	२६०.८२
३०	Cerrotta texture	व.फि.	१३४.६३	१३४.६३	१३९.७७
३१	Cementizio texture	व.फि.	१२१.९१	१२१.९१	१२९.००
३२	Riverstire De Pennelli texture	व.फि.	२४२.८४	२४२.८४	२४८.२१
३३	Bio-guard (Hospital Paint)	व.फि.	५४.००	४८.६१	५१.००
३४	Ellastocarb(anti carbonisation paint)	व.फि.	३८.००	४८.४५	५१.००
३५	Fire guard (fire retardent paint)	व.फि.	३४.००	३४.००	३६.००
३६	Health Guard Silver Ion hygienic Coating Paint	व.फि.		४३.७९	४६.००
३७	Health Pro self Sanitizing Silver ion Hygienic Coating	व.फि.		४४.५८	४७.००
३८	Cerainsu (Heat Reflecting Energy Saving Insulation Paint)	व.फि.		४३.००	४३.००
३९	Elegantile	व.फि.		१३०.००	१३८.००
४०	Multi Granite	व.फि.		१२१.००	१२९.००
४१	Harmesh	व.फि.		२०८.००	२०९.००
४२	Botticelli	व.फि.		१७३.००	१७५.००
४३	Granito Wall	व.फि.		१४२.००	१४३.००
४४	Cratere texture with marmocatello and acro pure	व.फि.		२२८.००	२३२.११
४५	Cratere texture with marmocatello and elastocarb	व.फि.		२२७.००	२३१.७३
४६	Stucco Plaster Texture	व.फि.		२४१.००	२५०.९२
<b>C</b>	<b>EXTERIOR SURFACE PAINTS</b>				

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	GUARD 3X	व.फि.	२३.००	२३.००	२४.००
	GUARD	व.फि.	२१.००	२१.००	२२.००
	SHIELD	व.फि.	१७.००	१७.००	१८.००
	ACROTEX MATT	व.फि.	३१.००	३१.००	३३.००
<b>D</b>	<b>INTERIOR SURFACE EMULSION PAINTS</b>				
	PEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२५.००
	SILK EMULSION PAINTS	व.फि.	२०.००	२०.००	२१.००
	AQUALIN EMULSION PAINTS	व.फि.	१६.००	१६.००	१७.००
	AQUALIN ACRYLIC WASHABLE DISTEMPER	व.फि.	११.००	११.००	११.००
	GOLD ENAMEL PAINTS	व.फि.	१८.००	१८.००	१९.००
<b>E</b>	<b>Wall Paper</b>				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१३१७.००
	Fittings for wall paper	व.फि.	७.००	७.००	७.००
	White glue for wall paper	लि.	१०८.००	१०८.००	११५.००
<b>F</b>	<b>Pro. Plaster Material</b>	के.जी	३२.४३	३२.४३	३४.००
	<b>Environment Friendly Paints</b>				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L		२०८८०.००	२१५०६.००
		10 L		११४४०.००	११७८३.००
		4 L		४५८०.००	४७१७.००
		1 L		११५०.००	११८४.००
2	Environmentally Friendly Natural Exterior Paint	20 L			
		10 L		१३८००.००	१४२१४.००
		4 L		७१००.००	७३१३.००
		1 L		२९८०.००	३०६९.००
				८२०.००	८४४.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L			
		10 L		१०८८०.००	११२०६.००
		4 L		५९४०.००	६११८.००
		1 L		२५८०.००	२६५७.००
				६५०.००	६६९.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L			
		10 L		११८००.००	१२१५४.००
		4 L		६४००.००	६५९२.००
		1 L		२७६०.००	२८४२.००
				७००.००	७२१.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L			
		10 L		१८८००.००	१९३६४.००
		4 L		९९००.००	१०१९७.००
		1 L		३९६०.००	४०७८.००
				९९०.००	१०१९.००
6	Environmentally Friendly Natural Interior Wall paint	20 L			
		10 L		१२८००.००	१३१८४.००
		4 L		६६००.००	६७९८.००
		1 L		२७६०.००	२८४२.००
				७२०.००	७४१.००
7	Environmentally Friendly Constant Interior wall Paint	20 L			
		10 L		९८००.००	१००९४.००
		4 L		५१००.००	५२५३.००
		1 L		२१६०.००	२२२४.००

## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
				५८०.००	५९७.००
8	Eco Friendly Interior Wall Paint	20 L			
		10 L		५९००.००	६०७७.००
		4 L		३१५०.००	३२४४.००
		1 L		१३८०.००	१४२१.००
				४००.००	४१२.००
9	Environmentally Efficient Exterior Wall Primer	20 L			
		10 L		१०८००.००	१११२४.००
		4 L		६६००.००	६७९८.००
		1 L		३९६०.००	४०७८.००
				१२४०.००	१२७७.००
10	Environmentally Friendly Alkali Resistant wall primer interior	20 L			
		10 L		८४००.००	८६५२.००
		4 L		५२००.००	५३५६.००
		1 L		२५६०.००	२६३६.००
				१०८०.००	१११२.००
11	Eco Friendly Primer	20 L			
		10 L		६४००.००	६५९२.००
		4 L		४३००.००	४४२९.००
		1 L		२२००.००	२२६६.००
				८८०.००	९०६.००
12	Granite texture Spray / Imitation Stone Paint	1 sq ft			
				१४५.००	१४९.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg		५८२०.००	५९९४.००
	Intermediate Coating Paint	7 Kg		७०००.००	७२१०.००
	Granite Surface Paint	9 kg		१५०००.००	१५४५०.००
	Dust proof Surface Paint	3 kg		४९८०.००	५१२९.००

## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>A</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>				
१	Form Oil	लिट्र	१००.००	१००.००	१०६.००
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३७३.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२१००.००
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२५०.००
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३७३.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४७९.००
१	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] ASTM C 494 -( Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५९.००
२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formladehyde Based] ASTM C 494 -( Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२६६.००
३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] ASTM C 494 -( Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४७९.००
४	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 ( Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३१९.००
५	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०००.००	१०५०.००
६	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०००.००	१०५०.००
७	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१२५०.००	१३१२.००
८	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part 5	के.जी.	१८०.००	१८०.००	१९१.००
९	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	के.जी.	२५०.००	२५०.००	२६६.००
१०	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	के.जी.	३५०.००	३५०.००	३७३.००
११	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३७३.००
१२	Retarding Superplasticizer for Concrete [ Naphthalene Based] ASTM C 494-1981 ( TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२६६.००
१३	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] ASTM C 494-1981 ( Type G )	के.जी.	४५०.००	४५०.००	४७९.००
<b>B</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३३०.००	३३०.००	३५१.००
२	Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003.	के.जी.	११०.००	११०.००	११७.००
३	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	९०.००
<b>C</b>	<b>FOR JOINT SEALANTS &amp; SYSTEMS</b>				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८९०.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८९०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३१५०.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२१००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३१५०.००
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२६०.००
७	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	३५०.००	३५०.००	३७३.००
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४५०.००	४७९.००

## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१३३.००
१०	Waterproofing Joint Tape [ 120 mm]	र. मि.	५५०.००	५५०.००	५८६.००
११	Waterproofing Joint Tape [ 200 mm]	र. मि.	७५०.००	७५०.००	७९९.००
१२	NBR based Waterproofing Joint Tape [ 200 mm]	र. मि.	४०००.००	४०००.००	४२००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३१५०.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२९३.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५७५.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२८३५.००
१७	Construction Joint Tape [ 100 mm]	र. मि.	८००.००	८००.००	८५२.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	व. मि.	२४५०.००	२४५०.००	२५७२.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	व. मि.	४८५०.००	४८५०.००	५०९२.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	व. मि.	८००.००	८००.००	८५२.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	व. मि.	१५००.००	१५००.००	१५७५.००
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	व. मि.	२५००.००	२५००.००	२६२५.००
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	व. मि.	३५००.००	३५००.००	३६७५.००
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	व. मि.	४५००.००	४५००.००	४७२५.००
<b>D</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	के.जी.	१२०.००	१२०.००	१२७.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४७९.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.		७००.००	७४६.००
४	Anti Bacterial Wall Coating [ Polyurethane] Walgard WBA	के.जी.		१०४५.००	१०९७.००
५	Anti bacterial Wall Coating Clearseal	के.जी.		७८५.००	८३६.००
६	Self Levelling Flooring System [ Epoxy] Florgard SL	के.जी.		१३०५.००	१३७०.००
७	Flooring System [ Polyurethane] Florthane	के.जी.		१३०५.००	१३७०.००
८	Anti Bacterial Floor & Wall Coating [ Epoxy]	के.जी.	२५००.००	२५००.००	२६२५.००
९	Anti Bacterial Floor & Wall Coating [ Polyurethane]	के.जी.	३०००.००	३०००.००	३१५०.००
१०	Anti bacterial Floor & Wall Coating [ Acrylic]	के.जी.	२०००.००	२०००.००	२१००.००
११	Self Levelling Flooring System [ Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००
१२	Self Levelling Flooring System [ Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१३	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००
<b>E</b>	<b>ENGINEERING GROUTS</b>				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	के.जी.	११०.००	११०.००	११७.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१३३.००
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१७०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०५०.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५३३.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२६२५.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४७२५.००
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७८७५.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१३०००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८९२५.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४५६०.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९९७५.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३८.००

## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६३.००
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२६६.००
१६	Durasport (Sport court coating)			१३०५.००	१३७०.००
१७	Eposeal (for water storage tanks)			१३०५.००	१३७०.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)			६९६.००	७४२.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)			६९६.००	७४२.००
२०	K10 Sovacryl (Waterproofs external surfaces)			१०४५.००	१०९७.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)			७८५.००	८३६.००
२२	Coal tar Epoxy ( Excellent resistance to water and alkali in steel surface)			३९२.००	४१७.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)			७८५.००	८३६.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)			६९६.००	७४२.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)			६९६.००	७४२.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)			३४८.००	३७१.००
<b>F</b>	<b>BONDING ADHESIVES FOR CONCRETE &amp; MORTAR (Polymer &amp; Epoxy Resin)</b>				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७९९.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	१०१२.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२६०.००
४	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८९०.००
<b>G</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२६०.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५७५.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२१००.००
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२६६.००
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३७३.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२६६.००
<b>H</b>	<b>SURFACE TREATMENT</b>				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२६०.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१४१७.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४७२५.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५७५.००
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५७५.००
७	High Performance Water Repellent Paint	लिटर	९००.००	९००.००	९५९.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिटर	५००.००	५००.००	५३३.००
९	Ready to use Chemical Mould Release Agent	लिटर	५००.००	५००.००	५३३.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४७९.००
<b>I</b>	<b>CONCRETE REPAIRS</b>				
१	Rust Remover & Passivator	लिटर	१०००.००	१०००.००	१०५०.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२६०.००
३	Micro Concrete [ M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४९.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१८६.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२६६.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२१३.००

## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२६०.००
<b>J</b>	<b>PREPACKED MORTARS</b>				
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	९०.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३७३.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	९०.००
४	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	९०.००
५	High Performanance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९५.००
<b>K</b>	<b>WATERPROOFING SYSTEMS</b>				
	<b>INTEGRAL</b>				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२९३.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७८७५.००
<b>L</b>	<b>LIQUID APPLIED</b>				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७४६.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५३३.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७९९.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	९०६.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७९९.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३७३.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४२६.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१७३२.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१३१२.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६३९.००
<b>M</b>	<b>PREFORMED</b>				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	व. मि.	१८००.००	१८००.००	१८९०.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	व. मि.	२०००.००	२०००.००	२१००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	व. मि.	१०५०.००	१०५०.००	११०२.००
४	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	व. मि.	१५००.००	१५००.००	१५७५.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	व. मि.	१५००.००	१५००.००	१५७५.००
६	1.2 mm High Polymer PVC Membranes	व. मि.	२०००.००	२०००.००	२१००.००
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२६२५.००
८	1.2 mm EPDM Membranes	व. मि.	२५००.००	२५००.००	२६२५.००
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२६२५.००
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३१५०.००
११	2mm TPO Membranes	व. मि.	३५००.००	३५००.००	३६७५.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	व. मि.	८००.००	८००.००	८५२.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४७२५.००
<b>N</b>	<b>SPECIALTY</b>				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५८६.००

### Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२३९.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५५९.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६९३.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१३१२.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०५०.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७९९.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०५०.००
९	Anti Termite [ Imidacloprid 30.5% ]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२६२५.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७५००.००	७५००.००	७८७५.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२६२५.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२६२५.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२६२५.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११७.००
१६	XPS - Extruded Polystyrene Boards [ 25 mm]	ब. मि.	२८००.००	२८००.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [ 50 mm]	ब. मि.	३५००.००	३५००.००	३६७५.००

### WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/०७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	४४००.००	४४००.००	४६२०.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	३८००.००	३८००.००	३९९०.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	१२००.००	१२००.००	१२६०.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	४२००.००	४२००.००	४४१०.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system-Integritank @ 2mm thick( No protection required)	व.मि.	२८००.००	२८००.००	२९४०.००
६	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the ( ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.		१०२५.००	१०७६.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.		५९०.००	६२९.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.		१६५.००	१७५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.		९९०.००	१०५५.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.		३९५.००	४२१.००
	20 cm	र.मि.		५७५.००	६१३.००

**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
<b>A</b>	<b>STRUCTURAL STRENGTHENING</b>				
1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८९२५.००
2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१०४००.००
3	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	व. मि.	८०००.००	८०००.००	८४००.००
4	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	व. मि.	१२०००.००	१२०००.००	१२४८०.००
5	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	व. मि.	१६०००.००	१६०००.००	१६६४०.००
6	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	व. मि.	१२०००.००	१२०००.००	१२४८०.००
7	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३६७५.००
8	SATURANT	के.जी.	३५००.००	३५००.००	३६७५.००
9	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२६२५.००
10	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३६७५.००
11	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४७२५.००
12	Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२६२५.००
13	Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३६७५.००
14	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१०४००.००
15	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२४८०.००
<b>B</b>	<b>Horizontal Expansion Joint for Slab</b>				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०९०९.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२९५८.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१५३५०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	२०४६७.००
<b>C</b>	<b>Expansion Joint for Basement</b>				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८७६९.००
<b>D</b>	<b>Expansion Joint for Roof</b>				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१३०८३.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१५५५३.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७९०.००	१७७९०.००	१८४९८.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६९५.००	२३६९५.००	२४५५९.००
<b>E</b>	<b>Inside Vertical Expansion Joint</b>				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६८८८.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८६९०.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	१०३३२.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३९२०.००	१३९२०.००	१४६४४.००
<b>F</b>	<b>Outside Vertical Expansion Joint</b>				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७९९७.००

**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९९०९.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११७६२.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५६८३.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Interlocking Cement Concrete Block ( Not less than M20 concrete)</b>				
	Curb stone-Not less than M20 concrete	र.मि.	१०५१.००	१०५१.००	११०३.००
	<b>25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker</b>	व.फि	४०.००	४०.००	४२.००
	<b>25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker</b>	व.फि	४२.००	४२.००	४४.००
	<b>50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	४८.००	४८.००	५१.००
	<b>50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	४९.००	४९.००	५२.००
	<b>60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock</b>	व.फि	५०.००	५०.००	५३.००
	<b>60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock</b>	व.फि	५२.००	५२.००	५५.००
	<b>70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	५९.००	५९.००	६२.००
२	<b>60 mm thick CC Block ( Ocm or equivalent )</b>				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२२.००	२२.००	२३.००
	Hexagon (22*22 cm) colour	गोटा	२४.००	२४.००	२५.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३०.००	३०.००	३१.००
	Squire paver (30*30*4.5cm)colour	गोटा	३३.००	३३.००	३५.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	Isave paver (20*16*6cm)	गोटा	१६.००	१६.००	१७.००
३	<b>Concrete Block different items</b>				
	Hollow Block ( 16"*8"*6")	गोटा	७५.००	७५.००	७९.००
	Hollow Block ( 16"*8"*4")	गोटा	६६.००	६६.००	७०.००
	Corner Hollow Block ( 16"*8"*6")	गोटा	८४.००	८४.००	८९.००
	Lintel Block ( 16"*8"*6")	गोटा	८४.००	८४.००	८९.००
	Pavers Block ( fish or other shape ) 60mm thick	गोटा	१९.००	१९.००	२०.००
	concrete Brick ( 9"*4"*2.5")	गोटा	१२.००	१२.००	१२.००
५	<b>Concrete block</b>				
	Concrete block size (40*15*20 ) cm	गोटा	३८.००	३८.००	४०.००
	Concrete block size ( 40*10*20 ) cm	गोटा	३३.००	३३.००	३५.००
	Concrete block size ( 39*14*19 ) cm	गोटा	५२.००	५२.००	५५.००
६	<b>Cellular light weight concrete(CLC) block</b>				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११७.००	११७.००	१२४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७६.००	१७६.००	१८७.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२३५.००	२३५.००	२५०.००
७	<b>Interlock Concrete Paving Blocks</b>				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२२७८.००	२२७८.००	२३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२८२७.००	२८२७.००	२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३४६६.००	३४६६.००	३६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१६८४.००	१६८४.००	१७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२११८.००	२११८.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२५७३.००	२५७३.००	२७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१८२९.००	१८२९.००	१९२०.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२३२३.००	२३२३.००	२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२८१८.००	२८१८.००	२९५८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१५८९.००	१५८९.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१८५२.००	१८५२.००	१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१०८२.००	१०८२.००	११३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१२९८.००	१२९८.००	१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१६८४.००	१६८४.००	१७६८.००
<b>८</b>	<b>CONCRETE PAVING BLOCKS</b>				
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	१९८९.३४	१९८९.३४	२०८०.००
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२२१५.११	२२१५.११	२३२५.००
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२३१२.८४	२३१२.८४	२४२८.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.			१६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.			१९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.			२०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		१९८९.३४	२०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		२२१५.११	२३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.		२३१२.८४	२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.			१६९२.७६
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१७६०.८३	१७६०.८३	१८४८.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१९१८.५२	१९१८.५२	२०१४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१९९७.३६	१९९७.३६	२०९७.००

### Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१२६१.४९	१२६१.४९	१३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४१९.१८	१४१९.१८	१४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४९८.०२	१४९८.०२	१५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			१९३०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.			२२२७.३२
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१०२४.९६	१०२४.९६	१०७६.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१२३५.२१	१२३५.२१	१२९६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१३१४.०५	१३१४.०५	१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१७६०.८३	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१९१८.५१	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.		१९९७.३६	२०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		१९५७.५२	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		२२३७.१६	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.		२३४२.०३	२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		३५८७.३३	३७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		३८५८.८९	४०५१.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.		४१२६.२२	४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			५६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.			६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	१६९९.३८	१६९९.३८	१७८४.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२१६६.९६	२१६६.९५	२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२५५२.८८	२६८०.५२	२८१४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		३७३४.८३	३९२१.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		४०९२.५८	४२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.		४३९८.५८	४६१८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१५४१.०३	१५४१.०३	१६१८.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१६९७.७५	१६९७.७४	१७८२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१७४९.९९	१७४९.९८	१८३७.००
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.		१५४१.०३	१६१८.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.		१६९७.७४	१७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.		१७४९.९८	१८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१४१०.४२	१४१०.४२	१४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१६२५.०५	१६२५.०५	१७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१७१७.०३	१७१७.०३	१८०२.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			१७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			२२४९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.			२७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६६६.०७	१६६६.०७	१७४९.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१९६२.२६	१९६२.२६	२०६०.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२२२१.५०	२२२१.५०	२३३२.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१६२९.२६	१६२९.२६	१७१०.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१९२५.७३	१९२५.७३	२०२२.००
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२२२२.२०	२२२२.२०	२३३३.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५३३.७३	१५३३.७३	१६१०.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६९८.९०	१६९८.९०	१७८३.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७६९.६९	१७६९.६९	१८५८.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५०४.१५	१५०४.१५	१५७९.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६५८.९९	१६५८.९९	१७४१.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४७.४७	१७४७.४७	१८३४.००
	<b>CONCRETE PAVING TILES</b>				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१२९६.४०	१२९६.४०	१३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४३५.२६	१४३५.२६	१५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६२०.४८	१६२०.४८	१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			२९३८.२३
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			३२८२.०७
	<b>CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS</b>				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१९.६८	१९.६८	२०.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२१.४५	२१.४५	२२.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१४३.३६	१४३.३६	१५२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१६९.५०	१६९.५०	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१०२.५०	१०२.५०	१०९.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	११७.५०	११७.५०	१२५.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	८७.००	८७.००	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	९८.००	९८.००	१०४.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१७.३५	१७.३५	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१८.२४	१८.२४	१९.००
<b>CONCRETE PAVING BLOCKS</b>					
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४७.७४	१४७.७४	१५४.५०
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६५.७१	१६५.७१	१७३.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७३.५५	१७३.५५	१८२.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१२७०.४३	१२७०.४३	१३३३.००
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५१४.७५	१५१४.७५	१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५९६.१८	१५९६.१८	१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१९५७.५२	१९५७.५२	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२२३७.१७	२२३७.१७	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२३४२.०३	२३४२.०३	२४५९.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२३८२.०६	२३८२.०६	२५०१.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२६३७.२८	२६३७.२८	२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२७२२.३५	२७२२.३५	२८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६५८.२८	१६५८.२८	१७४१.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.		१६५८.२८	१७४१.००
	<b>CONCRETE PAVING TILES</b>				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४११.३३	१४११.३३	१४८१.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५४१.५७	१५४१.५७	१६१८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७१७.९८	१७१७.९८	१८०३.००
	<b>CONCRETE KERB-STONES</b>				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३२९.२०	३२९.२०	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३४०.७१	३४०.७१	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३७६.११	३७६.११	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.	२६१.०६	२६१.०६	२७८.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	२७८.७६	२७८.७६	२९७.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	३०९.७३	३०९.७३	३३०.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३२९.२०	३२९.२०	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३४०.७१	३४०.७१	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३७६.११	३७६.११	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४२१.४३	४४९.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४३६.१६	४६५.००

## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४८१.४८	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		३९१.४०	४१७.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४१९.६९	४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४४७.९९	४७७.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३६७.२६	३६७.२६	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३९३.८१	३९३.८१	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	४२०.३५	४२०.३५	४४८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.		१६९१.११	१७७५.००
	<b>EPS-C(Expanded polystyreneconcrete) Block</b>				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा			१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा			२१९.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा			२९२.००

## Security System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>Steel Security Gate</b>				
	Metal detector (black Scorpien Company)	गोटा	१६९९५.००	१६९९५.००	१७६७४.००
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२९९९३.००
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१४४६९.००
२	<b>Steel Security Door</b>				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	८६८३.००	८६८३.००	९०६९.००
	Half leaf : - 50 mm, 70 mm, 100mm	ब. मि.	९९३०.००	९९३०.००	१०३३९.००
	Double leaf : - 50 mm, 70 mm, 100mm	ब. मि.	१०४९९.००	१०४९९.००	१०८३५.००
३	<b>Security System</b>				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३५७०६.००
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२१४२४.००
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१३३९०.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३७४९२.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३७४९२.००
४	<b>CCTV System</b>				
	<b>Out door high speed Dome Integrated CAMERA</b> Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.				
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५८३४९.००
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९९६.००	५८९९६.००	६०६८३.००
५	<b>Indoor high speed Dome Integrated CAMERA</b>				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५६०९५.००
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५८३४९.००
	<b>VISTA Box camera</b> with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०.००	१५४५०.००	१६०६८.००
	7" Spherical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८६९८.००
	<b>8 Channel DVR</b> MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३५३४९.००
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५२५१४.००
	17" LCD Monitor	सेट	१०८९५.००	१०८९५.००	११२४७.००

**NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Surface Hardness	Element	१०००.००	१०००.००	१०२७.००
२	Cover Survey/ Rebar Orientation	Element	४०००.००	४०००.००	४१०८.००
३	Homogeneity	Element	५०००.००	५०००.००	५१३५.००
४	Crack Depth Measurement	Element	५०००.००	५०००.००	५१३५.००
५	E-Modulus Calculation Test	Element	५०००.००	५०००.००	५१३५.००
६	Resistivity	Element	२५००.००	२५००.००	२५६७.००
७	Curing Efficiency Test	Element	२५००.००	२५००.००	२५६७.००
८	Corrosion Mapping	Element	१५०००.००	१५०००.००	१५४०५.००
९	Half Cell Potential	Element	७०००.००	७०००.००	७१८९.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१००००.००	१०२७०.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७०००.००	७१८९.००
१२	Concrete Tensile Strength Test	Element	७०००.००	७०००.००	७१८९.००
१३	Moisture Content	Element	४५००.००	४५००.००	४६२१.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७५००.००	७७०२.००
	52 mm Dia	Element	८०००.००	८०००.००	८२१६.००
	75 mm Dia	Element	८५००.००	८५००.००	८७२९.००
	100 mm Dia	Element	१००००.००	१००००.००	१०२७०.००
	150 mm Dia	Element	१२५००.००	१२५००.००	१२८३७.००
	200 mm Dia	Element	१५०००.००	१५०००.००	१५४०५.००
	250 mm Dia	Element	१७५००.००	१७५००.००	१७९७२.००
	300 mm Dia	Element	२००००.००	२००००.००	२०५४०.००
	350 mm Dia	Element	२५०००.००	२५०००.००	२५६७५.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५०००.००	१५४०५.००
१६	Anchor Pullout Test	Element	२००००.००	२००००.००	२०५४०.००
१७	Infrared Thermography	Element	३५००.००	३५००.००	३५९४.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११०००.००	११२९७.००
१९	High Strain Dynamic Pile Load Test	Element	५०००००.००	५०००००.००	५१३५०.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४०००.००	४१०८.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५००.००	३५९४.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५००.००	३५९४.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२५००.००	१२८३७.००
२४	Impulse Echo	Element	१००००.००	१००००.००	१०२७०.००
२५	Maturity Meter Test	Element	३५०००.००	३५०००.००	३५९४५.००
२६	Chloride Profile	Element	१२५००.००	१२५००.००	१२८३७.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५००.००	२५६७.००
२८	Boroscope	Element	३५०००.००	३५०००.००	३५९४५.००
२९	Videoscope	Element	८५०००.००	८५०००.००	८७२९५.००
३०	Ground Penetrating Radar	Element	५००००.००	५००००.००	५१३५०.००
३१	CAPO Test	Element	१२५००.००	१२५००.००	१२८३७.००
३२	Permeability Test				
	Air	Element	३००००.००	३००००.००	३०८१०.००
	Water	Element	४००००.००	४००००.००	४१०८०.००
३३	Concrete Cutting Services	R. M.	३००००.००	३००००.००	३०८१०.००
३४	Wall Cutting Services	R. M.	५००००.००	५००००.००	५१३५०.००
३५	Impact Echo	Element	१००००.००	१००००.००	१०२७०.००
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५०००.००	५१३५.००
३७	ASR Detection Test	Element	१००००.००	१००००.००	१०२७०.००
३८	Moisture Content Test				
	Concrete	Element	२०००.००	२०००.००	२०५४.००
	Brick	Element	२०००.००	२०००.००	२०५४.००

**NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Masonry	Element	२०००.००	२०००.००	२०५४.००
	Wood	Element	२५००.००	२५००.००	२५६७.००

**वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	हेज द इन्च पोली	गोटा	५५.००	५५.००	५९.००
२	कार्पेट दुवो	व.फि	३३.००	३३.००	३५.००
३	कार्पेट दुवोको लागि टाप्ले कायै ज्याला	व.फि	२२.००	२२.००	२३.००
४	निगालो (जरा सहित)	गोटा	१२.००	१२.००	१२.००
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	११.००	११.००	११.००
६	गोठे मल तयारी	के.जी.	४.००	६.००	६.००
७	लेयर्स कुखुराको मल	के.जी.		७.००	७.००
८	ब्रोईलर कुखुराको मल	के.जी.		५.००	५.००
९	तोरीको पिना	के.जी.		४५.००	४८.००
१०	डाले घाँसको विरुवा	गोटा	११.००	११.००	११.००
११	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१२	नरिवल डोरी	के.जी.	१३२.००	१४२.००	१५३.००
१३	नाइलन डोरी	के.जी.	२७५.००	२७५.००	२९६.००
१४	लौड सल्ला नेपाली	गोटा	८५.००	८५.००	९१.००
१५	लौड सल्ला अमेरिकन	गोटा	१३२.००	१३२.००	१४२.००
१६	ठूलो साइजको बाँसको विरुवा विउवाट उत्पादित	गोटा	२२०.००	२२०.००	२३७.००
	<b>वन कार्यालयवाट सम्पादन गरिने कार्यहरु</b>				
१	पोलिथीन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३८५.००	३८५.००	४१५.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१४०.००	१४०.००	१५१.००
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	१५५.००	१५५.००	१६७.००
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	२४०.००	२४०.००	२५८.००
५	गोलिया काठ लोड	क्यू.फि.	३०.००	३०.००	३२.००
६	गोलिया काठ अनलोन	क्यू.फि.	२०.००	२०.००	२१.००
७	दाउरा संकलन , ढुवानी चट्टा निर्माण (२० फि.* ५ फि. ८ ५ फि)	चट्टा			
८	दाउरा लोड	चट्टा	४०००.००	४०००.००	४३१६.००
९	दाउरा अनलोड	चट्टा	२०००.००	२०००.००	२१५८.००
१०	संकलन कटान , मुछान	चट्टा	४५००.००	४५००.००	४८५५.००
१२	अनलोडिङ्ग	चट्टा	१४०.००	१४०.००	१५१.००
१३	चट्टा निर्माण	चट्टा	२०००.००	२०००.००	२१५८.००
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	२८.००	२८.००	३०.००
१५	वन सुपारी	प्रति विरुवा	३०.००	३०.००	३२.००
	<b>शहरी वृक्षारोपणकार्य</b>				
१	४ फिट सम्मको विरुवा	प्रति विरुवा	८८०.००	८८०.००	९४९.००
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१२५०.००	१२५०.००	१३४८.००
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१५४०.००	१५४०.००	१६६१.००
४	८ फिट सम्मको विरुवा	प्रति विरुवा	१८७०.००	१८७०.००	२०१७.००
५	४ फिट ४ फिट उचाईको	प्रति विरुवा		४०००.००	४३१६.००
६	५ फिट ५ फिट उचाईको	प्रति विरुवा		४८००.००	५१७९.००
	<b>४ फिट सम्मको विरुवाको मुल्य</b>				
१	कपूर	प्रति विरुवा	७७०.००	१६००.००	१७२६.००
२	रुद्राक्ष	प्रति विरुवा	९५०.००	१९००.००	२०५०.००
३	कल्की बोटल ब्रस	प्रति विरुवा	६६०.००	१३५०.००	१४५६.००
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	६६०.००	१३५०.००	१४५६.००
५	असारे	प्रति विरुवा	६६०.००	१३५०.००	१४५६.००
६	अमला	प्रति विरुवा		७८०.००	८४१.००
७	करबिर फुल	प्रति विरुवा		९७०.००	१०४६.००

**वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
८	चाप	प्रति विरुवा		१७००.००	१८३४.००
९	देवदार	प्रति विरुवा		२६५०.००	२८५९.००
११	पैयू	प्रति विरुवा	४४०.००	७५०.००	८०९.००
१२	लप्सी	प्रति विरुवा	४४०.००	७५०.००	८०९.००
१३	धूपी	प्रति विरुवा	४९५.००	१३५०.००	१४५६.००
१५	काइयो	प्रति विरुवा	६६०.००	१३५०.००	१४५६.००
१६	रक्तकमल	प्रति विरुवा	१३२०.००	१३२०.००	१४२४.००
१७	समी	प्रति विरुवा	११००.००	११००.००	११८६.००
१८	बर	प्रति विरुवा	१३२०.००	१३२०.००	१४२४.००
१९	पिपल	प्रति विरुवा	१३२०.००	१३२०.००	१४२४.००
२०	५ फिट सम्मको करविर विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२९४.००
२१	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२९४.००
२२	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	१३००.००	१३००.००	१४०२.००
	<b>४ फिट देखि ५ फिट सम्मको विरुवाको मुल्य</b>				
१	हेवि सकस	प्रति विरुवा		१००.००	१०७.००
२	एजेलिया	प्रति विरुवा		१८००.००	१९४२.००
३	क्यामेलिया	प्रति विरुवा		१८००.००	१९४२.००
४	ग्राउण्ड कमर	प्रति विरुवा		३००.००	३२३.००
	<b>स्थानीय प्रजाति २ फिट देखि ४ फिट सम्मको विरुवाको मुल्य</b>				
१	मालती	प्रति विरुवा		५००.००	५३९.००
२	बगमवेली	प्रति विरुवा		६००.००	६४७.००
३	वेली	प्रति विरुवा		६००.००	६४७.००
४	पेशन फ्लावर	प्रति विरुवा		७००.००	७५५.००
५	मान्डोमिल्ला	प्रति विरुवा		१२००.००	१२९४.००
६	फाइक्स पुमिला	प्रति विरुवा		२००.००	२१५.००
७	आइम प्लाण्ट	प्रति विरुवा		३००.००	३२३.००
८	lqm;d;	प्रति विरुवा		३०००.००	३२३७.००
९	गोल्डेन धुपि	प्रति विरुवा		२४००.००	२५८९.००
१०	शिरिष	प्रति विरुवा		७५०.००	८०९.००
११	तेजपात	प्रति विरुवा		१०००.००	१०७९.००
१२	हरौं	प्रति विरुवा		८५०.००	९१७.००
१३	बरौं	प्रति विरुवा		८५०.००	९१७.००
१४	बकाइनो	प्रति विरुवा		८५०.००	९१७.००
१५	इन्द्रकमल	प्रति विरुवा		१८००.००	१९४२.००
१६	लाली गुरास	प्रति विरुवा		१६५०.००	१७८०.००
१७	स्यालफुसे	प्रति विरुवा		१६५०.००	१७८०.००
१८	पुवाले	प्रति विरुवा		१६५०.००	१७८०.००
१९	गुन्सी	प्रति विरुवा		१९५०.००	२१०४.००
२०	अन्य	प्रति विरुवा		१६५०.००	१७८०.००
	<b>स्थानीय बास्नादार प्रजाति ४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य</b>				
१	पारिजात	प्रति विरुवा		१४००.००	१५१०.००
२	चमेली	प्रति विरुवा		१२००.००	१२९४.००
३	जाई	प्रति विरुवा		९५०.००	१०२५.००
४	बेलपत्र	प्रति विरुवा		९५०.००	१०२५.००
	<b>४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य</b>				

**वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	तिकोमा	प्रति विरुवा		१७००.००	१८३४.००
	<b>पाल्मका प्रजाति</b>				
१	फिस्टेल पाल्म	प्रति विरुवा		१५००.००	१६१८.००
२	रोयल पाल्म	प्रति विरुवा		१८००.००	१९४२.००
३	बोटल पाल्म	प्रति विरुवा		९५०.००	१०२५.००
४	कि पाल्म	प्रति विरुवा		१८००.००	१९४२.००
५	हवाई पाल्म	प्रति विरुवा		२४००.००	२५८९.००
	<b>होचो हुने प्रजाति १ देखि २ फिट सम्म</b>				०.००
१	साइकस पाल्म	प्रति विरुवा		१२००.००	१२९४.००
२	स्याविस पाल्म	प्रति विरुवा		९५०.००	१०२५.००
३	रेक्सोन पाल्म	प्रति विरुवा		१२००.००	१२९४.००
४	फोनिक्स पाल्म	प्रति विरुवा		७००.००	७५५.००
५	च्यामडोरा पाल्म	प्रति विरुवा		७००.००	७५५.००
६	सिपेरिया पाल्म	प्रति विरुवा		५००.००	५३९.००
७	फयान पाल्म	प्रति विरुवा		७५०.००	८०९.००
८	एरिका पाल्म	प्रति विरुवा		७५०.००	८०९.००
	<b>वायो इन्जिनियरिङ सम्बन्धि काम</b>				
	<b>घासको विउ</b>				
१	जई	कि.ग्रा	७५.००	७५.००	८०.००
२	भेच	कि.ग्रा	१५०.००	१५०.००	१६१.००
३	नेपीयर	सेट	३.००	३.००	३.००
४	वर्सिम	कि.ग्रा	१७५.००	१७५.००	१८८.००
५	घाँसको विउ र औषधि जिल्ला भित्र ढुवानी गर्दा	कि.ग्रा	०.५०	०.५०	०.००
६	घाँसको विउ जिल्ला बाहिरबाट ढुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००
७	माटो भने खाली बोरा	गोटा	१२.००	१२.००	१२.००
८	बास काटेको सिंगो घाना	घाना	३५०.००	३५०.००	३७७.००
९	बासको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	५५.००	५५.००	५९.००
	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>				०.००
१	अम्रिसो(राइजोम)	प्रति विरुवा	७.००	७.००	७.००
२	अलैची गानो	प्रति विरुवा	११.००	११.००	११.००
३	अलैची विरुवा	प्रति विरुवा	८.००	८.००	८.००
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	५.००	५.००	५.००
५	नेपियर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००
६	NB <sub>21</sub> घाँस	प्रति विरुवा	२.००	२.००	२.००
७	निगालो राइजोम	प्रति विरुवा	५०.००	५०.००	५३.००
८	बासको बेर्ना (कटीग राइजोम)	प्रति विरुवा	४००.००	४००.००	४३१.००
९	बाचियो ताइवानी दुबो	प्रति विरुवा	३.००	३.००	३.००
१०	सिजनल फुल ८ इन्च पोली	गोटा	२५.००	२५.००	२६.००
११	गुलाफ फुल ८ इन्च पोली	गोटा	१५०.००	१५०.००	१६१.००
१२	हेज ८ इन्च पोली	गोटा	३०.००	३०.००	३२.००
१३	कार्पेट दुबो	व.फी.	३०.००	३०.००	३२.००
१४	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	व.फी.	२०.००	२०.००	२१.००
१५	निगालो (जरा सहीत)	गोटा	१२.००	१२.००	१२.००
१६	स्थानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	५.००	५.००	५.००
१८	डाले घासको विरुवा	गोटा	६.००	६.००	६.००

### वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१९	मोलाटो विरवा	गोटा	२.००	२.००	२.००
२०	लौठ सल्ला नेपाली	गोटा	७०.००	७०.००	७५.००
२१	लौठ सल्ला अमेरिकन	गोटा	१२०.००	१२०.००	१२९.००
२२	खर	गोटा	४.००	४.००	४.००
२३	अम्वा	प्रति विरुवा	४५०	४५०	४८५.००
२४	उत्तिस , धयेरो, असुरो, वकाइनो, निम आदी	गोटा	४१०	४१०	४४२.००
२५	भुजेत्रो	के.जी.	१५५०	१५५०	१६७२.००
२६	खर, फुकेँ सिटो आदिको विउ	के.जी.	१४५०	१४५०	१५६४.००
२७	जुट नेट	व.मी.	४८५	४८५	५२३.००
<b>द टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु</b>					
१	चिरान उत्पादन(बाकल, भुष, फाल्ने कस कटिंग समेत)	क्यू.फि.	६५	६५	७०.००
२	चिरान लोड	क्यू.फि.	१७	१७	१८.००
३	चिरान पाइलिंग	क्यू.फि.	८	८	८.००
४	चिरान अनलोड	क्यू.फि.	९	९	९.००
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	११	११	११.००
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला (गोलियामा)	क्यू.फि.	९०	९०	९७.००
७	दाउरा लोड	क्यू.फि.	५०	५०	५३.००
८	दाउरा अनलोड	क्यू.फि.	१७	१७	१८.००
९	पोल लोड	प्रति गोटा	६०	६०	६४.००
१०	पोल अनलोड	प्रति गोटा	३०	३०	३२.००

## Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Geocell Technology प्रयोग गरि Slope protection, Earth retention, channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मी	६३०.००	६३०.००	६३०.००
	cell height-75 mm	व.मी	९००.००	९००.००	९००.००
	cell height-100 mm	व.मी	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मी	१७५०.००	१७५०.००	१७५०.००
	cell height-200 mm	व.मी	२४२५.००	२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मी	६५०.००	६५०.००	६५०.००
	cell height-75 mm	व.मी	९२५.००	९२५.००	९२५.००
	cell height-100 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	cell height-120 mm	व.मी	१५५०.००	१५५०.००	१५५०.००
	cell height-150 mm	व.मी	१८००.००	१८००.००	१८००.००
	cell height-200 mm	व.मी	२५००.००	२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मी	९५०.००	९५०.००	९५०.००
	cell height-75 mm	व.मी	१३५०.००	१३५०.००	१३५०.००
	cell height-100 mm	व.मी	१८००.००	१८००.००	१८००.००
	cell height-120 mm	व.मी	२३००.००	२३००.००	२३००.००
	cell height-150 mm	व.मी	२६००.००	२६००.००	२६००.००
	cell height-200 mm	व.मी	३६५०.००	३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मी	६००.००	६००.००	६००.००
	cell height-75 mm	व.मी	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मी	११५०.००	११५०.००	११५०.००
	cell height-120 mm	व.मी	१४५०.००	१४५०.००	१४५०.००
	cell height-150 mm	व.मी	१६७५.००	१६७५.००	१६७५.००
	cell height-200 mm	व.मी	२३००.००	२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मी	६००.००	६००.००	६००.००
	cell height-75 mm	व.मी	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मी	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मी	१७००.००	१७००.००	१७००.००
	cell height-200 mm	व.मी	२४००.००	२४००.००	२४००.००
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मी	९००.००	९००.००	९००.००
	cell height-75 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	cell height-100 mm	व.मी	१७००.००	१७००.००	१७००.००
	cell height-120 mm	व.मी	२१५०.००	२१५०.००	२१५०.००
	cell height-150 mm	व.मी	२५००.००	२५००.००	२५००.००
	cell height-200 mm	व.मी	३४५०.००	३४५०.००	३४५०.००
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मी	५२५.००	५२५.००	५२५.००
	cell height-75 mm	व.मी	७५०.००	७५०.००	७५०.००
	cell height-100 mm	व.मी	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मी	१२७५.००	१२७५.००	१२७५.००

## Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	cell height-150 mm	व.मी	१४७५.००	१४७५.००	१४७५.००
	cell height-200 mm	व.मी	२०५०.००	२०५०.००	२०५०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मी	७७५.००	७७५.००	७७५.००
	cell height-100 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मी	१३००.००	१३००.००	१३००.००
	cell height-150 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-200 mm	व.मी	२१००.००	२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मी	८००.००	८००.००	८००.००
	cell height-75 mm	व.मी	११००.००	११००.००	११००.००
	cell height-100 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-120 mm	व.मी	१९५०.००	१९५०.००	१९५०.००
	cell height-150 mm	व.मी	२२००.००	२२००.००	२२००.००
	cell height-200 mm	व.मी	३१००.००	३१००.००	३१००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मी	३६५.००	३६५.००	३६५.००
	cell height-75 mm	व.मी	५२५.००	५२५.००	५२५.००
	cell height-100 mm	व.मी	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मी	९००.००	९००.००	९००.००
	cell height-150 mm	व.मी	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मी	१४००.००	१४००.००	१४००.००
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मी	३७५.००	३७५.००	३७५.००
	cell height-75 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-100 mm	व.मी	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मी	९००.००	९००.००	९००.००
	cell height-150 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-200 mm	व.मी	१४५०.००	१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मी	८००.००	८००.००	८००.००
	cell height-100 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मी	१३२५.००	१३२५.००	१३२५.००
	cell height-150 mm	व.मी	१५५०.००	१५५०.००	१५५०.००
	cell height-200 mm	व.मी	२१००.००	२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मी	२९०.००	२९०.००	२९०.००
	cell height-75 mm	व.मी	४२५.००	४२५.००	४२५.००
	cell height-100 mm	व.मी	५९०.००	५९०.००	५९०.००
	cell height-120 mm	व.मी	७६०.००	७६०.००	७६०.००
	cell height-150 mm	व.मी	८६५.००	८६५.००	८६५.००
	cell height-200 mm	व.मी	१२००.००	१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मी	३००.००	३००.००	३००.००
	cell height-75 mm	व.मी	४५०.००	४५०.००	४५०.००
	cell height-100 mm	व.मी	६००.००	६००.००	६००.००
	cell height-120 mm	व.मी	७५०.००	७५०.००	७५०.००

## Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	cell height-150 mm	व.मी	९००.००	९००.००	९००.००
	cell height-200 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मी	४५०.००	४५०.००	४५०.००
	cell height-75 mm	व.मी	६२५.००	६२५.००	६२५.००
	cell height-100 mm	व.मी	९००.००	९००.००	९००.००
	cell height-120 mm	व.मी	११००.००	११००.००	११००.००
	cell height-150 mm	व.मी	१३००.००	१३००.००	१३००.००

### WPS/Fibre, Concrete Prefabricated Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>WPC Single Hollow Door Board</b>				
	(Thickness 32±2 mm)				
	Plain Door	व.फि		६६०.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००
२	<b>WPC Single Room Hollow Door Board</b>				
	(Thickness 32±2 mm)				
	Plain Door	व.फि		६६०.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००
३	<b>FRP Composite Door Frame</b>				
	Thickness: 100 mm	र.फि		४३५.००	४६३.००
	Thickness: 110 mm	र.फि			६००.००
४	<b>FRP Composite Window or Ventilation Frame</b>				
	Thickness: 110 mm	र.फि		४५००.००	५२३.००
५	<b>FRP Composite Window Net Panel</b>				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा		४७४०.००	४९७७.००
६	<b>FRP Composite Window Panel</b>				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	गोटा		४९८०.००	५२२९.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		४७४०.००	४९७७.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black ,	गोटा			४७९३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		३५४०.००	३९७७.००
७	<b>FRP Composite Ventilation Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा			४०००.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा		३३६०.००	३५२८.००
८	<b>FRP Composite Ventilation Net Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा		२२५.००	२४७.००
९	<b>Fiber Door Panel</b>				
	Single Fiber Door (Galaxy)	व.फि			१०१०.००
	Double Fiber Door (D Model)	व.फि			१३१०.००
	Double Fiber Door (New Murti)	व.फि			१९५०.००

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Vinyl Flooring</b>				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m <sup>3</sup> ).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		४८००.००	४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m <sup>3</sup> ).Phthalate Free.Directionality in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively	व.मी		३७००.००	३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m <sup>2</sup> ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m <sup>3</sup> ). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी		३५००.००	३५००.००
४	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cf1Fs1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m <sup>2</sup> K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The	व.मी		६२००.००	६२००.००

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Acoustic PVC Vinyl Phthalate free, flooring, total weight is 3250g/m <sup>2</sup> , PUR, No wax no polish for life (, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx +19db with acoustic improvement <65Db class A, Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m <sup>3</sup> ) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. <b>Hot welded joint gives exclusively seamless finish on the floor.</b>	व.मी		५०००.००	५०००.००
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m <sup>2</sup> K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी		५८००.००	५८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. <b>As Carbon coated on the top of the floor it will prevent any kind of electric shock.</b> The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfls1 with surface treatment new IQ PUR. <b>Flooring follows excellent dry buffing system which always give new looks to the floor.</b> Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m <sup>2</sup> K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.	व.मी		५८००.००	५८००.००
	<b>False Ceiling</b>				

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		२१५२.००	२१५२.००
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		४७५०.००	४७५०.००
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		४८४२.००	४८४२.००
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		४६२६.००	४६२६.००
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		४६२६.००	४६२६.००

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		११८३६.००	११८३६.००
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		१२३७४.००	१२३७४.००
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items	व.मी		१२९१२.००	१२९१२.००
<b>Levelling Compund for Vinyl Flooring</b>					
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी		५९२.००	५९२.००
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी		२९५.००	२९५.००
<b>WPC Items</b>					
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी		९४६९.००	९४६९.००

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
2	Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than	व.मी		६५१०.००	६५१०.००
<b>Ceiling</b>					
1	Supply & Fixing of <b>U-Baffle Ceiling</b> System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.	व.मी		१४५२६.००	१४५२६.००

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
		Upto 5 Height (in Metre)	व.मी	१७५९१.४३	१८२९५.००
		10 Height (in Metre)	व.मी	२२१४३.४०	२३०२९.००
		15 Height (in Metre)	व.मी	२६८६९.५९	२७९४४.००
		20 Height (in Metre)	व.मी	३४५६२.४४	३५९४४.००
		25 Height (in Metre)	व.मी	४७१०४.९७	४८९८९.००
		30 Height (in Metre)	व.मी	६००५६.७९	६१८५८.००
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
		10 Height (in meter)	व.मी	२७९३१.९९	२९०४९.००
		20 Height (in meter)	व.मी	३८०६४.१३	३९५८६.००
		30 Height (in meter)	व.मी	५५७३८.१३	५७४१०.००
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
		10 Height (in meter)	व.मी	३४९५४.५९	३६३५२.००
४	Geo-composite Drainage with mini pipes				

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
i	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९२६.५४	९९९.००
ii	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९२९९.२६	९२८०.००
iii	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९४५९.५४	९५२४.००
iv	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		२०८८.३०	२९९२.००
५	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm <sup>2</sup> , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete				
	Capacity 500 KJ and height 3.5m	र.मी.		९४६९२७.००	९४९८६५.००
	Capacity 1000 KJ and height 5m	र.मी.		२९३६५९.००	२९९५२४.००

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Capacity 1500 KJ and height 5m	र.मी.		३४२३१०.००	३४९१५६.००
	Capacity 2000 KJ and height 5m	र.मी.		४२३९५५.००	४३२४३४.००
	Capacity 3000 KJ and height 5m	र.मी.		४९९४७६.००	५०९४६५.००
	Capacity 5000 KJ and height 7m	र.मी.		९११९७३.००	९३०२१२.००
६	High Tensile Wire mesh (wire strength $\geq 1770$ N/mm <sup>2</sup> )				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength $\geq 1770$ N/mm <sup>2</sup> ) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m <sup>2</sup> coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी		१३१७१.००	१३६९७.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				
i	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		२०८८.३०	२१९२.००
ii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		९०१८.५३	९४६९.००
iii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		२६८९.९७	२८२४.००

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
iv	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		११६९.७०	१२१६५.००
८	Fabric formed erosion and scour protection concrete mattresses				
i	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी		५८२६.६०	६११७.००
ii	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी		६७८२.१०	७१२१.००
iii	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी		३७३३.६०	३९२०.००
iv	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी		४०६९.००	४२७२.००
v	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		८०८७.३०	८४९१.००

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
vi	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		१९१३७.३०	१९९०२.००

## Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा		७९,८०.००	८३७९.००
२	Spherical bearing = > 2250 KN Fixed type	गोटा		१३०७५.००	१३३३७२.००
३	Spherical bearing =>2250 KN Free type	गोटा		१४५६९८.००	१४८५३०.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि		१५१०४.००	१५७०८.००
५	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा		१३९७९.००	१४५३८.००
६	Ultra sonic cross-hole test Machine hire	गोटा		२२३०.००	२३४९.००
७	Sheath tube, D75mm (Mild steel )	र.मि		३५०.००	३७७.००
८	Carrying out Dynamic pile load test	गोटा		२८८६९२.००	२९४४६५.००
९	Earthing cable(GV70)	र.मि		५७५.००	६१५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा		४२२०.००	४४३९.००
११	Unbonded Pre stressed concrete strand	के.जी.		१५१.००	१६२.००

## Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Electric Hot Film (Thickness= 0.338 mm)	व.मी.			११५०.००
२	Thermostat UTH-200/Sensor (Capacity 4KW)	गोटा			५५००.००
३	Insulation Pad (Thickness = 5mm)	व.मी.			३५०.००
४	Eye Clip	गोटा			५०.००
५	2.5 mm Multi Strand wire	र.मि			६०.००
६	Installation Charge	व.मी.			३००.००
७	Parqueting (Thickness = 8 mm)	व.फि.			१७०.००
८	Scoting readymade	र.फि.			१७०.००
९	Scoting Local mare	र.फि.			१३०.००
१०	Protected Mat	व.मी.			३००.००
११	Special Tape	र.फि.			१००.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
१	High Density Polythene Pipe NS-40	के. जी.	२५५.००	२७०.००	२८७.००
२	<b>G.I Pipe threaded - Light class</b>				
	15mm	र.मी	१४८.००	१४८.००	१७०.००
	20mm	र.मी	२०२.००	२०२.००	२३२.००
	25mm	र.मी	२८०.००	२८०.००	३२२.००
	32mm	र.मी	३५८.००	३५८.००	४११.००
	40mm	र.मी	४४२.००	४४२.००	५०८.००
	50mm	र.मी	५५८.००	५५८.००	६४१.००
	65mm	र.मी	७७०.००	७७०.००	८८५.००
	80mm	र.मी	९०३.००	९०३.००	१०३८.००
	100mm	र.मी	१२९२.००	१२९२.००	१४८५.००
	125mm	र.मी	२०६७.००	२०६७.००	२३७७.००
	150mm	र.मी	२४५५.००	२४५५.००	२८२३.००
	200mm	र.मी	३५२३.००	३५२३.००	४०५१.००
3	<b>MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106</b>				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	४५२.००	५१९.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	५४२.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	६८०.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	८३९.००	९६४.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	९६०.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१२३३.००	१४१७.००
	73mm OD 3" SCH.40,5.16 .mm thickness	र.मी	१८९५.००	१८९५.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२४८१.००	२०००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३२०५.००	२८८०.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३१.००	३५३१.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	४७८२.००	५४९९.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	६२०७.००	७१३८.००
	65 mm ID SCH.40	र.मी		१९००.००	२१८५.००
	80 mm ID SCH.40	र.मी		२३००.००	२६४५.००
	125 mm ID SCH.40	र.मी		३८००.००	४३७०.००
	150 mm ID SCH.40	र.मी		४४३०.००	५०९४.००
	200 mm ID SCH.40	र.मी		५५२०.००	६३४८.००
	250mm ID SCH.40	र.मी		७१३०.००	८१९९.००
	300 mm ID SCH.40	र.मी		९७८०.००	११२४७.००
	350 mm ID SCH.40	र.मी		१८४००.००	२११६०.००
	400 mm ID SCH.40	र.मी		२४०००.००	२७६००.००
	450 mm ID SCH.40	र.मी		३०३३०.००	३४८७९.००
	500 mm ID SCH.40	र.मी		३५७००.००	४१०५५.००
४	<b>G.I Pipe threaded -Medium class</b>				
	15mm	र.मी	१७२.००	१५७.७७	१८१.००
	20mm	र.मी	२२०.००	१९६.३५	२२५.००
	25mm	र.मी	३२८.००	२९९.१५	३४४.००
	32mm	र.मी	४२७.००	३८९.२४	४४७.००
	40mm	र.मी	४९०.००	४४६.९९	५१४.००
	50mm	र.मी	६७०.००	६१४.४६	७०६.००
	65mm	र.मी	८५५.००	७८४.२५	९०१.००

**पाईप तथा फिटिङ्गहरु**

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.व.०७९१८०
	80mm	र.मी	१०६०.००	९७५.९८	११२२.००
	100mm	र.मी	१५७३.००	१४६१.०८	१६८०.००
	125mm	र.मी	२१८०.००	१९१०.३७	२१९६.००
	150mm	र.मी	२६३३.००	२३१०.००	२६५६.००
	200mm	र.मी	४००३.००	३९९७.००	४५९६.००
५	<b>G.I Pipe threaded - Heavy duty</b>				
	15mm	र.मी	२०३.००	१८४.८०	२१२.००
	20mm	र.मी	२५७.००	२३१.००	२६५.००
	25mm	र.मी	३८३.००	३४४.९७	३९६.००
	32mm	र.मी	४९०.००	४०७.४०	४६८.००
	40mm	र.मी	५६५.००	५१६.२९	५९३.००
	50mm	र.मी	८२३.००	७५८.८४	८७२.००
	65mm	र.मी	१०३२.००	८६३.१०	९९२.००
	80mm	र.मी	१२१५.००	१११८.०४	१२८५.००
	100mm	र.मी	१८८३.००	१९२०.८०	२२०८.००
	125mm	र.मी	२४४०.००	२१७७.१८	२५०३.००
	150mm	र.मी	२७६७.००	२४६३.६२	२८३३.००
	200mm	र.मी	४२४३.००	४४२०.००	५०८३.००
६	<b>G.M. Gate valve</b>				
	15mm	र.मी	९६२.००	९६२.००	७५१.००
	20mm	र.मी	११९८.००	११९८.००	१०५०.००
	25mm	र.मी	१९३०.००	१९३०.००	१६००.००
	32mm	र.मी	२७५३.००	२७५३.००	२३५०.००
	40mm	र.मी	३४६७.००	३४६७.००	३१३३.००
	50mm	र.मी	५५१९.००	५५१९.००	४८८३.००
	65mm	र.मी	११४११.००	११४११.००	८७७२.००
	80mm	र.मी	१४१८८.००	१४१८८.००	१२०५०.००
	100mm	र.मी	२३२३८.००	२३२३८.००	२०५९०.००
७	<b>G.M Check valve</b>				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	<b>G.I. Ebow</b>				
	15mm	गोटा	५२.००	४५.००	४२.००
	20mm	गोटा	९४.००	७९.००	६६.००
	25mm	गोटा	१४५.००	११३.००	१०५.००
	32mm	गोटा	२२०.००	१७६.००	१६२.००
	40mm	गोटा	३०८.००	२४२.००	२२३.००
	50mm	गोटा	४६४.००	३६८.००	३४४.००
	65mm	गोटा	८०५.००	६८५.००	६५३.००
	80mm	गोटा	१२५३.००	९७८.००	८८०.००
	100mm	गोटा	२१५९.००	१७५३.००	१५७०.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	125mm	गोटा		२१०३.६०	२१०३.६०
	150mm	गोटा		२५२४.३२	२५२४.३२
९	<b>G.I. Tee</b>				
	15mm	गोटा	८०.००	७०.००	६६.००
	20mm	गोटा	१२७.००	११०.००	१०४.००
	25mm	गोटा	१८५.००	१५०.००	१४२.००
	32mm	गोटा	२९६.००	२४०.००	२१९.००
	40mm	गोटा	४१०.००	२९५.००	२८२.००
	50mm	गोटा	६७१.००	४६०.००	४९२.००
	65mm	गोटा	१०५४.००	९०५.००	८२८.००
	80mm	गोटा	१४२४.००	१२०५.००	११८७.००
	100mm	गोटा	२५८७.००	२०५३.००	१९५३.००
	125mm	गोटा		२४६५.००	२४६५.००
	150mm	गोटा		२९६०.००	२९६०.००
१०	<b>G.I Union</b>				
	15mm	गोटा	१६९.००	१२४.००	११३.००
	20mm	गोटा	२३८.००	१७३.००	१५३.००
	25mm	गोटा	३४९.००	२३०.००	२१०.००
	32mm	गोटा	४८०.००	३४५.००	३२९.००
	40mm	गोटा	५९४.००	४५५.००	४०१.००
	50mm	गोटा	८८४.००	६३०.००	६११.००
	65mm	गोटा	१८०८.००	१२३०.००	११३८.००
	80mm	गोटा	२४३६.००	१६८०.००	१५८६.००
	100mm	गोटा	३२१०.००	२३०८.००	२२०५.००
	125mm	गोटा		२७७०.००	२७७०.००
	150mm	गोटा		३३२४.००	३३२४.००
११	<b>G.I. Socket</b>				
	15mm	गोटा	४७.००	४१.००	३८.००
	20mm	गोटा	७३.००	६४.००	५७.००
	25mm	गोटा	१००.००	८२.००	७५.००
	32mm	गोटा	१५४.००	१२९.००	११५.००
	40mm	गोटा	२०८.००	१७३.००	१४४.००
	50mm	गोटा	३०६.००	२६८.००	२४१.००
	65mm	गोटा	५५४.००	३७५.००	३५६.००
	80mm	गोटा	८१७.००	६००.००	५८६.००
	100mm	गोटा	१४१५.००	९५०.००	९५१.००
	125mm	गोटा		११४०.००	११४०.००
	150mm	गोटा		१३६८.००	१३६८.००
१२	<b>C.I. Plug</b>				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
१३	<b>Hex Nipple</b>				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	<b>Reducing Tee</b>				
	20mm	गोटा	१३९.००	१२०.००	१२०.००
	25mm	गोटा	२०४.००	१६२.००	१४८.००
	32mm	गोटा	३२५.००	१४८.००	१६२.००
	40mm	गोटा	४५१.००	३२५.००	३२५.००
	50mm	गोटा	७३७.००	५१७.००	५१७.००
	65mm	गोटा	११६०.००	९१८.००	९१८.००
	80mm	गोटा	१५६८.००	१४५०.००	१४५०.००
	100mm	गोटा	२८६६.००	२७५०.००	२७५०.००
	125mm	गोटा		३३००.००	३३००.००
	150mm	गोटा		३९६०.००	३९६०.००
१५	<b>Reducing Elbow</b>				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	<b>Reducing socket</b>				
	15mm(1/2")	गोटा		५०.००	५०.००
	20mm(3/4")	गोटा	८०.००	८०.००	८०.००
	25mm(1")	गोटा	१०८.००	१००.००	१००.००
	32mm(1-1/4")	गोटा	१६८.००	१५०.००	१५०.००
	40mm(1-1/2")	गोटा	२२६.००	२१०.००	२१०.००
	50mm(2")	गोटा	३३७.००	३२०.००	३२०.००
	65mm(2-1/2")	गोटा	६०२.००	४५०.००	४५०.००
	80mm(3")	गोटा	८६०.००	७२०.००	७२०.००
	100mm(4")	गोटा	१५५२.००	११४०.००	११४०.००
	125mm(5")	गोटा	४४३६.००	१३६८.००	१३६८.००
	150mm(6")	गोटा	५२१६.००	१४८२.००	१४८२.००
१७	<b>Short bend</b>				
	15mm	गोटा	१३९.००	१३०.००	१३०.००
	20mm	गोटा	२१४.००	१५०.००	१५०.००
	25mm	गोटा	३२८.००	१९०.००	१९०.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	32mm	गोटा	६३०.००	२९०.००	२९०.००
	40mm	गोटा	९५२.००	४००.००	४००.००
	50mm	गोटा	१३९३.००	५९०.००	५९०.००
	65mm	गोटा	३५७६.००	३५७६.००	१५००.००
	80mm	गोटा	५५४४.००	५५४४.००	१८००.००
	100mm	गोटा	७८५५.००	७८५५.००	२५००.००
१८	<b>Cross Tee</b>				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	<b>Tank Nipple</b>				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	<b>G.I. Nipple Medium Class - 2" Long</b>				
	15mm	गोटा	२५.००	२२.००	२२.००
	20mm	गोटा	३७.००	३४.००	३४.००
	25mm	गोटा	५०.००	४४.००	४४.००
	32mm	गोटा	६८.००	५७.००	५७.००
	40mm	गोटा	८३.००	७१.००	७१.००
२१	<b>G.I. Nipple Medium Class -3" Long</b>				
	15mm	गोटा	३७.००	३४.००	३४.००
	20mm	गोटा	५६.००	४७.००	४७.००
	25mm	गोटा	७६.००	६६.००	६६.००
	32mm	गोटा	१०२.००	८५.००	८५.००
	40mm	गोटा	१२६.००	१०६.००	१०६.००
	50mm	गोटा	१८८.००	१३४.००	१३४.००
	65mm	गोटा	२५९.००	१८६.००	१८६.००
	80mm	गोटा	३७८.००	२२०.००	२२०.००
२२	<b>G.I. Nipple Medium Class -4" Long</b>				
	15mm	गोटा	५०.००	४५.००	४५.००
	20mm	गोटा	७४.००	६३.००	६३.००
	25mm	गोटा	१०१.००	८८.००	८८.००
	32mm	गोटा	१३६.००	११३.००	११३.००
	40mm	गोटा	१६६.००	१४२.००	१४२.००
	50mm	गोटा	२५३.००	१७९.००	१७९.००

### पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	65mm	गोटा	३४७.००	२४८.००	२४८.००
	80mm	गोटा	५०५.००	२०४.००	२०४.००
	100mm	गोटा	६४९.००	४२२.००	४२२.००
	125mm	गोटा		६४३.००	६४३.००
	150mm	गोटा		७६३.००	७६३.००
२३	<b>G.I. Nipple Medium Class -6" Long</b>				
	15mm	गोटा	७६.००	६८.००	६८.००
	20mm	गोटा	११३.००	९४.००	९४.००
	25mm	गोटा	१५१.००	१३२.००	१३२.००
	32mm	गोटा	२०५.००	१७०.००	१३२.००
	40mm	गोटा	२५३.००	१२२.००	१७०.००
	50mm	गोटा	३७९.००	२६९.००	२६९.००
	65mm	गोटा	५१८.००	३७३.००	३७३.००
	80mm	गोटा	७४२.००	४३९.००	४३९.००
	100mm	गोटा	९१७.००	६३३.००	६३३.००
	125mm	गोटा		९६५.००	९६५.००
	150mm	गोटा		११४६.००	११४६.००
२४	<b>G.I. Nipple Medium Class -9" Long</b>				
	15mm	गोटा	११३.००	१०२.००	१०२.००
	20mm	गोटा	१६७.००	१४२.००	१४२.००
	25mm	गोटा	२०२.००	१९९.००	१९९.००
	32mm	गोटा	३०७.००	२५५.००	२५५.००
	40mm	गोटा	४१३.००	३१९.००	३१९.००
	50mm	गोटा	५६९.००	४०३.००	४०३.००
	65mm	गोटा	७६८.००	५६०.००	५६०.००
	80mm	गोटा	११३६.००	६५८.००	६५८.००
	100mm	गोटा	४८७१.००	९४९.००	९४९.००
	125mm	गोटा		१४४८.००	१४४८.००
	150mm	गोटा		१७१९.००	१७१९.००
२५	<b>G.I. Nipple Medium Class -12" Long</b>				
	15mm	गोटा	१५१.००	१३६.००	१३६.००
	20mm	गोटा	२२१.००	१८९.००	१८९.००
	25mm	गोटा	२५१.००	२६५.००	२६५.००
	32mm	गोटा	४१०.००	३४०.००	३४०.००
	40mm	गोटा	५०५.००	४२५.००	४२५.००
	50mm	गोटा	७५७.००	५३७.००	५३७.००
	65mm	गोटा	१०२२.००	७४६.००	७४६.००
	80mm	गोटा	१५१४.००	८७७.००	८७७.००
	100mm	गोटा	१८०८.००	१२६६.००	१२६६.००
	125mm	गोटा		१९३१.००	१९३१.००
	150mm	गोटा		२२९१.००	२२९१.००
२६	<b>G.I. Nipple Medium Class -18" Long</b>				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८७९	आ.ब.०७९८०
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	<b>GI End Cap</b>				
	15mm	गोटा		२५.००	२५.००
	20mm	गोटा		४०.००	४०.००
	25mm	गोटा		६५.००	६५.००
	32mm	गोटा		८०.००	८०.००
	40mm	गोटा		१७५.००	१७५.००
	50mm	गोटा		२५०.००	२५०.००
२७	<b>G.I./G.I. Flange</b>				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
	<b>G.I./ Flange Set</b>				
	32mm(1-1/4")	गोटा		६६०.००	६६०.००
	40mm(1-1/2")	गोटा		८८०.००	८८०.००
	50mm(2")	गोटा		१३७५.००	१३७५.००
	65mm(2-1/2")	गोटा		१७७५.००	१७७५.००
	80mm(3")	गोटा		२३५०.००	२३५०.००
	100mm(4")	गोटा		२७२०.००	२७२०.००
	125mm(5")	गोटा		२९९२.००	२९९२.००
	150mm(6")	गोटा		३२९१.००	३२९१.००
	200mm(8")	गोटा		३६२०.००	३६२०.००
२८	<b>G.I./HDP Flange</b>				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	<b>GI/HDPE Flange set with adaptor</b>				
	50mm(2")	गोटा		१२८०.००	१२८०.००
	65mm(2-1/2")	गोटा		१९८०.००	१९८०.००
	80mm(3")	गोटा		२४२०.००	२४२०.००
	100mm(4")	गोटा		२७७५.००	२७७५.००
	125mm(5")	गोटा		३०५३.००	३०५३.००
	150mm(6")	गोटा		३३५८.००	३३५८.००
	200mm(8")	गोटा		३६९४.००	३६९४.००
२९	<b>HDP/HDP Flange set with adaptor</b>				

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	<b>Brass Compression Fittings</b>				
	15mm	गोटा		२१०.००	२१०.००
	20mm	गोटा		३२०.००	३२०.००
	25mm	गोटा		८१०.००	८१०.००
	32mm	गोटा		१३८०.००	१३८०.००
	40mm	गोटा		१५८०.००	१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा		३८०.००	३८०.००
	1/2"/(25-50mm dia) HDPE Saddle	गोटा		१८०.००	१८०.००
३०	<b>Brass tap - 1/2"</b>				
	15mm 400 gm heavy	गोटा	९०६.००	९०६.००	७५०.००
	Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३१	<b>Globe Valve (GM)</b>				
	15mm	गोटा	९२४.००	९२४.००	९२४.००
	20mm	गोटा	१५०५.००	१५०५.००	१५०५.००
	25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
	40mm	गोटा	३७९६.००	३७९६.००	३७९६.००
	50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
	65mm	गोटा	९११४.००	९११४.००	९११४.००
	80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
	100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३२	<b>Float Valve</b>				
	15mm	गोटा	११३४.००	११३४.००	११३४.००
	20mm	गोटा	१२८३.००	१२८३.००	१२८३.००
	25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
	32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
	40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
	50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३३	<b>C.I. Air valve (Heavy)</b>				
	15mm	गोटा	३७५६.००	३७५६.००	२५००.००
	20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
	25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३४	<b>Brass Union with Adoptr</b>				
	15mm	गोटा	२४५.००	२४५.००	१५०.००
	20mm	गोटा	३७७.००	३७७.००	२७०.००
	25mm	गोटा	५७०.००	५७०.००	३४५.००
	32mm	गोटा	७४२.००	७४२.००	५३०.००
	40mm	गोटा	१३२२.००	१३२२.००	६७५.००
	50mm	गोटा	१९६१.००	१९६१.००	९४०.००
३५	<b>Saddle Ferrule</b>				
	40mm	गोटा	३५४.००	३५४.००	१८५.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	50mm	गोटा	४६८.००	४६८.००	२४२.००
	65mm	गोटा	९३०६.००	९३०६.००	२७२.००
	80mm	गोटा	९७२७.००	९७२७.००	३०९.००
	100mm	गोटा	२४६२.००	२४६२.००	४८०.००
३६	<b>Flow Regulating Valve (G.M.)</b>				
	15mm	गोटा	९३२२.००	९३२२.००	९३२२.००
३७	<b>C.I Sluice Valve</b>				
	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
	50mm	गोटा	९९३२.००	९९३२.००	७०००.००
	65mm	गोटा	९९४०६.००	९९४०६.००	८४५०.००
	80mm	गोटा	९३६९९.००	९३६९९.००	९०५००.००
	100mm	गोटा	९८२५०.००	९८२५०.००	९४०००.००
	125mm	गोटा	२७७३७.००	२७७३७.००	९७५००.००
	10mm	गोटा	३३२८८.००	३३२८८.००	२९०००.००
	200mm	गोटा	४६६०३.००	४६६०३.००	३००००.००
३८	<b>Brass Ferrule Cock</b>				
	15mm	गोटा	९५०५.००	९५०५.००	६००.००
	20mm	गोटा	९९६९.००	९९६९.००	९३७२.००
	25mm	गोटा	२८७९.००	२८७९.००	२०९५.००
३९	<b>Ball valve</b>				
	15mm	गोटा	५९४.००	५९४.००	५९४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	25mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	९०५९.००	९०५९.००	९०५९.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50 mm	गोटा	३३४९.००	३३४९.००	३३४९.००
४०	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>				
	Single Socket (R/R)	गोटा	४५९.००	४५९.००	४५९.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	९९६४.००	९९६४.००	९९६४.००
	Single Socket Self Fit	गोटा	९४२३.००	९४२३.००	९४२३.००
	Single Socket Self Fit	गोटा	९९५६.००	९९५६.००	९९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	९९९९.००	९९९९.००	९९९९.००
	Long Radius Bend - 45 Degree	गोटा	२९७५.००	२९७५.००	२९७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६९३.००	७६९३.००	७६९३.००
	Long Radius Bend - 60 Degree	गोटा	९३९२.००	९३९२.००	९३९२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४९९.००	४४९९.००	४४९९.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	९५५४.००	९५५४.००	९५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६९.००	५३६९.००	५३६९.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००

## पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.व.०७९१८०
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८०९	आ.ब.०७९।८०
१	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी		२१९०.००	२२९९.००
	DN150 C40	र.मी		३०१०.००	३१६०.००
	DN200 C40	र.मी		४१४०.००	४३४७.००
	DN250 C40	र.मी		५७६०.००	६०४८.००
	DN300 C40	र.मी		७१८०.००	७५३९.००
	DN350 C40	र.मी		८३९०.००	८८०९.००
	DN400 C30	र.मी		९९९०.००	१०४८९.००
	DN450 C30	र.मी		११७७०.००	१२२४०.००
	DN500 C30	र.मी		१३९१०.००	१४४६६.००
	DN600 C30	र.मी		१८८५०.००	१९६०४.००
	DN700 C25	र.मी		२४०५०.००	२५०१२.००
	DN800 C25	र.मी		३०८८०.००	३२११५.००
	DN900 C25	र.मी		४०७००.००	४२३२८.००
	DN1000 C25	र.मी		४९०१०.००	५०९७०.००
२	DI pipes with flanged end				
	Dia 1000mm C25	र.मी		६६६१०.००	६८६०८.००
	Dia 900mm C25	र.मी		६४६३०.००	६६५६८.००
	Dia 800mm C25	र.मी		५३४१०.००	५५०१२.००
	Dia 700mm C25	र.मी		४२५५०.००	४४२५२.००
	Dia 600mm C30	र.मी		३४८४०.००	३६२३३.००
	Dia 500mm C30	र.मी		२५७४०.००	२६७६९.००
	Dia 450mm C30	र.मी		२१६००.००	२२४६४.००
	Dia400mm C30	र.मी		१८०१०.००	१८७३०.००
	Dia 350mm C30	र.मी		१४९२०.००	१५५१६.००
	Dia 300mm C30	र.मी		११७७०.००	१२२४०.००
	Dia250mm C40	र.मी		९३५०.००	९८१७.००
	Dia200mm C40	र.मी		६९९०.००	७३३९.००
	Dia150mm C40	र.मी		५१८०.००	५४३९.००
	Dia100mm C40	र.मी		३८२०.००	४०११.००
	Dia80mm C40	र.मी		३३१०.००	३४७५.००
३	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				
४	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	<b>DI double socket bends</b>				
	90 deg bend				

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८०९	आ.ब.०७९१८०
	Dia 700mm	गोटा		१०५६००.००	१०७७२.००
	Dia 600mm	गोटा		७३०१०.००	७५२००.००
	Dia 500mm	गोटा		४६९३०.००	४८८०७.००
	Dia 450mm	गोटा		४१७६०.००	४३४३०.००
	Dia 300mm	गोटा		१६९३०.००	१७६०७.००
	Dia250mm	गोटा		१२४१०.००	१२९०६.००
	Dia200mm	गोटा		८५३०.००	८९५६.००
	Dia150mm	गोटा		५२८०.००	५५४४.००
	Dia100mm	गोटा		२९७०.००	३११८.००
	45 deg bend				
	Dia 1000mm	गोटा		१८३१८०.००	१८६८४३.००
	Dia 700mm	गोटा		८२२१०.००	८४६७६.००
	Dia 600mm	गोटा		६०२९०.००	६२०९८.००
	Dia 500mm	गोटा		३८९७०.००	४०५२८.००
	Dia 450mm	गोटा		३१६७०.००	३२९३६.००
	Dia400mm	गोटा		२४६६०.००	२५६४६.००
	Dia 350mm	गोटा		१८५७०.००	१९३१२.००
	Dia 300mm	गोटा		१४३१०.००	१४८८२.००
	Dia250mm	गोटा		१०४३०.००	१०८४७.००
	Dia200mm	गोटा		७३९०.००	७७५९.००
	Dia150mm	गोटा		४७४०.००	४९७७.००
	22.5 deg bend				
	Dia 1000mm	गोटा		१३८०५०.००	१४०८११.००
	Dia 900mm	गोटा		१०७८००.००	१०९९५६.००
	Dia 700mm	गोटा		५९५४०.००	६१३२६.००
	Dia 600mm	गोटा		४०३७०.००	४१९८४.००
	Dia 500mm	गोटा		२९६३०.००	३०८१५.००
	Dia 450mm	गोटा		२३२४०.००	२४१६९.००
	Dia400mm	गोटा		१८०१०.००	१८७३०.००
	Dia 350mm	गोटा		१४५२०.००	१५१००.००
	Dia 300mm	गोटा		११६२०.००	१२०८४.००
	Dia250mm	गोटा		८७३०.००	९१६६.००
	Dia200mm	गोटा		६३३०.००	६६४६.००
	Dia150mm	गोटा		४१६०.००	४३६८.००
	11.25 deg bend				
	Dia 1000mm	गोटा		११७४७०.००	११९८१९.००
	Dia 900mm	गोटा		९२१६०.००	९४९२४.००
	Dia 800mm	गोटा		६९९१०.००	७२००७.००
	Dia 700mm	गोटा		५३०६०.००	५४६५१.००
	Dia 600mm	गोटा		३४७५०.००	३६१४०.००
	Dia 300mm	गोटा		१०६४०.००	११०६५.००
	Dia250mm	गोटा		८०१०.००	८४१०.००
	Dia200mm	गोटा		५८४०.००	६१३२.००
	Dia150mm	गोटा		४३६०.००	४५७८.००
	<b>DI double flanged bends</b>				
	90 deg bend				
	Dia 900mm	गोटा		२१०२००.००	२१४४०४.००
	Dia 600mm	गोटा		८९०१०.००	९१६८०.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८७९	आ.व.०७९१८०
	Dia 300mm	गोटा		१८९२०.००	१९६७६.००
	Dia250mm	गोटा		९५००.००	९९७५.००
	Dia200mm	गोटा		८४३०.००	८८५१.००
	Dia150mm	गोटा		५५२०.००	५७९६.००
	Dia100mm	गोटा		३२७०.००	३४३३.००
	<b>45 deg bend</b>				
	Dia 900mm	गोटा		१६१५२०.००	१६४७५०.००
	Dia 800mm	गोटा		१२५३४०.००	१२७८४६.००
	Dia 600mm	गोटा		७४७००.००	७६९४९.००
	Dia 300mm	गोटा		२०६३०.००	२१४५५.००
	Dia250mm	गोटा		१५४७०.००	१६०८८.००
	Dia200mm	गोटा		१०३९०.००	१०७२२.००
	Dia150mm	गोटा		५९५०.००	५४०७.००
	Dia100mm	गोटा		३९३०.००	३२८६.००
	<b>22.5 deg bend</b>				
	Dia 900mm	गोटा		१६५६४०.००	१६८९५२.००
	Dia 700mm	गोटा		९३०९०.००	९५८००.००
	Dia 300mm	गोटा		२९०७०.००	२९९९२.००
	Dia200mm	गोटा		७७२०.००	८१०६.००
	Dia150mm	गोटा		५२८०.००	५५४४.००
	<b>11.25 deg bend</b>				
	Dia 900mm	गोटा		१६३८००.००	१६७०७६.००
	Dia 600mm	गोटा		७४३७०.००	७६६०९.००
	Dia 500mm	गोटा		४९७९०.००	५१६९८.००
	Dia 300mm	गोटा		२९९४०.००	२९९८५.००
	Dia200mm	गोटा		७९००.००	८२९५.००
	Dia150mm	गोटा		५३६०.००	५६२८.००
	<b>DI mechanical joint bends</b>				
	<b>90 deg bend</b>				
	Dia 600mm	गोटा		७९६४०.००	८२०२९.००
	Dia400mm	गोटा		४००९०.००	४१६९०.००
	Dia 350mm	गोटा		३२०८०.००	३३३६३.००
	Dia 300mm	गोटा		२५९८०.००	२६९८७.००
	Dia250mm	गोटा		१८०७०.००	१८७९२.००
	Dia200mm	गोटा		१३५००.००	१४०४०.००
	Dia150mm	गोटा		९८६०.००	१०३५३.००
	Dia100mm	गोटा		६९५०.००	६४५७.००
	Dia80mm	गोटा		५२५०.००	५५९२.००
	<b>DI Duck Foot 90 deg Bend</b>				
	Dia 80mm	गोटा		३८००.००	३९९०.००
	Dia100mm	गोटा		४७५०.००	४९८७.००
	Dia150mm	गोटा		७०००.००	७३५०.००
	Dia200mm	गोटा		९९९०.००	१०४०५.००
	Dia250mm	गोटा		१५९५५.००	१५७६९.००
	Dia300mm	गोटा		२०४००.००	२१२९६.००
	<b>DI long radius bend</b>				
	Dia 100mm	गोटा		४७५०.००	४९८७.००
	Dia 150mm	गोटा		८०२०.००	८४२९.००

**DI पाईप तथा फिटिङ्गहरु**

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८७९	आ.ब.०७९७८
	Dia 200mm	गोटा		१२०६०.००	१२५४२.००
	Dia 250mm	गोटा		१७७९०.००	१८५०९.००
	<b>DI double socket reducer</b>				
	Dia 1000mmX900mm	गोटा		९७६५०.००	१००५७९.००
	Dia 900mmx800mm	गोटा		७८८३०.००	८१९९४.००
	Dia 800mmx700mm	गोटा		६९४९०.००	६३३३४.००
	Dia 300mmx200mm	गोटा		१०२८०.००	१०६९९.००
	Dia 200mmx150mm	गोटा		५५९०.००	५७८५.००
	<b>DI double flanged reducer</b>				
	Dia 900mmx700mm	गोटा		१०३८३०.००	१०५९०६.००
	Dia 700mmx600mm	गोटा		६९०८०.००	७१९५२.००
	Dia 700mmx400mm	गोटा		५९९९०.००	६१७८९.००
	Dia 600mmx500mm	गोटा		५५९४०.००	५७६९८.००
	Dia 600mmx400mm	गोटा		५१९२०.००	५२६५३.००
	Dia 500mmx400mm	गोटा		३६५७०.००	३८०३२.००
	Dia 400x350mm	गोटा		१८६९०.००	१९३५४.००
	Dia 400mmx300mm	गोटा		२३८४०.००	२४७९३.००
	Dia 400mmx250mm	गोटा		२२६८०.००	२३५८७.००
	Dia 300mmx250mm	गोटा		१९४८०.००	१९९३९.००
	Dia 300mmx200mm	गोटा		१४४९०.००	१४९८६.००
	Dia300mmx150mm	गोटा		१३६९०.००	१४९५४.००
	Dia250mmx200mm	गोटा		८५९०.००	९०९९.००
	Dia250mmx150mm	गोटा		११०२०.००	८५६८.००
	Dia 200mmx150mm	गोटा		६०४०.००	६३४२.००
	Dia 200mmx100mm	गोटा		७४००.००	७७७०.००
	Dia 150mmx100mm	गोटा		४२४०.००	४४५२.००
	Dia150mmx80mm	गोटा		४३९०.००	४६०९.००
	Dia150mmx65mm	गोटा		४४००.००	४६२०.००
	<b>DI Blank flange</b>				
	Dia 1000mm	गोटा		११२४९०.००	११४६५८.००
	Dia 900mm	गोटा		८३८९०.००	८६३२४.००
	Dia 800mm	गोटा		६३२८०.००	६५९७८.००
	Dia 700mm	गोटा		४५८६०.००	४७६९४.००
	Dia 600mm	गोटा		३५३८०.००	३६७९५.००
	Dia 500mm	गोटा		२२५९०.००	२३४९०.००
	Dia 450mm	गोटा		१७६९०.००	१८३९७.००
	Dia400mm	गोटा		१३०७०.००	१३५९२.००
	Dia 350mm	गोटा		९६८०.००	१०९६४.००
	Dia 300mm	गोटा		६६४०.००	६९७२.००
	Dia250mm	गोटा		४९८०.००	५२२९.००
	Dia200mm	गोटा		३९६०.००	३३९८.००
	Dia150mm	गोटा		२९४०.००	२२४७.००
	Dia100mm	गोटा		१२७०.००	१३३३.००
	Dia80mm	गोटा		११३०.००	११८६.००
	<b>Double Socket Tee with Flanged Branch</b>				
	Dia 900mmx150mm	गोटा		१०२७००.००	१०४७५४.००
	Dia 800mmx600mm	गोटा		१६९०६०.००	१६४२८९.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८०९	आ.ब.०७९१८०
	Dia 800mmx400mm	गोटा		१०७९२०.००	११००७८.००
	Dia 700mmx150mm	गोटा		६५३३०.००	६७२८९.००
	Dia 600mmx150mm	गोटा		४५३७०.००	४७१८४.००
	Dia 600mmx100mm	गोटा		४०२७०.००	४१८८०.००
	Dia 500mmx100mm	गोटा		३००३०.००	३१२३१.००
	Dia 400mmx150mm	गोटा		२७६९०.००	२८७९७.००
	Dia 300mmx100mm	गोटा		१४२९०.००	१४८६१.००
	Dia 300mmx80mm	गोटा		१४०५०.००	१४६१२.००
	Dia300mmx65mm	गोटा		१३९८०.००	१४५३९.००
	Dia250mmx250mm	गोटा		१७६४०.००	१८३४५.००
	Dia250mmx150mm	गोटा		१४७३०.००	१५३१९.००
	Dia 250mmx100mm	गोटा		११५९०.००	१२०५३.००
	Dia 250mmx80mm	गोटा		११३९०.००	११८४५.००
	Dia 250mmx65mm	गोटा		११४४०.००	११७२६.००
	Dia 200mmx150mm	गोटा		१०३६०.००	१०७७४.००
	Dia 200mmx100mm	गोटा		८८७०.००	९३१३.००
	Dia 200mmx80mm	गोटा		८०००.००	८४००.००
	Dia 200mmx65mm	गोटा		८३४०.००	८३१६.००
	Dia 150mmx150mm	गोटा		७८३०.००	८२२१.००
	Dia150mmx100mm	गोटा		६४६०.००	६७८३.००
	Dia150mmx80mm	गोटा		६०२०.००	६३२१.००
	Dia150mmx65mm	गोटा		६०६०.००	६२५७.००
५	<b>Mechanical joint Tee with flanged branch</b>				
	Dia 600mmx600mm	गोटा		१०३२००.००	१०७३२८.००
	Dia 500mmx500mm	गोटा		७३७००.००	७६६४८.००
	Dia 400mmx400mm	गोटा		४९५७०.००	५१५५२.००
	Dia 350mmx350mm	गोटा		३९६००.००	४११८४.००
	Dia 300mmx300mm	गोटा		३०८८०.००	३२११५.००
	Dia250mmx250mm	गोटा		२२६७०.००	२३५७६.००
	Dia200mmx200mm	गोटा		१६५२०.००	१७१८०.००
	Dia 150mmx150mm	गोटा		१२०२०.००	१२५००.००
	Dia100mmx100mm	गोटा		७५६०.००	७९३८.००
	Dia 80mmx80mm	गोटा		६५१०.००	६८३५.००
	<b>All Socket Tee</b>				
	Dia 300mmx200mm	गोटा		१८४५०.००	१९१८८.००
	Dia 300mmx150mm	गोटा		१७५७०.००	१८२७२.००
	Dia 250mmx200mm	गोटा		१५३९०.००	१६००५.००
	Dia 250mmx150mm	गोटा		१४१००.००	१४६६४.००
	Dia 200mmx200mm	गोटा		११९३०.००	१२४०७.००
	Dia 200mmx150mm	गोटा		९६९०.००	१०१७४.००
	Dia 150mmx150mm	गोटा		७२८०.००	७६४४.००
	<b>All Flanged Tee</b>				
	Dia 900mmx900mm	गोटा		२६१५३०.००	२६६७६०.००
	Dia 700mmx300mm	गोटा		९९४७०.००	१०२४५४.००
	Dia 600mmx500mm	गोटा		११६३२०.००	११८६४६.००
	Dia 600mmx400mm	गोटा		१०७३८०.००	१०९५२७.००
	Dia 600mmx300mm	गोटा		१०३४९०.००	१०५५५९.००

**DI पाईप तथा फिटिङ्गहरु**

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८७९	आ.व.०७९१८०
	Dia 500mmx300mm	गोटा		७२३२०.००	७४४८९.००
	Dia500mmx200mm	गोटा		६५४८०.००	६७४४४.००
	Dia450mmx150mm	गोटा		५९९७०.००	५२७०५.००
	Dia400mmx400mm	गोटा		५२६५०.००	५४२२९.००
	Dia400mmx300mm	गोटा		४७५८०.००	४९४८३.००
	Dia 400mmx150mm	गोटा		४५३८०.००	४७९९५.००
	Dia 350mmx350mm	गोटा		४२६४०.००	४४३४५.००
	Dia 350mmx300mm	गोटा		४९७३०.००	४३३९९.००
	Dia 300mmx300mm	गोटा		३३५००.००	३४८४०.००
	Dia 300mmx250mm	गोटा		२९२००.००	३०३६८.००
	Dia 300mmx200mm	गोटा		२७०००.००	२८०८०.००
	Dia 300mmx150mm	गोटा		२६०००.००	२७०४०.००
	Dia 300mmx100mm	गोटा		२४५६०.००	२५५४२.००
	Dia 300mmx80mm	गोटा		२३९८०.००	२४९३९.००
	Dia250mmx250mm	गोटा		२२५४०.००	२३४४९.००
	Dia250mmx200mm	गोटा		२०६३०.००	२१४५५.००
	Dia250mmx150mm	गोटा		२००४०.००	२०८४९.००
	Dia250mmx100mm	गोटा		१८३७०.००	१९९०४.००
	Dia250mmx80mm	गोटा		१८०९०.००	१८८९३.००
	Dia250mmx65mm	गोटा		१५३३०.००	१५९४३.००
	Dia200mmx200mm	गोटा		१३४००.००	१३९३६.००
	Dia200mmx150mm	गोटा		१२३९०.००	१२८८५.००
	Dia200mmx100mm	गोटा		११४००.००	११८५६.००
	Dia200mmx80mm	गोटा		११६३०.००	११६७९.००
	Dia150mmx150mm	गोटा		८९००.००	९३४५.००
	Dia150mmx100mm	गोटा		८०६०.००	८४६३.००
	Dia150mmx80mm	गोटा		७८८०.००	८२७४.००
	Dia150mmx65mm	गोटा		७७६०.००	८१४८.००
	Dia125mmx125mm	गोटा		८५५०.००	८९७७.००
	Dia125mmx100mm	गोटा		८०९०.००	८४९०.००
	Dia125mmx80mm	गोटा		७६८०.००	८०६४.००
	Dia125mmx65mm	गोटा		७३५०.००	७७९७.००
	Dia100mmx100mm	गोटा		६६००.००	६९३०.००
	Dia100mmx80mm	गोटा		६४५०.००	६७७२.००
	Dia100mmx65mm	गोटा		६२००.००	६५९०.००
	<b>Level invert/ Tangential socket Tee with flanged branch</b>				
	Dia 1000mmx200mm	गोटा		९४४९८०.००	९४७०६३.००
	Dia 900mmx150mm	गोटा		९९८९२०.००	९२०४८२.००
	Dia 700mmx150mm	गोटा		७३०२०.००	७५२९०.००
	Dia 600mmx100mm	गोटा		४२९७०.००	४४६८८.००
	Dia 500mmx100mm	गोटा		३३९७०.००	३४४९६.००
	Dia 400mmx80mm	गोटा		२४२५०.००	२५२२०.००
	Dia 300mmx80mm	गोटा		१५४५०.००	१६०६८.००
	Dia 250mm x 80mm	गोटा		१२२९०.००	१२७८९.००
	Dia 200mmx80mm	गोटा		९५७०.००	९००४८.००
	Dia 150mmx80mm	गोटा		९५३०.००	९०००६.००
	<b>DI Flanged Socket (FS)</b>				

## DI पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८०९	आ.व.०७९१०
	Dia 1400mm	गोटा		३४८३७०.००	३५५३३७.००
	Dia 1200mm	गोटा		२५९०४०.००	२५६०६०.००
	Dia 1100mm	गोटा		३२५३७०.००	३३९८७७.००
	Dia 1000mm	गोटा		९६६९५०.००	९६९४७३.००
	Dia 900mm	गोटा		९२९८६०.००	९३२४५७.००
	Dia 800mm	गोटा		९०६०००.००	९०८९२०.००
	Dia 700mm	गोटा		७९९९०.००	८२३८९.००
	Dia 600mm	गोटा		७९७९०.००	७३९४३.००
	Dia 500mm	गोटा		४७२२०.००	४९९०८.००
	Dia400mm	गोटा		३३२५०.००	३४५८०.००
	Dia 350mm	गोटा		३०९८०.००	३१३८७.००
	Dia 300mm	गोटा		२९४८०.००	२२३३९.००
	Dia250mm	गोटा		९६०९०.००	९६६५०.००
	Dia200mm	गोटा		९०४३०.००	९०८४७.००
	Dia150mm	गोटा		८७५०.००	९९८७.००
	Dia100mm	गोटा		६५४०.००	६८६७.००
	<b>DI Single Flanged Tail Piece (SFTP)</b>				
	1400mmdia	गोटा		३५२७९०.००	३५९७६४.००
	1200mmdia	गोटा		३६२८२०.००	३७००७६.००
	1100mmdia	गोटा		३२९२८०.००	३३५८६५.००
	1000mmdia	गोटा		९७८६६०.००	९८२२३३.००
	900mmdia	गोटा		९४३८००.००	९४६६७६.००
	800mmdia	गोटा		९९८९९०.००	९९९२८८.००
	700mmdia	गोटा		९०४८०.००	९३९९४.००
	600mmdia	गोटा		६८४५०.००	७०५०३.००
	500mmdia	गोटा		४७९९०.००	४९९०९.००
	450mmdia	गोटा		३९६८०.००	४९२६७.००
	400mmdia	गोटा		३००६०.००	३९२६२.००
	350mmdia	गोटा		२२४८०.००	२३३७९.००
	300mmdia	गोटा		९७९५०.००	९८६६८.००
	250mmdia	गोटा		९३०५०.००	९३५७२.००
	200mmdia	गोटा		९३५०.००	९८९७.००
	150mmdia	गोटा		६६००.००	६९३०.००
	100mmdia	गोटा		३९२०.००	४९९६.००
	80mmdia	गोटा		३९७०.००	३३२८.००
	<b>DI Double Flanged Tail Piece (DFTP-1m)</b>				
	1400mmdia	गोटा		४०६७९०.००	४१४८४४.००
	1200mmdia	गोटा		२०७६९०.००	२१९८४३.००
	1000mmdia	गोटा		९६२३३०.००	९६५५७६.००
	900mmdia	गोटा		९३२५००.००	९३५९५०.००
	800mmdia	गोटा		९९९९०.००	९०२९८९.००
	700mmdia	गोटा		८९७४०.००	९२४३२.००
	600mmdia	गोटा		५९०३०.००	६०८००.००
	500mmdia	गोटा		४९५६०.००	४३२२२.००
	400mmdia	गोटा		३७७३०.००	३९२३९.००
	300mmdia	गोटा		२६८५०.००	२७९२४.००
	250mmdia	गोटा		२००९०.००	२०८९०.००
	200mmdia	गोटा		९३०४०.००	९३५६९.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८०९	आ.ब.०७९१८०
	150mmdia	गोटा		१०९४०.००	११३७७.००
	100mmdia	गोटा		८१८०.००	८५८९.००
	80mmdia	गोटा		६८७०.००	७२१३.००
	<b>DI all Flanged cross</b>				
	Dia 900mm	गोटा		२९४८५०.००	३००७४७.००
	Dia 800mm	गोटा		२३२७९०.००	२३७४४५.००
	Dia 700mm	गोटा		१८४१४०.००	१८७८२२.००
	Dia 600mm	गोटा		१५३३१०.००	१५६३७६.००
	Dia 500mm	गोटा		१००५९०.००	१०२६०१.००
	Dia400mm	गोटा		६७४७०.००	६९४९४.००
	Dia 300mm	गोटा		४०३४०.००	४१९५३.००
	Dia250mm	गोटा		२९५१०.००	३०६९०.००
	Dia200mm	गोटा		१७५३०.००	१८२३१.००
	Dia150mm	गोटा		११७३०.००	१२१९९.००
	<b>DI all socket cross</b>				
	Dia 900mm	गोटा		३१८७८०.००	३२५१५५.००
	Dia 800mm	गोटा		२३८७१०.००	२४३४८४.००
	Dia 700mm	गोटा		१७७७२०.००	१८१२७४.००
	Dia 600mm	गोटा		१०७९६०.००	१०९३०३.००
	Dia 500mm	गोटा		७२३७०.००	७४५४१.००
	Dia400mm	गोटा		४७०५०.००	४८९३२.००
	Dia 300mm	गोटा		२६९७०.००	२८०४८.००
	Dia250mm	गोटा		१९४२०.००	२०१९६.००
	Dia200mm	गोटा		१३८९०.००	१४४४५.००
	Dia150mm	गोटा		९१००.००	९५५५.००
६	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा		१०१५८०.००	१०३६११.००
	Dia 900mm	गोटा		८१५५०.००	८३९९६.००
	Dia 800mm	गोटा		६६४३०.००	६८४२२.००
	Dia 700mm	गोटा		५३९१०.००	५५५२७.००
	Dia 600mm	गोटा		४११८०.००	४२८२७.००
	Dia 500mm	गोटा		३१६३०.००	३२८९५.००
	Dia 450mm	गोटा		२५७००.००	२६७२८.००
	Dia 400mm	गोटा		२१४२०.००	२२२७६.००
	Dia350mm	गोटा		१६९१०.००	१७५८६.००
	Dia 300mm	गोटा		१२५९०.००	१३०९३.००
	Dia 250mm	गोटा		१००४०.००	१०४४१.००
	Dia 200mm	गोटा		७३१०.००	७६७५.००
	Dia 150mm	गोटा		५३६०.००	५६२८.००
	Dia 100mm	गोटा		३३००.००	३४६५.००
	Dia 80mm	गोटा		३०३०.००	३१८१.००
	Dia 65mm	गोटा		२१००.००	२२०५.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८७९	आ.ब.०७९१८०
७	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा		२६९३५०.००	२६६५७७.००
	Dia 900mm	गोटा		२०४३६०.००	२०८४४७.००
	Dia 800mm	गोटा		१५९६९०.००	१६२८०२.००
	Dia 700mm	गोटा		१३४४५०.००	१३७९३९.००
	Dia 600mm	गोटा		१०६८९०.००	१०९०२७.००
	Dia 500mm	गोटा		८३३७०.००	८५८७९.००
	Dia 450mm	गोटा		६४५००.००	६६४३५.००
	Dia 400mm	गोटा		५२४७०.००	५४०४४.००
	Dia350mm	गोटा		४०९९०.००	४१७९७.००
	Dia 300mm	गोटा		३१९८०.००	३२४२७.००
	Dia 250mm	गोटा		२३२००.००	२४१२८.००
	Dia 200mm	गोटा		१६७४०.००	१७४०९.००
	Dia 150mm	गोटा		१३९००.००	१३६२४.००
	Dia 100mm	गोटा		७७२०.००	८१०६.००
	Dia 80mm	गोटा		६७००.००	७०३५.००
८	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा		४८६८०.००	५०६२७.००
	Dia 700mm	गोटा		३१९८०.००	३२४२७.००
	Dia 600mm	गोटा		२०३३०.००	२११४३.००
	Dia 500mm	गोटा		१६३३०.००	१६९८३.००
	Dia 450mm	गोटा		१४१४०.००	१४७०५.००
	Dia 400mm	गोटा		१३८२०.००	१४३७२.००
	Dia350mm	गोटा		१०७९०.००	११२२१.००
	Dia 300mm	गोटा		७६००.००	७९८०.००
	Dia 250mm	गोटा		६१४०.००	६४४७.००
	Dia 200mm	गोटा		४३६०.००	४५७८.००
	Dia 150mm	गोटा		३४९०.००	३६६४.००
	Dia 100mm	गोटा		२१६०.००	२२६८.००
	Dia 80mm	गोटा		१९६०.००	२०५८.००
	Dia65mm	गोटा		१९६०.००	२०५८.००
९	DI basket type strainer (FE xFE) with all compelte nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा		१६३७९०.००	१६६९८४.००
	Dia350mm	गोटा		१२३६७०.००	१२६९४३.००
	Dia 300mm	गोटा		६७३३०.००	६९३४९.००
	Dia 250mm	गोटा		४५१२०.००	४६९२४.००
	Dia 200mm	गोटा		२८१२०.००	२९२४४.००
	Dia 150mm	गोटा		१६२३०.००	१६८७९.००
	Dia 100mm	गोटा		७९६०.००	८३५८.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
१०	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा		७३२७०.००	७५४६८.००
	900 mm dia	गोटा		७१०९०.००	७३२२२.००
	800 mm dia	गोटा		५८७५०.००	६०५१२.००
	700 mm dia	गोटा		४६८१०.००	४८६८२.००
	600 mm dia	गोटा		३८३२०.००	३९८५२.००
	500 mm dia	गोटा		२८३१०.००	२९४४२.००
	450 mm dia	गोटा		२३७६०.००	२४७१०.००
	400 mm dia	गोटा		१९८१०.००	२०६०२.००
	350 mm dia	गोटा		१६४१०.००	१७०६६.००
	300 mm dia	गोटा		१२९५०.००	१३४६८.००
	250 mm dia	गोटा		१०२९०.००	१०७०१.००
	200 mm dia	गोटा		७६९०.००	८०७४.००
	150 mm dia	गोटा		५७००.००	५९८५.००
	100 mm dia	गोटा		४२००.००	४४१०.००
	80 mm dia	गोटा		३६४०.००	३८२२.००
	DI Flange Bell Mouth				
	Dia 700mm	गोटा		७३६२०.००	७५८२८.००
	Dia 600mm	गोटा		५३२८०.००	५४८७८.००
	Dia 500mm	गोटा		३७०७०.००	३८५५२.००
	Dia 450mm	गोटा		१६९७०.००	१७६४८.००
	Dia 400mm	गोटा		१६५८०.००	१७२४३.००
	Dia350mm	गोटा		१२९५०.००	१३४६८.००
	Dia 300mm	गोटा		९१२०.००	९५७६.००
	Dia 250mm	गोटा		७३७०.००	७७३८.००
	Dia 200mm	गोटा		५२३०.००	५४९१.००
	Dia 150mm	गोटा		४१९०.००	४३९९.००
	Dia 100mm	गोटा		२५९०.००	२७१९.००
	Dia 80mm	गोटा		२३५०.००	२४६७.००
	Dia65mm	गोटा		२३५०.००	२४६७.००
	DI Strainer				
	1200 mm dia	गोटा		३६३४६०.००	३७०७२९.००
	1100 mm dia	गोटा		२८६२८०.००	२९२००५.००
	1000 mm dia	गोटा		२०९०९०.००	२१३२७१.००
	900 mm dia	गोटा		१५७०३०.००	१६०१७०.००
११	Supply of double flanged butterfly vaive PN16 as per specification all complete				
	Dia 1000mm	गोटा		७२७६००.००	७४२१५२.००
	Dia 900mm	गोटा		५८०९५०.००	५९२५६९.००
	Dia 800mm	गोटा		४१६३२०.००	४२४६४६.००
	Dia 700mm	गोटा		३३७०४०.००	३४३७८०.००
	Dia 600mm	गोटा		२२५६९०.००	२३०२०३.००
	Dia 500mm	गोटा		१७०४२०.००	१७३८२८.००
	Dia 450mm	गोटा		१२७५९०.००	१३०१४१.००
	Dia 400mm	गोटा		१०१६८०.००	१०३७१३.००
	Dia350mm	गोटा		७३९२०.००	७६८७६.००

## DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८०९	आ.ब.०७९।८०
	Dia 300mm	गोटा		६०६७०.००	६३०९६.००
	Dia 250mm	गोटा		४७७६०.००	४९६७०.००
	Dia 200mm	गोटा		३९२६०.००	४०८३०.००
	Dia 150mm	गोटा		१५४१०.००	१६०२६.००
१२	Supply of double flanged Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा		५१६७५०.००	५२७०८५.००
	Dia 500mm	गोटा		२८५६७०.००	२९१३८३.००
	Dia 450mm	गोटा		१९७८१०.००	२०१७६६.००
	Dia 400mm	गोटा		१३९४४०.००	१४२२२८.००
	Dia350mm	गोटा		१०२१८०.००	१०४२२३.००
	Dia 300mm	गोटा		६२२२०.००	६४०८६.००
	Dia 250mm	गोटा		४६३४०.००	४८१९३.००
	Dia 350mm	गोटा		९२२७०.००	९५९६०.००
	Dia 300mm	गोटा		५६५६०.००	५८८२२.००
	Dia 250mm	गोटा		४३२७०.००	४५०००.००
	Dia 200mm	गोटा		२५८२०.००	२६८५२.००
	Dia 150mm	गोटा		१९८५०.००	२०६४४.००
	Dia 125mm	गोटा		१६५००.००	१७९६०.००
	Dia 100mm	गोटा		१७८५०.००	१८५६४.००
	Dia 80mm	गोटा		१२८६६.००	१३३८०.००
	Dia 65mm	गोटा		९६७०.००	१०१५३.००
	Dia 50mm	गोटा		८६५२.००	९०८४.००
१३	<b>Fire Hydrant</b>				
	Dia 80mm	गोटा		११४७०.००	११९२८.००
	Dia 100mm	गोटा		२३०४०.००	२३९६१.००
१४	<b>160mm dia CI ROAD SURFACE BOX</b>	गोटा		३१५०.००	३३०७.००
१५	<b>Ball Valve</b>				
	15mm	गोटा		१८०.००	१९१.००
	25mm	गोटा		३२०.००	३४१.००
	32mm	गोटा		८५०.००	९०६.००
	40mm	गोटा		१३४०.००	१४०७.००
	50mm	गोटा		२२००.००	२३१०.००
१६	<b>Check valve (Horizontal Flow)</b>				
	15mm	गोटा		५२०.००	५५४.००
	20mm	गोटा		८२०.००	८७४.००
	25mm	गोटा		१४१०.००	१४८०.००
१७	<b>Check valve (vertical Flow)</b>				
	15mm	गोटा		३२०.००	३४१.००
	20mm	गोटा		४१०.००	४३७.००
	25mm	गोटा		४५०.००	४७९.००
१८	<b>Check valve</b>				
	150mm	गोटा		१७९७०.००	१८६८८.००
	200mm	गोटा		२६९५०.००	२८०२८.००
	250mm	गोटा		४०४३०.००	४२०४७.००
	300mm	गोटा		६०६५०.००	६२४६९.००
१९	<b>Pressure Gauge (Pressure up to) including Fitting &amp; accessories</b>				
	PN10	गोटा		२४५०.००	२५७२.००

## DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	PN15	गोटा		३२००.००	३३६०.००
	PN30	गोटा		४६००.००	४८३०.००
	PN45	गोटा		५५००.००	५७७५.००
२०	<b>Bulk Water Meter</b>				
	300mm	गोटा		१५३६४०.००	१५६७१२.००
	200mm	गोटा		१०२४३०.००	१०४४७८.००
	150mm	गोटा		७५७४०.००	७८०१२.००
	100mm	गोटा		४३७००.००	४५४४८.००
	80mm	गोटा		२९१३०.००	३०२९५.००
	65mm	गोटा		१९४२०.००	२०१९६.००
	15mm	गोटा		१५००.००	१५७५.००
२१	<b>Supply of water meter volumetric type including fittings and accessories</b>				
	15mm	गोटा		१६१०.००	१६९०.००
	20mm	गोटा		२२९०.००	२४०४.००
	25mm	गोटा		५९४०.००	६२३७.००
२२	<b>Float Valve</b>				
	15mm	गोटा		७३०.००	७७८.००
	20mm	गोटा		१४१०.००	१४८०.००
	25mm	गोटा		२३२०.००	२४३६.००
२३	<b>GM Gate/ Globe Valve</b>				
	15mm	गोटा		७७०.००	८२०.००
	20mm	गोटा		१०९०.००	११४४.००
	25mm	गोटा		१६८०.००	१७६४.००
	32mm	गोटा		२२३०.००	२३४१.००
	40mm	गोटा		२५८०.००	२७०९.००
	50mm	गोटा		४२७५.००	४४८८.००
	65mm	गोटा		८६९०.००	९१२४.००
	80mm	गोटा		११६००.००	१२०६४.००
	100mm	गोटा		१६४००.००	१७०५६.००
२४	<b>DI Sluice Valve</b>				
	65mm(2-1/2")	गोटा		१२७३०.००	१२७३०.००
	80mm(3")	गोटा		१७७३०.००	१७७३०.००
	100mm(4")	गोटा		२५०००.००	२५०००.००
	125mm(5")	गोटा		३०४५०.००	३०४५०.००
	150mm(6")	गोटा		३७५००.००	३७५००.००

## PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
१	Electrofusion (PE100) HDPE Fittings				
	<b>Electrofusion Coupler</b>				
	20mm	गोटा		९९.००	१०२.००
	25mm	गोटा		१२३.००	१२७.००
	32mm	गोटा		१३२.००	१३७.००
	40mm	गोटा		२५७.००	२६७.००
	50mm	गोटा		२४५.००	२५४.००
	63mm	गोटा		२५३.००	२६३.००
	75mm	गोटा		३९०.००	४०५.००
	90mm	गोटा		४५५.००	४७३.००
	110mm	गोटा		६१२.००	६३६.००
	125mm	गोटा		८२३.००	८५५.००
	140mm	गोटा		१२७३.००	१३२३.००
	160mm	गोटा		१४३३.००	१४९०.००
	180mm	गोटा		२१५०.००	२२३६.००
	200mm	गोटा		२५४७.००	२६४८.००
	225mm	गोटा		३५०३.००	३६४३.००
	250mm	गोटा		५५७२.००	५७९४.००
	280mm	गोटा		६६८६.००	६९५३.००
	<b>Electrofusion Reducer</b>				
	50mm ×40mm	गोटा		२०९.००	२१७.००
	63mm ×50mm	गोटा		२४४.००	२५३.००
	75mm ×63mm	गोटा		४८५.००	५०४.००
	90mm ×75mm	गोटा		६०३.००	६२७.००
	90mm ×63mm	गोटा		६६९.००	६८७.००
	90mm ×50mm	गोटा		९०५.००	९४१.००
	110mm ×63mm	गोटा		७९६.००	८२७.००
	110mm ×75mm	गोटा		१४६३.००	१५२१.००
	110mm ×90mm	गोटा		८६९.००	८९५.००
	125mm ×63mm	गोटा		१०२८.००	१०६९.००
	125mm ×75mm	गोटा		१७७०.००	१७७८.००
	125mm ×90mm	गोटा		११०७.००	११५१.००
	125mm ×110mm	गोटा		८६६.००	९००.००
	140mm ×90mm	गोटा		३४२७.००	३५६४.००
	140mm ×110mm	गोटा		४०१३.००	४१७३.००
	140mm ×125mm	गोटा		४४६३.००	४६४१.००
	160mm ×90mm	गोटा		४३६९.००	४५३५.००
	160mm ×110mm	गोटा		४६२९.००	४८१४.००
	160mm ×125mm	गोटा		५१५९.००	५३६५.००
	160mm ×140mm	गोटा		५८४५.००	६०७८.००
	180mm ×90mm	गोटा		६१८६.००	६४३३.००
	180mm ×125mm	गोटा		६४५३.००	६७११.००
	180mm ×140mm	गोटा		७३२१.००	७६१३.००
	180mm ×160mm	गोटा		८१२७.००	८४५२.००
	200mm ×110mm	गोटा		६७३३.००	७००२.००
	200mm ×140mm	गोटा		८६६८.००	९०१४.००
	200mm ×160mm	गोटा		९१०९.००	९४७३.००
	200mm ×180mm	गोटा		१०६४०.००	११०६५.००
	225mm ×90mm	गोटा		९७९६.००	१०१८७.००

**PE Electro Fusion Fittings and Combination Accessories**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	225mm ×110mm	गोटा		९५४७.००	९९२८.००
	225mm ×225mm	गोटा		१५०१४.००	१५६१४.००
	225mm ×160mm	गोटा		११२८८.००	११७३९.००
	225mm ×180mm	गोटा		१३०८२.००	१३६०५.००
	225mm ×200mm	गोटा		१४३८४.००	१४९५९.००
	250mm ×160mm	गोटा		१४४१५.००	१४९९१.००
	225mm ×180mm	गोटा		१६६६५.००	१७३३१.००
	225mm ×200mm	गोटा		१७५६६.००	१८२६८.००
	225mm ×225mm	गोटा		२०२७५.००	२१०८६.००
	280mm ×180mm	गोटा		१९८७१.००	२०६६५.००
	280mm ×200mm	गोटा		२१२२५.००	२२०७४.००
	280mm ×225mm	गोटा		२३२०३.००	२४१३१.००
	280mm ×250mm	गोटा		२८१०१.००	२९२२५.००
	<b>Electrofusion Elbow 45<sup>o</sup></b>				
	50mm	गोटा		३०४.००	३१६.००
	63mm	गोटा		४४७.००	४६४.००
	75mm	गोटा		११७०.००	१२१६.००
	90mm	गोटा		१००७.००	१०४७.००
	110mm	गोटा		३०१३.००	३१३३.००
	125mm	गोटा		४१६०.००	४३२६.००
	140mm	गोटा		५६२३.००	५८४७.००
	160mm	गोटा		७२४६.००	७५३५.००
	180mm	गोटा		१०३९६.००	१०८११.००
	200mm	गोटा		१३०८९.००	१३६१२.००
	225mm	गोटा		१७८७८.००	१८५९३.००
	250mm	गोटा		२५७४६.००	२६७७५.००
	280mm	गोटा		३३९९१.००	३५३५०.००
	<b>90</b>				
	50mm	गोटा		२५३.००	२६३.००
	63mm	गोटा		४०३.००	४१९.००
	75mm	गोटा		५३१.००	५५२.००
	90mm	गोटा		१०२५.००	१०६६.००
	110mm	गोटा		१३७२.००	१४२६.००
	125mm	गोटा		१७३१.००	१८००.००
	140mm	गोटा		६४५२.००	६७१०.००
	160mm	गोटा		८१९५.००	८५२२.००
	180mm	गोटा		११९४७.००	१२४२४.००
	200mm	गोटा		१५९११.००	१६५४७.००
	225mm	गोटा		२०४२२.००	२१२३८.००
	250mm	गोटा		३००१०.००	३१२१०.००
	280mm	गोटा		४२८३३.००	४४५४६.००
	<b>Electrofusion End Cap</b>				
	50mm	गोटा		३३६.००	३४९.००
	63mm	गोटा		४१७.००	४३३.००
	75mm	गोटा		५९४.००	६१७.००
	90mm	गोटा		७६२.००	७९२.००
	110mm	गोटा		१३६५.००	१४१९.००
	125mm	गोटा		११७५.००	१२२२.००
	140mm	गोटा		२३९५.००	२४९०.००

**PE Electro Fusion Fittings and Combination Accessories**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	160mm	गोटा		३४७०.००	३६०८.००
	180mm	गोटा		४९७२.००	५१७०.००
	200mm	गोटा		६५०८.००	६७६८.००
	225mm	गोटा		८४३२.००	८७६९.००
	250mm	गोटा		११९७.००	१२४४.००
	280mm	गोटा		१५४७७.००	१६०९६.००
	<b>Electrofusion Equal Tee</b>				
	50mm	गोटा		३३५.००	३४८.००
	63mm	गोटा		४८१.००	५००.००
	75mm	गोटा		७५९.००	७८९.००
	90mm	गोटा		११९८.००	१२४५.००
	110mm	गोटा		१५४३.००	१६०४.००
	125mm	गोटा		१९०९.००	१९८५.००
	140mm	गोटा		७६२०.००	७९२४.००
	160mm	गोटा		१०४७७.००	१०८९६.००
	180mm	गोटा		१४८२४.००	१५४१६.००
	200mm	गोटा		१८७४८.००	१९४९७.००
	225mm	गोटा		२५५१५.००	२६५३५.००
	250mm	गोटा		३६९६५.००	३८४४३.००
	280mm	गोटा		५२५५५.००	५४६५७.००
	<b>Electrofusion Saddle Clamp</b>				
	50mm×40mm	गोटा		७२८.००	७५७.००
	75-225mm×50mm	गोटा		९५२.००	९९०.००
	<b>HDPE Adopter PN 16</b>				
	50mm	गोटा		२७०.००	२८०.००
	63mm	गोटा		३४०.००	३५३.००
	75mm	गोटा		४८०.००	४९९.००
	90mm	गोटा		६२०.००	६४४.००
	110mm	गोटा		८६०.००	८९४.००
	125mm	गोटा		९५०.००	९८८.००
	140mm	गोटा		१३००.००	१३५२.००
	160mm	गोटा		१८७०.००	१९४४.००
	180mm	गोटा		२६८०.००	२७८७.००
	200mm	गोटा		२९३०.००	३०४७.००
	225mm	गोटा		३८००.००	३९५२.००
	250mm	गोटा		५०४०.००	५२४१.००
	280mm	गोटा		६९७०.००	७२४८.००

### High Pressure Valves & Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८७९	आ.व.०७९८०
१	High Pressure Valve & Fittings				
	<b>Cast Steel Sluice Valve</b> , Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा		२१२८०.००	२१९१८.००
	DN 50	गोटा		२८७५०.००	२९६१२.००
	DN 65	गोटा		३४५००.००	३५५३५.००
	DN 80	गोटा		४०२५०.००	४१४५७.००
	DN 100	गोटा		४६०००.००	४७३८०.००
	DN 125	गोटा		५२५००.००	५९२२५.००
	DN 150	गोटा		७४७५०.००	७६९९२.००
	DN 200	गोटा		१०३५००.००	१०५५७०.००
	DN 250	गोटा		१४९५००.००	१५२४९०.००
	DN 300	गोटा		२०१२५०.००	२०५२७५.००
	DN 350	गोटा		३१६२५०.००	३२२५७५.००
	<b>Cast Steel Non Return Valve (NRV)</b> , Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा		२३०००.००	२३६९०.००
	DN 50	गोटा		३०४८०.००	३१३९४.००
	DN 65	गोटा		३६२३०.००	३७३१६.००
	DN 80	गोटा		४१९८०.००	४३२३९.००
	DN 100	गोटा		४७७३०.००	४९१६१.००
	DN 125	गोटा		५९२३०.००	६१००६.००
	DN 150	गोटा		७६४८०.००	७८७७४.००
	DN 200	गोटा		१०५२३०.००	१०७३३४.००
	DN 250	गोटा		१५१२३०.००	१५४२५४.००
	DN 300	गोटा		२०२९८०.००	२०७०३९.००
	DN 350	गोटा		३१७९८०.००	३२४३३९.००
	<b>MS Flange</b> , ISOD 12mm thick				
	DN 40	गोटा		४००.००	४१२.००
	DN 50	गोटा		४३०.००	४४२.००
	DN 65	गोटा		५८०.००	५९७.००
	DN 80	गोटा		६३०.००	६४८.००
	DN 100	गोटा		६५०.००	६६९.००
	DN 150	गोटा		७५०.००	७७२.००
	DN 125	गोटा		८८०.००	९०६.००
	DN 200	गोटा		१४४०.००	१४८३.००
	DN 250	गोटा		२१६०.००	२२२४.००
	DN 300	गोटा		२५९०.००	२६६७.००
	DN 350	गोटा		३५७०.००	३६७७.००
	<b>MS Blind Flange</b> , ISOD 16mm thick				
	DN 40	गोटा		५२०.००	५३५.००
	DN 50	गोटा		५६०.००	५७६.००
	DN 65	गोटा		७५०.००	७७२.००
	DN 80	गोटा		८२०.००	८४४.००
	DN 100	गोटा		८५०.००	८७५.००

## High Pressure Valves &amp; Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८७९	आ.ब.०७९८०
	DN 125	गोटा		९७०.००	९९९.००
	DN 150	गोटा		११५०.००	११८४.००
	DN 200	गोटा		१८७०.००	१९२६.००
	DN 250	गोटा		२८१०.००	२८९४.००
	DN 300	गोटा		३३६०.००	३४६०.००
	DN 350	गोटा		४६३०.००	४७६८.००
	<b>MS Flange, ISOD 22mm thick</b>				
	DN 40	गोटा		९२०.००	९४७.००
	DN 50	गोटा		९९०.००	१०१९.००
	DN 65	गोटा		१२७०.००	१३०८.००
	DN 80	गोटा		१४४०.००	१४८३.००
	DN 100	गोटा		१७३०.००	१७८१.००
	DN 125	गोटा		२०७०.००	२१३२.००
	DN 150	गोटा		२६५०.००	२७२९.००
	DN 200	गोटा		४३३०.००	४४५९.००
	DN 250	गोटा		५६५०.००	५८१९.००
	DN 300	गोटा		८३२०.००	८५६९.००
	DN 350	गोटा		९३२०.००	९५९९.००
	<b>MS Blind Flange, ISOD 32mm thick</b>				
	DN 40	गोटा			०.००
	DN 50	गोटा		१२००.००	१२३६.००
	DN 65	गोटा		१२९०.००	१३२८.००
	DN 80	गोटा		१६४०.००	१६८९.००
	DN 100	गोटा		१८७०.००	१९२६.००
	DN 125	गोटा		२२४०.००	२३०७.००
	DN 150	गोटा		२६९०.००	२७७०.००
	DN 200	गोटा		३४४०.००	३५४३.००
	DN 250	गोटा		५६४०.००	५८०९.००
	DN 300	गोटा		७३६०.००	७५८०.००
	DN 350	गोटा		१०८१०.००	१११३४.००
	DN 350	गोटा		१२११०.००	१२४७३.००
	<b>Seamless (90°-22°) CARBON STEEL BEND, size dia</b>				
	2"	गोटा		३३०.००	३३९.००
	2 1/2"	गोटा		५८०.००	५९७.००
	3"	गोटा		८३०.००	८५४.००
	4"	गोटा		१३८०.००	१४२१.००
	5"	गोटा		२५३०.००	२६०५.००
	6"	गोटा		३५१०.००	३६१५.००
	8"	गोटा		६५६०.००	६७५६.००
	10"	गोटा		१२८८०.००	१३२६६.००
	12"	गोटा		१७८३०.००	१८३६४.००
	14"	गोटा		२०१३०.००	२०७३३.००
	<b>Seamless REDUCER ASTM-40, (size dia larger dia.)</b>				
	2"	गोटा		२६०.००	२६७.००
	2 1/2"	गोटा		४६०.००	४७३.००
	3"	गोटा		६७०.००	६९०.००

## High Pressure Valves & Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	4"	गोटा		११००.००	११३३.००
	5"	गोटा		२०२०.००	२०८०.००
	6"	गोटा		२८१०.००	२८९४.००
	8"	गोटा		५२४०.००	५३९७.००
	10"	गोटा		१०३००.००	१०६०९.००
	12"	गोटा		१४२६०.००	१४६८७.००
	14"	गोटा		१६१००.००	१६५८३.००
	<b>Nut &amp; Bolt (FORZED, Size, set/kg)</b>	गोटा		३००.००	३०९.००
	<b>3 mm thick Gasket liner</b>	गोटा		२५६०.००	२६३६.००

## पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
१	<b>PP-R Pipe (PN-10)</b>				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५१.३३	५१.३३	५६.००
	25mm " 2.3 mm thick 0.164kg/m	र.मि	७८.७६	७८.७६	८६.००
	32mm 2.9 mm thick 0.26kg/m	र.मि	१२४.७८	१२४.७८	१३७.००
	40mm 3.7 mm thick 0.412kg/m	र.मि	१९७.३५	१९७.३५	२१७.००
	50mm 4.6 mm thick 0.638kg/m	र.मि	३०६.१९	३०६.१९	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि	४८४.९६	४८४.९६	५३३.००
	75 mm OD	र.मि	६७६.११	६७६.११	७४३.००
	90 mm OD	र.मि	९७३.४५	९७३.४५	१०७०.००
	110 mm OD	र.मि	१४४४.२५	१४४४.२५	१५८८.००
२	<b>PP-R Pipe (PN-16)</b>				
	20mm OD 2.80 mm thick 0.148kg/m	र.मि	६९.०३	६९.०३	७५.००
	25mm OD 3.50 mm thick 0.26kg/m	र.मि	१०७.९६	१०७.९६	११८.००
	32mm OD 3.7 mm thick 0.230kg/m	र.मि	१७१.६८	१७१.६८	१८८.००
	40mm OD 5.50 mm thick 0.575kg/m	र.मि	२७६.११	२७६.११	३०३.००
	50mm OD 6.90 mm thick 0.896kg/m	र.मि	४३०.०९	४३०.०९	४७३.००
	63 mm OD 4.6 mm thick 0.638kg/m	र.मि	६७६.११	६७६.११	७४३.००
	75 mm OD	र.मि	९६४.६०	९६४.६०	१०६१.००
	90 mm OD	र.मि	१३७६.९९	१३७६.९९	१५१४.००
	110 mm OD	र.मि	२०६२.८३	२०६२.८३	२२६९.००
३	<b>PP-R Pipe (PN-20)</b>				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	८२.३०	८२.३०	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि	१२७.४३	१२७.४३	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि	२०७.९६	२०७.९६	२२८.००
	40mm 6.70 mm thick 0.671kg/m	र.मि	३२२.१२	३२२.१२	३५४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि	४९९.१२	४९९.१२	५४९.००
	63mm 8.6mm thick 1.04kg/m	र.मि	७९१.१५	७९१.१५	८७०.००
	75 mm OD	र.मि	११२२.१२	११२२.१२	१२३४.००
	90 mm OD	र.मि	१६११.५०	१६११.५०	१७७२.००
	110 mm OD	र.मि	२४०३.५४	२४०३.५४	२६४३.००
४	<b>PP-R Pipe Accessories</b>				
	<b>Elbow ( 87.5 ° )</b>				
	20mm	गोटा			२३.००
	25mm	गोटा			४३.००
	32mm	गोटा			७०.००
	40mm	गोटा			१४८.००
	50mm	गोटा			२४९.००
	63 mm	गोटा			४३९.००
	75 mm	गोटा			८४३.००
	90 mm	गोटा			१३७६.००
	110 mm	गोटा			२५५८.००
	<b>Elbow ( 90 ° )</b>				
	20mm	गोटा	१०.६२	१०.६२	११.००
	25mm	गोटा	२०.३५	२०.३५	२२.००

### पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	32mm	गोटा	३५.४०	३५.४०	३८.००
	40mm	गोटा	७३.४५	७३.४५	८०.००
	50mm	गोटा	१२३.०१	१२३.०१	१३५.००
	63 mm	गोटा	२१६.८१	२१६.८१	२३८.००
	75 mm	गोटा	४०६.१९	४०६.१९	४४६.००
	90 mm	गोटा	६८५.८४	६८५.८४	७५४.००
	110 mm	गोटा	१२७७.८८	१२७७.८८	१४०५.००
५	<b>Equal Tee</b>				
	20mm	गोटा	१४.१६	१४.१६	१५.००
	25mm	गोटा	२४.७८	२४.७८	२७.००
	32mm	गोटा	४३.३६	४३.३६	४७.००
	40mm	गोटा	८४.०७	८४.०७	९२.००
	50mm	गोटा	१४३.३६	१४३.३६	१५७.००
	63mm	गोटा	२६०.१८	२६०.१८	२८६.००
	75 mm	गोटा	४५१.३३	४५१.३३	४९६.००
	90 mm	गोटा	८२६.५५	८२६.५५	९०९.००
	110 mm	गोटा	१४३५.४०	१४३५.४०	१५७८.००
६	<b>Coupler</b>				
	20mm	गोटा	८.८५	८.८५	९.००
	25mm	गोटा	१०.६२	१०.६२	११.००
	32mm	गोटा	२०.३५	२०.३५	२२.००
	40mm	गोटा	३९.८२	३९.८२	४३.००
	50mm	गोटा	६६.३७	६६.३७	७३.००
	63 mm	गोटा	११६.८१	११६.८१	१२८.००
	75 mm	गोटा	२२५.६६	२२५.६६	२४८.००
	90 mm	गोटा	३३३.६३	३३३.६३	३६६.००
	110 mm	गोटा	६०९.७३	६०९.७३	६७०.००
७	<b>45 Degree Elbow</b>				
	20 mm	गोटा	१४.१६	१४.१६	१५.००
	25 mm	गोटा	२३.०१	२३.०१	२५.००
	32 mm	गोटा	३५.४०	३५.४०	३८.००
	40 mm	गोटा	६६.३७	६६.३७	७३.००
	50 mm	गोटा	१११.५०	१११.५०	१२२.००
	63 mm	गोटा	१८४.०७	१८४.०७	२०२.००
	75 mm	गोटा	३६१.०६	३६१.०६	३९७.००
	90 mm	गोटा	६०९.७३	६०९.७३	६७०.००
	110 mm	गोटा	१०६४.६०	१०६४.६०	११७१.००
८	<b>Union (Plastic)</b>				
	20mm	गोटा	५३.९८	५३.९८	५९.००
	25mm	गोटा	९२.०४	९२.०४	१०१.००
	32mm	गोटा	१४८.६७	१४८.६७	१६३.००
	40mm	गोटा	२२४.७८	२२४.७८	२४७.००
	50mm	गोटा	३५२.२१	३५२.२१	३८७.००
	63mm	गोटा	४२०.३५	४२०.३५	४६२.००

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
९	<b>Reducing Coupler</b>				
	25mm*20mm	गोटा	१५.०४	१५.०४	१६.००
	32mm*20mm	गोटा	१८.५८	१८.५८	२०.००
	32mm*25mm	गोटा	२१.२४	२१.२४	२३.००
	40mm*20mm	गोटा	३०.९७	३०.९७	३४.००
	40mm*25mm	गोटा	३१.८६	३१.८६	३५.००
	40mm*32mm	गोटा	४३.३६	४३.३६	४७.००
	50mm*20mm	गोटा	५८.४१	५८.४१	६४.००
	50mm*25mm	गोटा	५५.७५	५५.७५	६१.००
	50mm*32mm	गोटा	६३.७२	६३.७२	७०.००
	50mm*40mm	गोटा	६६.३७	६६.३७	७३.००
	63mm*20mm	गोटा	९१.१५	९१.१५	१००.००
	63mm*25mm	गोटा	११२.३९	११२.३९	१२३.००
	63mm*32mm	गोटा	११३.२७	११३.२७	१२४.००
	63mm*40mm	गोटा	११३.२७	११३.२७	१२४.००
	63mm*50mm	गोटा	११३.२७	११३.२७	१२४.००
	75mm*40mm	गोटा	२२५.६६	२२५.६६	२४८.००
	75mm*50mm	गोटा	२३०.०९	२३०.०९	२५३.००
	75mm*63mm	गोटा	२३२.७४	२३२.७४	२५६.००
	90mm*50mm	गोटा	४२९.२०	४२९.२०	४७२.००
	90mm*63mm	गोटा	४६०.१८	४६०.१८	५०६.००
	90mm*75mm	गोटा	५४१.५९	५४१.५९	५९५.००
	110mm*75mm	गोटा	७५८.४१	७५८.४१	८३४.००
	110mm*90mm	गोटा	८४४.२५	८४४.२५	९२८.००
	75mm	गोटा			४७६.००
	90mm	गोटा			७३८.००
	110mm	गोटा			१२५१.००
१०	<b>Reducing Tee</b>				
	25*20*25 mm	गोटा	२६.५५	२६.५५	२९.००
	32*20*32 mm	गोटा	४०.७१	४०.७१	४४.००
	32*25*32 mm	गोटा	४३.३६	४३.३६	४७.००
	40*20*40 mm	गोटा	५८.४१	५८.४१	६४.००
	40*25*40 mm	गोटा	६५.४९	६५.४९	७२.००
	40*32*40 mm	गोटा	६९.९१	६९.९१	७६.००
	50*20*50 mm	गोटा	११८.५८	११८.५८	१३०.००
	50*25*50 mm	गोटा	१२२.१२	१२२.१२	१३४.००
	50*32*50 mm	गोटा	१३०.९७	१३०.९७	१४४.००
	50*40*50 mm	गोटा	१३५.४०	१३५.४०	१४८.००
	63*20*63 mm	गोटा	१७६.९९	१७६.९९	१८८.००
	63*25*63 mm	गोटा	१९६.४६	१९६.४६	२०९.००
	63*32*63 mm	गोटा	२०३.५४	२०३.५४	२२३.००
	63*40*63 mm	गोटा	२०७.०८	२०७.०८	२२७.००
	63*50*63 mm	गोटा	२१४.१६	२१४.१६	२३५.००
	75*50*75 mm	गोटा	५१९.४७	५१९.४७	५५३.००
	75*63*75 mm	गोटा	५२१.२४	५२१.२४	५५५.००
	90*63*90 mm	गोटा	८५७.५२	८५७.५२	९१४.००
	90*75*90 mm	गोटा	९४७.७९	९४७.७९	१०१०.००

**पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	110*75*110 mm	गोटा	१५३४.५१	१५३४.५१	१६३६.००
	110*90*110 mm	गोटा	१५७९.६५	१५७९.६५	१६८४.००
	75mm	गोटा			१०३९.००
	90mm	गोटा			१७४५.००
	110mm	गोटा			२९६८.००
११	<b>Reducing Elbow</b>				
	25mm*20mm	गोटा	२०.३५	२०.३५	२२.००
	32mm*20mm	गोटा	३७.१७	३७.१७	४०.००
	32mm*25mm	गोटा	४६.०२	४६.०२	५०.००
	40*20mm	गोटा			१४०.००
	40*25mm	गोटा			१५२.००
	40*32mm	गोटा			१८८.००
	75mm	गोटा			१००७.००
	90mm	गोटा			१३७५.००
	110mm	गोटा			२६१३.००
	<b>U CLAMP LONG</b>				
	20mm	गोटा			३०.००
	25mm	गोटा			३४.००
	32mm	गोटा			४६.००
	40mm	गोटा			५२.००
	50mm	गोटा			७०.००
	63mm	गोटा			७८.००
	<b>U CLAMP</b>				
	20mm	गोटा			१३.००
	25mm	गोटा			१६.००
	32mm	गोटा			३०.००
	40mm	गोटा			३७.००
	50mm	गोटा			५९.००
	63mm	गोटा			७६.००
	<b>PLUG</b>				
	20mm	गोटा			१३.००
	25mm	गोटा			२१.००
	32mm	गोटा			२६.००
	<b>CAPS</b>				
	20mm	गोटा			३१.००
	25mm	गोटा			४६.००
	32mm	गोटा			७०.००
	40mm	गोटा			१११.००
	50mm	गोटा			१८७.००

**पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	63mm	गोटा			३३८.००
	75mm	गोटा			५१५.००
	90mm	गोटा			५७६.००
	110mm	गोटा			११८२.००
	<b>CROSS OVER</b>				
	20mm	गोटा			१४२.००
	25mm	गोटा			२०३.००
	32mm	गोटा			२९४.००
१२	<b>High Footed Pipe Clip</b>				
	20mm	गोटा	११.५०	११.५०	१२.००
	25mm	गोटा	१३.२७	१३.२७	१४.००
	32mm	गोटा	२०.३५	२०.३५	२२.००
	40mm	गोटा	२३.०१	२३.०१	२५.००
	50mm	गोटा	२४.७८	२४.७८	२७.००
	63 mm	गोटा	३३.६३	३३.६३	३६.००
१३	<b>Low Footed Pipe Clip</b>				
	20mm	गोटा	६.१९	६.१९	६.००
	25mm	गोटा	७.०८	७.०८	७.००
	32mm	गोटा	१३.२७	१३.२७	१४.००
	40mm	गोटा	१८.५८	१८.५८	२०.००
	50mm	गोटा	२८.३२	२८.३२	३१.००
	63 mm	गोटा	३६.२८	३६.२८	३९.००
१४	<b>"Y" type Pipe Clip</b>				
	20mm	गोटा	१८.५८	१८.५८	२०.००
	25mm	गोटा	२१.२४	२१.२४	२३.००
	32mm	गोटा	२५.६६	२५.६६	२८.००
	40 mm	गोटा	५०.००	५०.००	५५.००
१५	<b>End Plug (short)</b>				
	20mm	गोटा	६.१९	६.१९	६.००
	25mm	गोटा	९.७३	९.७३	१०.००
	32mm	गोटा	१२.३९	१२.३९	१३.००
१६	<b>End Plug with Ring</b>				
	20mm	गोटा	२०.३५	२०.३५	२२.००
१७	<b>End Plug (long)</b>				
	20mm	गोटा	९.७३	९.७३	१०.००
१८	<b>End Cap</b>				
	20mm	गोटा	११.५०	११.५०	१२.००
	25mm	गोटा	१८.५८	१८.५८	२०.००
	32mm	गोटा	२७.४३	२७.४३	३०.००
	40mm	गोटा	४०.७१	४०.७१	४४.००
	50mm	गोटा	७१.६८	७१.६८	७८.००
	63 mm	गोटा	१३८.०५	१३८.०५	१५१.००
	75 mm	गोटा	२२१.२४	२२१.२४	२४३.००

**पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
१९	<b>Cross Tee</b>				
	20mm	गोटा	२३.८९	२३.८९	२६.००
	25mm	गोटा	३५.४०	३५.४०	३८.००
	32mm	गोटा	६९.९५	६९.९५	६८.००
२०	<b>Short Passover</b>				
	20mm	गोटा	६९.०३	६९.०३	७५.००
	25mm	गोटा	९९.९२	९९.९२	१०९.००
	32mm	गोटा	१५३.९८	१५३.९८	१६९.००
२१	<b>Long Bypass</b>				
	20mm	गोटा	७८.७६	७८.७६	८६.००
	25mm	गोटा	१३०.९७	१३०.९७	१४४.००
	32mm	गोटा	१९२.०४	१९२.०४	२११.००
२२	<b>Male Tee</b>				
	20mmx1/2"	गोटा	१३०.९७	१३०.९७	१४४.००
	20mmx3/4"	गोटा			१४६.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६४.६०	१६४.६०	१८१.००
	32mmx1/2"	गोटा	१४०.७१	१४०.७१	१५४.००
	32mmx3/4"	गोटा	२०७.०८	२०७.०८	२२७.००
	32mmx1"	गोटा	३६०.१८	३६०.१८	३९६.००
	40mm*1/2"	गोटा			६७३.००
	40mm*5/4"	गोटा			६५५.००
	50mm*6/4"	गोटा			१०३८.००
	63mm*1"	गोटा			१२३५.००
	63mm*2"	गोटा			१३४१.००
२३	<b>Female Tee</b>				
	20mmx1/2"	गोटा	१०६.१९	१०६.१९	११६.००
	20mmx3/4"	गोटा			१३१.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६०.१८	१६०.१८	१७६.००
	32mmx1/2"	गोटा	१५७.५२	१५७.५२	१७३.००
	32mmx3/4"	गोटा	१८४.९६	१८४.९६	२०३.००
	32mmx1"	गोटा	३११.५०	३११.५०	३४२.००
	40mm*1/2"	गोटा			५३०.००
	40mm*5/4"	गोटा			५२१.००
	50mm*6/4"	गोटा			७९०.००
	63mm*1"	गोटा			९९२.००
	63mm*2"	गोटा			१०४८.००
२४	<b>Male elbow</b>				
	20mmx1/2"	गोटा	१२५.६६	१२५.६६	१३८.००
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१५१.००
	25mmx3/4"	गोटा	१६९.०३	१६९.०३	१८५.००
	32mmx1/2"	गोटा	२८४.०७	२८४.०७	३१२.००

**पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	32mmx3/4"	गोटा	२२५.६६	२२५.६६	२४८.००
	32mmx1"	गोटा	३७४.३४	३७४.३४	४११.००
	40mm*5/4"	गोटा			# [ ] इच्छा!
२५	<b>Female elbow</b>				
	20mmx1/2"	गोटा	१०३.५४	१०३.५४	११३.००
	25mmx1/2"	गोटा	१६८.१४	१६८.१४	१८४.००
	25mmx3/4"	गोटा	१३८.०५	१३८.०५	१५१.००
	32mmx1/2"	गोटा	१८४.०७	१८४.०७	२०२.००
	32mmx3/4"	गोटा	२१६.८१	२१६.८१	२३८.००
	32mmx1"	गोटा	३०३.५४	३०३.५४	३३३.००
	40mm*5/4"	गोटा			६७५.००
	50mm*6/4"	गोटा			७७५.००
	63mm*2"	गोटा			८९२.००
	<b>MALE SOCKET</b>				
	20mm*1/2"	गोटा			१४५.००
	20mm*3/4"	गोटा			१७५.००
	25mm*1/2"	गोटा			१५५.००
	25mm*3/4"	गोटा			१७६.००
	32mm*1/2"	गोटा			१९६.००
	32mm*3/4"	गोटा			२०६.००
	32mm*1"	गोटा			३९२.००
	40mm*5/4"	गोटा			६४९.००
	50mm*6/4"	गोटा			१०४८.००
	63mm*2"	गोटा			१३९५.००
	75mm	गोटा			३४८०.००
	90mm	गोटा			४७६९.००
	110mm	गोटा			८९६८.००
	<b>FEMALE SOCKET</b>				
	20mm*1/2"	गोटा			११०.००
	20mm*3/4"	गोटा			१२५.००
	25mm*1/2"	गोटा			१३५.००
	25mm*3/4"	गोटा			१३७.००
	32mm*1/2"	गोटा			१३१.००
	32mm*3/4"	गोटा			१४१.००
	32mm*1"	गोटा			३०६.००
	40mm*5/4"	गोटा			५७०.००
	50mm*6/4"	गोटा			७९१.००
	63mm*2"	गोटा			१०७०.००
	75mm	गोटा			३०४२.००
	90mm	गोटा			४१८४.००
	110mm	गोटा			७९००.००
२६	<b>Male Coupling</b>				
	20mmx1/2"	गोटा	१२२.१२	१२२.१२	१३४.००
	20mmx3/4"	गोटा	१२९.२०	१२९.२०	१४२.००

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	25mmx1/2"	गोटा	१४८.६७	१४८.६७	१६३.००
	25mmx3/4"	गोटा	१७०.८०	१७०.८०	१८७.००
	32mmx1/2"	गोटा	१५३.९८	१५३.९८	१६९.००
	32mmx3/4"	गोटा	१६४.६०	१६४.६०	१८१.००
	32mmx1"	गोटा	३३०.०९	३३०.०९	३६३.००
	40mmx1-1/4"	गोटा	५५८.४९	५५८.४९	६१४.००
	50mmx1-1/2"	गोटा	८४९.५९	८४९.५९	९२५.००
	63mmx2"	गोटा	१११०.६२	१११०.६२	१२२९.००
	75mmx2-1/2"	गोटा	२७६९.०६	२७६९.०६	३०३७.००
२७	<b>Female Coupling</b>				
	20mmx1/2"	गोटा	९९.९२	९९.९२	१०९.००
	20mmx3/4"	गोटा	११६.८९	११६.८९	१२८.००
	25mmx1/2"	गोटा	१३०.९७	१३०.९७	१४४.००
	25mmx3/4"	गोटा	१३२.७४	१३२.७४	१४६.००
	32mmx1/2"	गोटा	११२.३९	११२.३९	१२३.००
	32mmx3/4"	गोटा	१२०.३५	१२०.३५	१३२.००
	32mmx1"	गोटा	२८३.९९	२८३.९९	३११.००
	40mmx1-1/4"	गोटा	४९०.२७	४९०.२७	५३९.००
	50mmx1-1/2"	गोटा	६३५.४०	६३५.४०	६९८.००
	63mmx2"	गोटा	८५९.३३	८५९.३३	९३६.००
	75mmx2-1/2"	गोटा	२५२६.५५	२५२६.५५	२७७९.००
२८	<b>Male Union</b>				
	20mmx1/2"	गोटा	२७५.२२	२७५.२२	३०२.००
	25mmx3/4"	गोटा	३९५.५८	३९५.५८	४३५.००
	32mmx1"	गोटा	५८९.४२	५८९.४२	६३९.००
	40mmx1 <sup>1/4</sup> "	गोटा	१०४६.९०	१०४६.९०	११५९.००
	50mmx1/2"	गोटा	१३९९.९२	१३९९.९२	१५३९.००
	63mmx2"	गोटा	३६०९.७३	३६०९.७३	३९७०.००
२९	<b>Female Union</b>				
	20mmx1/2"	गोटा	२६५.४९	२६५.४९	२९२.००
	25mmx3/4"	गोटा	३४४.२५	३४४.२५	३७८.००
	32mmx1"	गोटा	५५५.७५	५५५.७५	६११.००
	40mmx1 <sup>1/4</sup> "	गोटा	७६७.२६	७६७.२६	८४३.००
	50mmx1/2"	गोटा	१३१०.६२	१३१०.६२	१४४९.००
	63mmx2"	गोटा	२३९९.९५	२३९९.९५	२६३०.००
३०	<b>Stop Valve</b>				
	20 mm	गोटा	३१७.७०	३१७.७०	३४९.००
	25 mm	गोटा	४१८.५८	४१८.५८	४६०.००
	32 mm	गोटा	५०५.३९	५०५.३९	५५५.००
	40mm	गोटा	५४९.५९	५४९.५९	५९५.००
	50 mm	गोटा	९०२.६५	९०२.६५	९९२.००
	63 mm	गोटा	१३५५.७५	१३५५.७५	१४९९.००
	75 mm	गोटा			२८४०.००
	90 mm	गोटा			३९०९.००

## पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	110 mm	गोटा			४२४९.००
	<b>MALE SEATED ELBOW</b>				
	20mm*1/2"	गोटा			१५५.००
	25mm*1/2"	गोटा			१७८.००
	25mm*3/4"	गोटा			१९८.००
	<b>FEMALE SEATED ELBOW</b>				
	20mm*1/2"	गोटा			१६८.००
	25mm*1/2"	गोटा			२१०.००
	25mm*3/4"	गोटा			२२०.००
३१	<b>Male base elbow</b>				
	20mm x 1/2"	गोटा	१४२.४८	१४२.४८	१५६.००
	25mm x 1/2"	गोटा	१७६.११	१७६.११	१९३.००
	25mm x 3/4"	गोटा	१७६.११	१७६.११	१९३.००
३२	<b>Female base elbow</b>				
	20mm x 1/2"	गोटा	१३९.८२	१३९.८२	१५३.००
	25mm x 1/2"	गोटा	१७९.६८	१७९.६८	१८८.००
	25mm x 3/4"	गोटा	१६९.०३	१६९.०३	१८५.००
३३	<b>Metal Ball valve (double)</b>				
	20mmx1/2"	गोटा	५८६.७३	५८६.७३	६४५.००
	25mmx3/4"	गोटा	८५९.२९	८५९.२९	९४५.००
	32mmx1"	गोटा	१०६१.०६	१०६१.०६	११६७.००
	40mmx1-1/4"	गोटा	३०२१.२४	३०२१.२४	३३२३.००
	50mmx1-1/2"	गोटा	४१५१.३३	४१५१.३३	४५६६.००
३४	<b>Metal Ball valve (Single)</b>				
	20mmx1/2"	गोटा	५४१.५९	५४१.५९	५९५.००
	25mmx3/4"	गोटा	७०५.३१	७०५.३१	७७५.००
	32mmx1"	गोटा	११९५.५८	११९५.५८	१३१५.००
३५	<b>Conceal Valve (Lux)</b>				
	20mm	गोटा	१०१२.३९	१०१२.३९	१११३.००
३६	<b>Conceal Valve (Nor)</b>				
	20mm	गोटा	८५२.२१	८५२.२१	९३७.००
३७	<b>Ball Valve (Plastic)</b>				
	20mm	गोटा	८५.८४	८५.८४	९४.००
	25mm	गोटा	११६.८१	११६.८१	१२८.००
	32mm	गोटा	१९९.१२	१९९.१२	२१९.००
	40mm	गोटा	४३२.७४	४३२.७४	४७६.००
	50mm	गोटा	६२७.४३	६२७.४३	६९०.००
	63 mm	गोटा	१०६१.०६	१०६१.०६	११६७.००
	75 mm	गोटा			१६३३.००
	90 mm	गोटा			३२३७.००
	110 mm	गोटा			४४२७.००
३८	<b>Ball Valve (Brass)</b>				
	20mm	गोटा	३११.५०	३११.५०	३४२.००

**पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	25mm	गोटा	३८४.०७	३८४.०७	४२२.००
	32mm	गोटा	५२९.२४	५२९.२४	५७३.००
	40mm	गोटा	८६९.९५	८६९.९५	९४८.००
	<b>TANK NIPPLE</b>				
	32mm	गोटा			२६५.००
	40mm	गोटा			३२७.००
	<b>PIPE TANK NIPPLE</b>				
	32mm	गोटा			१४८.००
	<b>BALL VALVE METAL BODY</b>				
	20mm	गोटा			५९२.००
	25mm	गोटा			८०४.००
	32mm	गोटा			११६६.००
	40mm	गोटा			१५५२.००
	50mm	गोटा			१९४९.००
	63mm	गोटा			२४८५.००
	75mm	गोटा			६७२४.००
	90mm	गोटा			१०८८५.००
	110mm	गोटा			१३०६२.००
	<b>BALL VALVE FEMALE</b>				
	20mm	गोटा			५९२.००
	25mm	गोटा			८०४.००
	32mm	गोटा			११६६.००
	40mm	गोटा			१५५२.००
	50mm	गोटा			१९४९.००
	63mm	गोटा			२४८५.००
	75mm	गोटा			६७२४.००
	90mm	गोटा			१०८८५.००
	110mm	गोटा			१३०६२.००
	<b>PLUG NIPPLE</b>				
	20mm	गोटा			११.००
	<b>DOUBLE FEMALE ELBOW</b>				
	20mm*1/2"	गोटा			२५६.००
	25mm*1/2"	गोटा			२९४.००

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
<b>A</b>	<b>UPVC Pipes</b>				
१	<b>UPVC Pipe NS 206/046 - 2.5 kg /cm<sup>2</sup> Pressure</b>				
	90 mm	र.मी	१५१.०४	१५१.०४	१६६.००
	110 mm	र.मी	२२४.९१	२२४.९१	२४७.००
	125 mm	र.मी	२८६.६५	२८६.६५	३१५.००
	140 mm	र.मी	३५३.९०	३५३.९०	३८९.००
	160 mm	र.मी	४६१.९५	४६१.९५	५०८.००
	180 mm	र.मी	५९२.०४	५९२.०४	६५१.००
	200 mm	र.मी	७२४.३४	७२४.३४	७९६.००
२	<b>UPVC Pipe NS 206/046 - 4 kg /cm<sup>2</sup> Pressure</b>				
	63mm	र.मी	१२०.१७	१२०.१७	१३२.००
	75mm	र.मी	१६५.३८	१६५.३८	१८१.००
	90 mm	र.मी	२३७.०४	२३७.०४	२६०.००
	110 mm	र.मी	३२५.२४	३२५.२४	३५७.००
	125 mm	र.मी	४४७.६२	४४७.६२	४९२.००
	140 mm	र.मी	५६८.८९	५६८.८९	६२५.००
	160 mm	र.मी	७३५.३७	७३५.३७	८०८.००
	180 mm	र.मी	९४५.९५	९४५.९५	१०४०.००
	200 mm	र.मी	११४७.७०	११४७.७०	१२६२.००
३	<b>UPVC Pipe NS 206/046 - 6 kg /cm<sup>2</sup> Pressure</b>				
	40mm	र.मी	७०.५६	७०.५६	७७.००
	50mm	र.मी	१०६.९४	१०६.९४	११७.००
	63mm	र.मी	१७१.९९	१७१.९९	१८९.००
	75mm	र.मी	२३९.२४	२३९.२४	२६३.००
	90 mm	र.मी	३४३.९८	३४३.९८	३७८.००
	110 mm	र.मी	४९८.३३	४९८.३३	५४८.००
	125 mm	र.मी	६६३.७१	६६३.७१	७३०.००
	140 mm	र.मी	८२६.८८	८२६.८८	९०९.००
	160 mm	र.मी	१०५८.४०	१०५८.४०	११६४.००
	180 mm	र.मी	१३५०.५६	१३५०.५६	१४८५.००
	200 mm	र.मी	१६५३.७५	१६५३.७५	१८१९.००
४	<b>UPVC Pipe NS 206/046 - 10 kg /cm<sup>2</sup> Pressure</b>				
	20 mm	र.मी	२७.५६	२७.५६	३०.००
	25 mm	र.मी	४३.००	४३.००	४७.००
	32mm	र.मी	७०.५६	७०.५६	७७.००
	40mm	र.मी	१०५.८४	१०५.८४	११६.००
	50mm	र.मी	१६६.४८	१६६.४८	१८३.००
	63mm	र.मी	२६५.७०	२६५.७०	२९२.००
	75mm	र.मी	३७८.९६	३७८.९६	४१५.००
	90 mm	र.मी	५३९.१२	५३९.१२	५९३.००
	110 mm	र.मी	८००.४२	८००.४२	८८०.००
	125 mm	र.मी	१०२४.२२	१०२४.२२	११२६.००
	140 mm	र.मी	१२९३.२३	१२९३.२३	१४२२.००
	160 mm	र.मी	१६६३.६७	१६६३.६७	१८३०.००
	180 mm	र.मी	२१२०.११	२१२०.११	२३३२.००
	200 mm	र.मी	२६२१.७५	२६२१.७५	२८८३.००
	<b>UPVC PIPE AS PER IS 13592</b>				
	50mm	र.मी			८८.००

## यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई			
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
	75mm	र.मी			१४१.००
	110mm	र.मी			२७८.००
	160mm	र.मी			५८६.००
	200mm	र.मी			९०५.००
	<b>DURADRAIN</b>				
	110mm SN 8	र.मी			४२४.००
	75mm SN 8	र.मी			२९०.००
<b>B</b>	<b>UPVC fittings</b>				
१	<b>Coupler</b>				
	50 mm	गोटा	३४.९८	३४.९८	३६.००
	75 mm	गोटा	८२.६९	८२.६९	८८.००
	110 mm	गोटा	१४९.९२	१४९.९२	१५०.००
२	<b>Bend 87.5 degree</b>				
	50 mm	गोटा	५०.७२	५०.७२	५४.००
	75 mm	गोटा	११९.०७	११९.०७	१२६.००
	110 mm	गोटा	२२०.५०	२२०.५०	२३५.००
३	<b>Bend 45 degree</b>				
	50 mm	गोटा	४९.६९	४९.६९	५२.००
	75 mm	गोटा	९७.०२	९७.०२	१०३.००
	110 mm	गोटा	१७४.२०	१७४.२०	१८५.००
४	<b>Single Tee</b>				
	50 mm	गोटा	७४.९७	७४.९७	७९.००
	75 mm	गोटा	१६२.०७	१६२.०७	१७२.००
	110 mm	गोटा	३०७.६०	३०७.६०	३२७.००
५	<b>Pipe clip</b>				
	50 mm	गोटा	१५.४४	१५.४४	१६.००
	75 mm	गोटा	३०.८७	३०.८७	३२.००
	110 mm	गोटा	४०.७९	४०.७९	४३.००
६	<b>Bend 87.5 degree with door</b>				
	75 mm	गोटा	१५३.२५	१५३.२५	१६३.००
	110 mm	गोटा	२६६.८९	२६६.८९	२८४.००
७	<b>Single Tee with door</b>				
	75 mm	गोटा	२९८.३०	२९८.३०	३३२.००
	110 mm	गोटा	४०६.८२	४०६.८२	४३३.००
८	<b>Double Tee</b>				
	75 mm	गोटा	३५५.०९	३५५.०९	३७८.००
	110 mm	गोटा	५६२.२८	५६२.२८	५९९.००
९	<b>Double Tee with door</b>				
	75 mm	गोटा	४७०.७७	४७०.७७	५०९.००
	110 mm	गोटा	७२९.८६	७२९.८६	७७८.००
१०	<b>Vent cowl</b>				
	75 mm	गोटा	५८.४३	५८.४३	६२.००
	110 mm	गोटा	९५.९२	९५.९२	१०२.००
११	<b>Socket plug</b>				
	75 mm	गोटा	७२.७७	७२.७७	७७.००
	110 mm	गोटा	११९.०७	११९.०७	१२६.००
१२	<b>Single "Y"</b>				

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई			
			आ.ब.०७७७७	आ.ब.०७७७७	आ.ब.०७७७७
	75 mm	गोटा	१८५.२२	१८५.२२	१९७.००
	110 mm	गोटा	४००.२१	४००.२१	४२६.००
१३	<b>Single "Y" with door</b>				
	75 mm	गोटा	२५३.५८	२५३.५८	२७०.००
	110 mm	गोटा	४८२.९०	४८२.९०	५१४.००
१४	<b>Double "Y"</b>				
	75 mm	गोटा	२७८.९३	२७८.९३	२९७.००
	110 mm	गोटा	५५०.१५	५५०.१५	५८६.००
१५	<b>Double "Y" with door</b>				
	75 mm	गोटा	३५८.३१	३५८.३१	३८२.००
	110 mm	गोटा	५७६.६१	५७६.६१	६१४.००
१६	<b>Cleaning pipe</b>				
	75 mm	गोटा	१६२.०७	१६२.०७	१७२.००
	110 mm	गोटा	३१३.११	३१३.११	३३३.००
१७	<b>Reducer</b>				
	110x 75 mm	गोटा	१४४.४३	१४४.४३	१५३.००
	75X50 mm	गोटा	७६.०७	७६.०७	८१.००
१८	<b>P -Trap</b>				
	125mmx110mm	गोटा	५९४.२५	५९४.२५	६३३.००
	110mmx110mm	गोटा	५५६.७६	५५६.७६	५९३.००
	75mmx75mm	गोटा	२१२.७८	२१२.७८	२२६.००
१९	<b>Multi-Floor -Trap</b>				
	110mmx75mm	गोटा	३०८.७०	३०८.७०	३२९.००
२०	<b>Nahani-Trap</b>				
	110mmx75mm	गोटा	२८१.१४	२८१.१४	२९९.००
२२	W.C. Connector (bent type)	गोटा	२८७.७५	२८७.७५	३०६.००
२३	Square tile with jali	गोटा	९२.६१	९२.६१	९८.००
२४	Round jali	गोटा	४१.९०	४१.९०	४४.००
२५	End cap 50mm	गोटा	२७.५६	२७.५६	२९.००

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	1/2" dia. (42.19 Kg/cm2)	र.मि	११४.००	११४.००	१२१.००
	3/4" dia. (33.75 Kg/cm2)	र.मि	१४७.००	१४७.००	१५६.००
	1" dia. (31.64 Kg/cm2)	र.मि	२२६.००	२२६.००	२४०.००
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२७९.००	२७९.००	२९७.००
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३४२.००	३४२.००	३६४.००
	2" dia. (19.69 Kg/cm2)	र.मि	४८५.००	४८५.००	५१७.००
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	६७८.००	६७८.००	७२२.००
	3" dia. (18.28 Kg/cm2)	र.मि	८५६.००	८५६.००	९१२.००
	4" dia. (15.47 Kg/cm2)	र.मि	१२५६.००	१२५६.००	१३१८.००
	6" dia. (12.66 Kg/cm2)	र.मि	२६१६.००	२६१६.००	२७४६.००
	<b>PVC FITTINGS as per ASTM D 2466</b>				
	<b>PVC Tee - Soc</b>				
	1/2"	गोटा	३२.००	३२.००	३४.००
	3/4"	गोटा	४४.००	४४.००	४६.००
	1"	गोटा	६९.००	६९.००	७३.००
	1-1/4"	गोटा	१०९.००	१०९.००	११६.००
	1-1/2"	गोटा	१४३.००	१४३.००	१५२.००
	2"	गोटा	२२१.००	२२१.००	२३५.००
	2-1/2"	गोटा	६३३.००	६३३.००	६७४.००
	3"	गोटा	८३१.००	८३१.००	८८६.००
	4"	गोटा	१५०३.००	१५०३.००	१५७८.००
	6"	गोटा	८३३६.००	८३३६.००	८७५२.००
	<b>PVC Reducer Tee - Soc</b>				
	3/4 x 1/2	गोटा	६३.००	६३.००	६७.००
	1 x 1/2	गोटा	९७.००	९७.००	१०३.००
	1 x 3/4	गोटा	९७.००	९७.००	१०३.००
	1-1/2 X 1/2	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 3/4	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 1	गोटा	३२९.००	३२९.००	३५०.००
	1-1/2 X 1-1/4	गोटा	३२९.००	३२९.००	३५०.००
	2 X 1/2	गोटा	४०६.००	४०६.००	४३२.००
	2 X 3/4	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1-1/4	गोटा	४०६.००	४०६.००	४३२.००
	2 X 1-1/2	गोटा	४०६.००	४०६.००	४३२.००
	2-1/2 X 1/2	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 3/4	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1-1/4	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 1-1/2	गोटा	१०४३.००	१०४३.००	१०९५.००
	2-1/2 X 2	गोटा	१०४३.००	१०४३.००	१०९५.००
	3 X 1/2	गोटा	१५२३.००	१५२३.००	१५९९.००

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७७	आ.व.०७८७	आ.व.०७९८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	3 X 3/4	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 1	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 1-1/4	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 1-1/2	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 2	गोटा	१५२३.००	१५२३.००	१५९९.००
	3 X 2-1/2	गोटा	१५२३.००	१५२३.००	१५९९.००
	6 X 1-1/4	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 1-1/2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 2-1/2	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 3	गोटा	८००७.००	८००७.००	८४०७.००
	6 X 4	गोटा	८००७.००	८००७.००	८४०७.००
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>				
	1/2"	गोटा	१६१.००	१६१.००	१७१.००
	3/4"	गोटा	२९२.००	२९२.००	३११.००
	3/4" X 1/2"	गोटा	२३७.००	२३७.००	२५२.००
	1" X 1/2"	गोटा	४२०.००	४२०.००	४४७.००
	<b>PVC 90° Elbow - Soc</b>				
	1/2"	गोटा	२६.००	२६.००	२७.००
	3/4"	गोटा	३०.००	३०.००	३१.००
	1"	गोटा	५३.००	५३.००	५६.००
	1-1/4"	गोटा	९३.००	९३.००	९९.००
	1-1/2"	गोटा	१०९.००	१०९.००	११६.००
	2"	गोटा	१६७.००	१६७.००	१७८.००
	2-1/2"	गोटा	४९६.००	४९६.००	५२८.००
	3"	गोटा	५९४.००	५९४.००	६३३.००
	4"	गोटा	१२१६.००	१२१६.००	१२७६.००
	6"	गोटा	५१२१.००	५१२१.००	५३७७.००
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>				
	1/2"	गोटा	१७३.००	१७३.००	१८४.००
	3/4"	गोटा	२४२.००	२४२.००	२५८.००
	3/4" X 1/2"	गोटा	२५०.००	२५०.००	२६६.००
	<b>PVC 45° Elbow - Soc</b>				
	1/2"	गोटा	५५.००	५५.००	५८.००
	3/4"	गोटा	८६.००	८६.००	९१.००
	1"	गोटा	१०२.००	१०२.००	१०८.००
	1-1/4"	गोटा	१४३.००	१४३.००	१५२.००
	1-1/2"	गोटा	१८०.००	१८०.००	१९१.००
	2"	गोटा	२३४.००	२३४.००	२४९.००
	2-1/2"	गोटा	६६९.००	६६९.००	७१३.००
	3"	गोटा	१०४०.००	१०४०.००	१०९२.००
	4"	गोटा	१८६६.००	१८६६.००	१९५९.००

**पि.भि.सि. पाईप तथा फिटिङ्गहरु**

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७७	आ.व.०७८१	आ.व.०७९१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	6"	गोटा	५९३५.००	५९३५.००	५३९९.००
	<b>PVC Coupling - Soc</b>				
	1/2"	गोटा	९७.००	९७.००	९८.००
	3/4"	गोटा	२६.००	२६.००	२७.००
	1"	गोटा	४९.००	४९.००	४३.००
	1-1/4"	गोटा	५६.००	५६.००	५९.००
	1-1/2"	गोटा	७६.००	७६.००	८९.००
	2"	गोटा	९९७.००	९९७.००	९२४.००
	2-1/2"	गोटा	२४७.००	२४७.००	२६३.००
	3"	गोटा	३८६.००	३८६.००	४९९.००
	4"	गोटा	६०४.००	६०४.००	६४३.००
	6"	गोटा	२४२०.००	२४२०.००	२५४९.००
	<b>PVC Reducer Coupling - Soc</b>				
	3/4 X 1/2	गोटा	४२.००	४२.००	४४.००
	1 X 3/4	गोटा	७३.००	७३.००	७७.००
	1-1/2 X 1-1/4	गोटा	९३९.००	९३९.००	९३९.००
	2 X 1-1/2	गोटा	२०८.००	२०८.००	२२९.००
	4 x 2	गोटा	९३९२.००	९३९२.००	९४६९.००
	4 X 3	गोटा	९३९२.००	९३९२.००	९४६९.००
	6 X 4	गोटा	२८९५.००	२८९५.००	३०३९.००
	<b>PVC Reducer Bushing - (Flush Style)</b>				
	3/4 X 1/2	गोटा	३५.००	३५.००	३७.००
	1 X 1/2	गोटा	५०.००	५०.००	५३.००
	1 X 3/4	गोटा	५०.००	५०.००	५३.००
	1-1/4 X 1/2	गोटा	८६.००	८६.००	९९.००
	1-1/4 X 3/4	गोटा	८६.००	८६.००	९९.००
	1-1/4 X 1	गोटा	८६.००	८६.००	९९.००
	1-1/2 X 1/2	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 3/4	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 1	गोटा	९०.००	९०.००	९५.००
	1-1/2 X 1-1/4	गोटा	९०.००	९०.००	९५.००
	2 X 1/2	गोटा	९६५.००	९६५.००	९७५.००
	2 X 3/4	गोटा	९६५.००	९६५.००	९७५.००
	2 X 1	गोटा	९६५.००	९६५.००	९७५.००
	2 X 1-1/4	गोटा	९६५.००	९६५.००	९७५.००
	2 X 1-1/2	गोटा	९६५.००	९६५.००	९७५.००
	2-1/2 X 1-1/4	गोटा	२३२.००	२३२.००	२४७.००
	2-1/2 X 1-1/2	गोटा	२३२.००	२३२.००	२४७.००
	2-1/2 X 2	गोटा	२३२.००	२३२.००	२४७.००
	3 X 1-1/2	गोटा	३४४.००	३४४.००	३६६.००
	3 X 2	गोटा	३४४.००	३४४.००	३६६.००
	3 X 2-1/2	गोटा	३४४.००	३४४.००	३६६.००

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७७	आ.व.०७८७	आ.व.०७९८०
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	4 X 2	गोटा	६७६.००	६७६.००	७२०.००
	4 X 3	गोटा	६७६.००	६७६.००	७२०.००
	6 X 2	गोटा	२२७९.००	२२७९.००	२३८४.००
	6 X 3	गोटा	२२७९.००	२२७९.००	२३८४.००
	6 X 4	गोटा	२२७९.००	२२७९.००	२३८४.००
	<b>PVC Cap - Soc</b>				
	1/2"	गोटा	२४.००	२४.००	२५.००
	3/4"	गोटा	३०.००	३०.००	३१.००
	1"	गोटा	४२.००	४२.००	४४.००
	1-1/4"	गोटा	६०.००	६०.००	६३.००
	1-1/2"	गोटा	६६.००	६६.००	७०.००
	2"	गोटा	७९.००	७९.००	८४.००
	2-1/2"	गोटा	२५४.००	२५४.००	२७०.००
	3"	गोटा	२७८.००	२७८.००	२९६.००
	4"	गोटा	६३३.००	६३३.००	६७४.००
	6"	गोटा	२४९८.००	२४९८.००	२६२२.००
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>				
	1/2"	गोटा	२५४.००	२५४.००	२७०.००
	3/4"	गोटा	२९९.००	२९९.००	३१०.००
	1"	गोटा	२९८.००	२९८.००	३१७.००
	1-1/4"	गोटा	९६०.००	९६०.००	१०२३.००
	1-1/2"	गोटा	१००९.००	१००९.००	१०५९.००
	2"	गोटा	१३५०.००	१३५०.००	१४१७.००
	2-1/2"	गोटा	१८८९.००	१८८९.००	१९८३.००
	3"	गोटा	३०९८.००	३०९८.००	३१६८.००
	4"	गोटा	४९७८.००	४९७८.००	४३८६.००
	<b>PVC Male Adaptor - Soc x MBSP</b>				
	1/2"	गोटा	४६.००	४६.००	४९.००
	3/4"	गोटा	५४.००	५४.००	५७.००
	1"	गोटा	७९.००	७९.००	७५.००
	1-1/4"	गोटा	८७.००	८७.००	९२.००
	1-1/2"	गोटा	१२९.००	१२९.००	१२९.००
	2"	गोटा	१५६.००	१५६.००	१६६.००
	2-1/2"	गोटा	५४५.००	५४५.००	५८९.००
	3"	गोटा	६४८.००	६४८.००	६९०.००
	4"	गोटा	१०२५.००	१०२५.००	१०७६.००
	6"	गोटा	२३५९.००	२३५९.००	२४७६.००
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>				
	1/2"	गोटा	२६२.००	२६२.००	२७९.००
	3/4"	गोटा	३५०.००	३५०.००	३७३.००
	1"	गोटा	५२७.००	५२७.००	५६९.००
	<b>PVC Female Adaptor - Soc x FBSP</b>				

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.व.०७७७	आ.व.०७८१	आ.व.०७९१
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	1/2"	गोटा	५९.००	५९.००	६२.००
	3/4"	गोटा	६९.००	६९.००	६५.००
	1"	गोटा	६४.००	६४.००	६८.००
	1-1/4"	गोटा	९६७.००	९६७.००	९७८.००
	1-1/2"	गोटा	२४५.००	२४५.००	२६९.००
	2"	गोटा	२३८.००	२३८.००	२५३.००
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>				
	1/2"	गोटा	२२०.००	२२०.००	२३४.००
	3/4"	गोटा	३९९.००	३९९.००	३३९.००
	1"	गोटा	३९९.००	३९९.००	४२५.००
	<b>PVC Ball Valve - Soc</b>				
	1/2"	गोटा	८८९.००	८८९.००	९२५.००
	3/4"	गोटा	९०४.००	९०४.००	९९०.००
	1"	गोटा	९४६.००	९४६.००	९५३.००
	1-1/4"	गोटा	९९८.००	९९८.००	२०८४.००
	1-1/2"	गोटा	३०२७.००	३०२७.००	३९७.००
	2"	गोटा	३८२.००	३८२.००	४०९.००
	2-1/2"	गोटा	६३२३.००	६३२३.००	६६३९.००
	3"	गोटा	९००९.००	९००९.००	९०४९.००
	4"	गोटा	९६५५.००	९६५५.००	९७२९.००
	6"	गोटा	३५९६९.००	३५९६९.००	३७३९९.००
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>				
	118ML	गोटा	३०६.००	३०६.००	३२९.००
	237ML	गोटा	४३९.००	४३९.००	४६०.००
	473ML	गोटा	७९५.००	७९५.००	८३४.००
	946ML	गोटा	९३०.००	९३०.००	९३७३.००
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>				
	118ML	गोटा	४९२.००	४९२.००	५९६.००
	237ML	गोटा	६४९.००	६४९.००	६८९.००
	473ML	गोटा	९९३.००	९९३.००	९९९४.००
	946ML	गोटा	९९६९.००	९९६९.००	२०६७.००

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.ब. ०७७७८	आ.ब.०७८७९	आ.ब.०७९/८०
1	<b>Class 500 PVC-O pipes-PN 12.5</b>				
	90 mm	र.मि	६५०.०३	७०२.०३	७३०.००
	110 mm	र.मि	९१७.३६	९९०.७५	१०५०.००
	125 mm	र.मि	१२९८.७८	१४०२.६८	१४५०.००
	140 mm	र.मि	१६३०.०५	१७६०.४५	१७५०.००
	160 mm	र.मि	२१२६.५०	२२९६.६२	२२००.००
	200 mm	र.मि	३३१६.८८	३५८२.२३	३५००.००
	225 mm	र.मि	४००६.९५	४३२७.५१	४४००.००
	250 mm	र.मि	४९३०.७५	५३२५.२१	५२००.००
	315 mm	र.मि	८२००.०३	८८५६.०३	८५००.००
	355 mm	र.मि	९९३८.३८	१०७३३.४५	१०८००.००
	400 mm	र.मि	१२२६७.४१	१३२४८.८०	१३७७८.००
	450 mm	र.मि	१७०६९.३४	१८४३४.८९	१९०००.००
	500 mm	र.मि	२१०४२.९८	२२७२६.४२	२२७००.००
	630 mm	र.मि	३३२५२.७०	३५९१२.९२	३६०००.००
	800 mm	र.मि	५३६०६.००	५७८९४.४८	५८०००.००
	1000 mm	र.मि			११००००.००
	1200 mm	र.मि			१५००००.००
2	<b>Class 500 PVC-O pipes-PN 16</b>				
	90 mm	र.मि	७८५.५७	८४८.४२	८५४.४०
	110 mm	र.मि	११६१.२४	१२५४.१४	१२६०.००
	125 mm	र.मि	१५०३.७६	१६२४.०६	१५५०.००
	140 mm	र.मि	१८८१.८३	२०३२.३८	१९५०.००
	160 mm	र.मि	२४६६.१२	२६६३.४१	२६००.००
	200 mm	र.मि	३८३९.८६	४१४७.०५	४०००.००
	225 mm	र.मि	४८५५.२२	५२४३.६४	४९५०.००
	250 mm	र.मि	५९९०.३८	६४६९.६१	६३००.००
	315 mm	र.मि	९४९१.१९	१०२५०.४९	९६००.००
	355 mm	र.मि	१२०४२.००	१३००५.३६	१२७००.००
	400 mm	र.मि	१३४८६.३५	१४५६५.२६	१५१४७.००
	450 mm	र.मि	१७९२३.०२	१९३५६.८६	२०१३१.००
	500 mm	र.मि	२१८९३.७८	२३६४५.२८	२४५९१.००
	630 mm	र.मि	३४१९८.७४	३६९३४.६४	३८४१२.००
	800 mm	र.मि	५३३३२.१३	५७६५२.७०	५९३३२.००
	1000 mm	र.मि			९६०००.००
	1200 mm	र.मि			१४००००.००
3	<b>Class 500 PVC-O pipes-PN 25</b>				
	90 mm	र.मि	१६५०.००	१७८२.००	१७००.००
	110 mm	र.मि	२४५०.००	२६४६.००	२५००.००
	125 mm	र.मि	२५५०.००	२७५४.००	२७००.००
	140 mm	र.मि	२९००.००	३१३२.००	३१००.००
	160 mm	र.मि	३५५०.००	३८३४.००	३८००.००
	200 mm	र.मि	४७६०.००	५१४०.८०	५३९७.००
	225 mm	र.मि			६५६६.००
	250 mm	र.मि	६७८०.००	७३२२.४०	७६८८.००
	315 mm	र.मि	९७००.००	१०४७६.००	१०८९५.०४
	355 mm	र.मि	१२५००.००	१३५००.००	१४०४०.००
	400 mm	र.मि	१७२९०.००	१८६७३.२०	१९४२०.१३

**पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु**

सि.नं.	सामग्रीहरुको विवरण	एकाई	दररेट		
			आ.ब. ०७७७	आ.ब. ०७८१	आ.ब. ०७९/८०
	450 mm	र.मि	२२८८५.९५	२४७९६.८३	२५७०५.५०
	500 mm	र.मि	२७८२७.३५	३००५३.५४	३१२५५.६८
	630 mm	र.मि	४२८९४.५३	४६३२६.०९	४८१७९.१४
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	गोटा	६१४६.३४	६६३८.०५	६९६९.००
	160	गोटा	१३३५१.८९	१४४२०.०४	१४९९६.८४
	200	गोटा	२४५२३.९३	२६४८५.८४	२७५४५.२८
	250	गोटा	३७३४२.५६	४०३२९.९६	४१९४३.१६
	315	गोटा	७५७९.३२	७७३०५.६७	७९६२४.००
	400	गोटा	१३३६१०.८९	१४४२९९.७६	१४७१८५.००
	Elbow 22.5° (PN 16)				
	110	गोटा	६३९२.१९	६९०३.५७	७२४८.००
	160	गोटा	१४०९३.९७	१५२२१.४९	१५८३०.३५
	200	गोटा	२५५०४.८९	२७५४५.२८	२८६४७.०९
	250	गोटा	३८८३६.२६	४१९४३.१६	४३६२०.८९
	315	गोटा	७४४४२.४९	८०३९७.८९	८२८०९.००
	400	गोटा	१३८९५५.३३	१५००७९.७६	१५३०७३.००
	Elbow 45° (PN 16)				
	110	गोटा	७०७०.९४	७६३६.६२	८०१८.००
	160	गोटा	१५४७५.४१	१६७९३.४४	१७३८१.९८
	200	गोटा	२८०४८.१९	३०२९२.०५	३१५०३.७३
	250	गोटा	४६००३.०३	४९६८३.२७	५१६७०.६०
	315	गोटा	८१६२५.२३	८८१५५.२५	९०७९९.००
	400	गोटा	१५८११९.९३	१७०७६९.५२	१७४१८४.००
	Elbow 90° (PN 16)				
	110	गोटा	१००४१.४५	१०८४४.७७	११२७८.५६
	160	गोटा	२०११८.८४	२१७२८.३५	२२५९७.४८
	200	गोटा	३६१८१.१७	३९०७५.६६	४०६३८.६९
	250	गोटा	६०२६४.६८	६५०८५.८५	६७०३८.००
	315	गोटा	९३८६६.६१	१०१३७५.९४	१०३४०३.००
	400	गोटा	१८८१६४.४३	२०३२१७.५८	२०७२८१.००
	COUPLER (PN 16)				
	110	गोटा	६१३२.६७	६६२३.२८	६९५४.००
	160	गोटा	१०९३५.८०	११८१०.६६	१२२८३.०९
	200	गोटा	१५८०६.८०	१७०७९.३४	१७७५४.२०
	250	गोटा	२९५८५.३५	३१९५२.१८	३३२३०.२७
	315	गोटा	५६०८०.४१	६०५६६.८४	६२३८३.००
	400	गोटा	१२४२९८.३३	१३४२४२.२०	१३६९२७.००
	SLIDING COUPLER (PN 16)				
	110	गोटा	६१३२.६७	६६२३.२८	६९५४.००
	160	गोटा	१०९३५.८०	११८१०.६६	१२२८३.०९
	200	गोटा	१५८०६.८०	१७०७९.३४	१७७५४.२०
	250	गोटा	२९५८५.३५	३१९५२.१८	३३२३०.२७
	315	गोटा	५६०८०.४१	६०५६६.८४	६२३८३.००
	400	गोटा	१२४२९८.३३	१३४२४२.२०	१३६९२७.००
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा	७६६१.८६	८२७४.८१	८६८८.००

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई			
			आ.ब. ०७७७	आ.ब.०७८१	आ.ब.०७९/८०
	160 to 110	गोटा	१२५७६.७७	१३५८२.९१	१४१२६.२३
	200 to 160	गोटा	१२६१२.७०	१३६२१.७२	१४१६६.५८
	250 to 200	गोटा	२१७५५.८१	२३४९६.२७	२४४३६.१३
	315 to 250	गोटा	४८५९४.२४	५२४८१.७८	५४०५६.००
	400 to 315	गोटा	१००८६९.६८	१०८९३९.२५	१११११८.००

## सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७७	आ.ब.०७८७९	आ.ब.०७९१०
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm<sup>2</sup>)-ASTM F-493 2846</b>				
	1/2" dia	र.मि	११५.००	११५.००	१२२.००
	3/4" dia	र.मि	१६०.००	१६०.००	१७०.००
	1" dia	र.मि	२१०.००	२१०.००	२२३.००
	1-1/4" dia	र.मि	२६१.००	२६१.००	२७८.००
	1-1/2" dia	र.मि	३६६.००	३६६.००	३९०.००
	2" dia	र.मि	५५९.००	५५९.००	५९६.००
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm<sup>2</sup>)-ASTM F-493 2846</b>				
	1/2" dia	र.मि	१३३.००	१३१.००	१३९.००
	3/4" dia	र.मि	१७८.००	१७८.००	१८९.००
	1" dia	र.मि	२४८.००	२४८.००	२६४.००
	1-1/4" dia	र.मि	३००.००	३००.००	३१९.००
	1-1/2" dia	र.मि	४१८.००	४१८.००	४४५.००
	2" dia	र.मि	६७७.००	६७७.००	७२१.००
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2"	र.मि	३६५.००	२२१.००	२३५.००
	3/4"	र.मि	४८६.००	३४१.००	३६३.००
	1"	र.मि	५८८.००	५६०.००	५९७.००
	1-1/4"	र.मि	१३७१.००	९९४.००	१०५९.००
	1-1/2"	र.मि	१६४३.००	१६४३.००	१७२५.००
	2"	र.मि	२११७.००	२११७.००	२२२२.००
	<b>CPVC Reducer Brass Coupling</b>				
	3/4" X 1/2"	गोटा	१३८.००	१३८.००	१४७.००
	1" X 1/2"	गोटा	१८१.००	१८१.००	१९२.००
	<b>CPVC Tee</b>				
	1/2"	गोटा	३६.००	३६.००	३८.००
	3/4"	गोटा	७७.००	७७.००	८२.००
	1"	गोटा	११७.००	११७.००	१२४.००
	1-1/4"	गोटा	२२०.००	२२०.००	२३४.००
	1-1/2"	गोटा	३२०.००	३२०.००	३४१.००
	2"	गोटा	६८७.००	६८७.००	७३२.००
	<b>CPVC Reducer Tee</b>				
	1/2" x 1/2" x 3/4"	गोटा	७०.००	७०.००	७४.००
	3/4" x 3/4" x 1/2"	गोटा	१०७.००	१०७.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१३४.००	१३४.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१५३.००	१५३.००	१६३.००
	1" x 1" x 3/4"	गोटा	१६१.००	१६१.००	१७१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२५१.००	२५१.००	२६७.००
	2" x 2" x 1"	गोटा	४३६.००	४३६.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१४२.००	१४२.००	१५१.००
	1-1/4" x 1-1/4" x 1"	गोटा	१५३.००	१५३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४२८.००	४२८.००	४५६.००
	1" x 1" x 1/2"	गोटा	१००.००	१००.००	१०६.००
	<b>CPVC Brass FPT Tee</b>				
	1/2" x 1/2" x 1/2"	गोटा	१२०.००	१२०.००	१२७.००
	3/4" x 3/4" x 1/2"	गोटा	१२५.००	१२५.००	१३३.००

## सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७७	आ.ब.०७८७९	आ.ब.०७९१०
	1" x 1" x 1/2"	गोटा	१३९.००	१३९.००	१४८.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५०१.००	५०१.००	५३४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२७२.००	२७२.००	२९०.००
	<b>CPVC Elbow 90°</b>				
	1/2"	गोटा	२५.००	१७.००	१८.००
	3/4"	गोटा	५२.००	३१.००	३३.००
	1"	गोटा	९५.००	५८.००	६१.००
	1-1/4"	गोटा	१७९.००	११७.००	१२४.००
	1-1/2"	गोटा	२६७.००	१६९.००	१८०.००
	2"	गोटा	५७२.००	३७२.००	३९६.००
	<b>CPVC Reducer Elbow 90°</b>				
	3/4" X 1/2"	गोटा	५३.००	५३.००	५६.००
	<b>CPVC Brass FPT Elbow 90°</b>				
	1/2" x 1/2"	गोटा	२२५.००	२२५.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२७०.००	२७०.००	२८७.००
	1" X 1/2"	गोटा	३९८.००	३९८.००	४२४.००
	1" X 1"	गोटा	४७१.००	४७१.००	५०२.००
	1-1/4" x 1-1/4"	गोटा	८६२.००	८६२.००	९१९.००
	<b>CPVC Elbow 45°</b>				
	1/2"	गोटा	३०.००	३०.००	३१.००
	3/4"	गोटा	५४.००	५४.००	५७.००
	1"	गोटा	७७.००	७७.००	८२.००
	1-1/4"	गोटा	१३६.००	१३६.००	१४५.००
	1-1/2"	गोटा	१९७.००	१९७.००	२१०.००
	2"	गोटा	४२७.००	४२७.००	४५५.००
	<b>CPVC Male Adapter (CPVC Threads)</b>				
	1/2"	गोटा	२२.००	२२.००	२३.००
	3/4"	गोटा	३९.००	३९.००	४१.००
	1"	गोटा	५९.००	५९.००	६२.००
	1-1/4"	गोटा	१०६.००	१०६.००	११३.००
	1-1/2"	गोटा	१४९.००	१४९.००	१५८.००
	2"	गोटा	२९०.००	२९०.००	३०९.००
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>				
	3/4" x 1/2"	गोटा	४१.००	४१.००	४३.००
	<b>CPVC Male Adapters (Brass Threads)</b>				
	1/2"	गोटा	२०६.००	२०६.००	२१९.००
	3/4"	गोटा	२६७.००	२६७.००	२८४.००
	1"	गोटा	४२१.००	४२१.००	४४८.००
	1-1/4"	गोटा	९२६.००	९२६.००	९८७.००
	1-1/2"	गोटा	१०८०.००	१०८०.००	११५१.००
	2"	गोटा	२२२४.००	२२२४.००	२३७१.००
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>				
	3/4" x 1/2"	गोटा	२२९.००	२२९.००	२४४.००
	<b>CPVC Female Adapter (CPVC Threads)</b>				
	1/2"	गोटा	३१.००	३१.००	३३.००
	3/4"	गोटा	५१.००	५१.००	५४.००

## सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७७	आ.ब.०७७७७	आ.ब.०७७७७
	1"	गोटा	७७.००	७७.००	८२.००
	<b>CPVC Female Adapters Brass Threads</b>				
	1/2"	गोटा	१९८.००	१९८.००	२११.००
	3/4"	गोटा	२६९.००	२६९.००	२८६.००
	1"	गोटा	३४९.००	३४९.००	३७२.००
	1-1/4"	गोटा	९१७.००	९१७.००	९७७.००
	1-1/2"	गोटा	१०२०.००	१०२०.००	१०७१.००
	2"	गोटा	१९९४.००	१९९४.००	२०९३.००
	<b>CPVC Caps</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२५.००	२५.००	२६.००
	1"	गोटा	३७.००	३७.००	३९.००
	1-1/4"	गोटा	७२.००	७२.००	७६.००
	1-1/2"	गोटा	१०६.००	१०६.००	११३.००
	2"	गोटा	२२५.००	२२५.००	२३९.००
	<b>CPVC Union</b>				
	1/2"	गोटा	२७०.००	२७०.००	२८७.००
	3/4"	गोटा	३९८.००	३९८.००	४२४.००
	1"	गोटा	४७१.००	४७१.००	५०२.००
	1-1/4"	गोटा	८६२.००	८६२.००	९१९.००
	1-1/2"	गोटा	९४२.००	९४२.००	१००४.००
	2"	गोटा	१३५२.००	१३५२.००	१४१९.००
	<b>CPVC Cross Tee</b>				
	1/2"	गोटा	४९.००	४९.००	५२.००
	3/4"	गोटा	१०६.००	१०६.००	११३.००
	<b>CPVC Step Over Bend</b>	गोटा			
	1/2"	गोटा	६३.००	६३.००	६७.००
	3/4"	गोटा	१०४.००	१०४.००	११०.००
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2"	गोटा	६६१.००	६६१.००	७०४.००
	3/4"	गोटा	८०५.००	८०५.००	८५८.००
	1"	गोटा	९२१.००	९२१.००	९८१.००
	1-1/4"	गोटा	१८७९.००	१८७९.००	१९७२.००
	1-1/2"	गोटा	२३९१.००	२३९१.००	२५१०.००
	2"	गोटा	३०७५.००	३०७५.००	३२२८.००
	<b>CPVC Solvent Cement</b>				
	50ML	गोटा	१९९.००	१९९.००	२१२.००
	118ML	गोटा	३२९.००	३२९.००	३५०.००
	237ML	गोटा	५३३.००	५३३.००	५६८.००
	473ML	गोटा	८३८.००	८३८.००	८९३.००
	946ML	गोटा	१४७१.००	१४७१.००	१५४४.००
	<b>Plastic Strap</b>				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००

## सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७।७८	आ.ब.०७८।७९	आ.ब.०७९।८०
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१८.००	१८.००	१९.००
	<b>Metal Strap</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१६.००	१६.००	१७.००
	1"	गोटा	२१.००	२१.००	२२.००
	1-1/4"	गोटा	२५.००	२५.००	२६.००
	1-1/2"	गोटा	२७.००	२७.००	२८.००
	2"	गोटा	२९.००	२९.००	३०.००
	<b>Tee Holder</b>				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	<b>Elbow Holder</b>				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	<b>Snap Fix Repair Coupling</b>				
	1/2"	गोटा	२२९.००	२२९.००	२४४.००
	3/4"	गोटा	२४८.००	२४८.००	२६४.००
	<b>End plug threaded 1/2"</b>	गोटा	११.००	११.००	११.००

**GRP and HDPE/DWC Pipes**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
<b>A)</b>	<b>PN-3, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५०६४.००	५०६४.००	५३१७.००
	350 mm dia	मिटर	५८३३.००	५८३३.००	६१२४.००
	400 mm dia	मिटर	७८६८.००	७८६८.००	८२६९.००
	450 mm dia	मिटर	९३२७.००	९३२७.००	९७९३.००
	500 mm dia	मिटर	११४५३.००	११४५३.००	११९११.००
	600 mm dia	मिटर	१३५३६.००	१३५३६.००	१४०७७.००
	700 mm dia	मिटर	१९६९५.००	१९६९५.००	२०४८२.००
	800 mm dia	मिटर	२५६७८.००	२५६७८.००	२६७०५.००
	900 mm dia	मिटर	२७३७१.००	२७३७१.००	२८४६५.००
	1000 mm dia	मिटर	३३०२३.००	३३०२३.००	३४३४३.००
	1100 mm dia	मिटर	४४६५४.००	४४६५४.००	४६४४०.००
	1200 mm dia	मिटर	५२४४६.००	५२४४६.००	५४०१९.००
	1300 mm dia	मिटर	६४३७६.००	६४३७६.००	६६३०७.००
	1400 mm dia	मिटर	६९२४७.००	६९२४७.००	७१३२४.००
	1500 mm dia	मिटर	७८७०२.००	७८७०२.००	८१०६३.००
	1600 mm dia	मिटर	८५४०३.००	८५४०३.००	८७९६५.००
	1700 mm dia	मिटर	९६२८४.००	९६२८४.००	९९१७२.००
	1800 mm dia	मिटर	१०७०५१.००	१०७०५१.००	१०९१९२.००
	1900 mm dia	मिटर	११७९३१.००	११७९३१.००	१२०२८९.००
	2000 mm dia	मिटर	१२८८१२.००	१२८८१२.००	१३१३८८.००
	2100 mm dia	मिटर	१४३६६९.००	१४३६६९.००	१४६५४२.००
	2200 mm dia	मिटर	१५८५२५.००	१५८५२५.००	१६१६९५.००
	2300 mm dia	मिटर	१७३४४८.००	१७३४४८.००	१७६९१६.००
	2400 mm dia	मिटर	१८८३७०.००	१८८३७०.००	१९२१३७.००
<b>B)</b>	<b>PN-6, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५४४५.००	५४४५.००	५७१७.००
	350 mm dia	मिटर	६२७२.००	६२७२.००	६५८५.००
	400 mm dia	मिटर	८४६९.००	८४६९.००	८८८४.००
	450 mm dia	मिटर	१००२९.००	१००२९.००	१०४३०.००
	500 mm dia	मिटर	१२३१५.००	१२३१५.००	१२८०७.००
	600 mm dia	मिटर	१४५५५.००	१४५५५.००	१५१३७.००
	700 mm dia	मिटर	२११७८.००	२११७८.००	२२०२५.००
	800 mm dia	मिटर	२७६११.००	२७६११.००	२८७१५.००
	900 mm dia	मिटर	२९४३२.००	२९४३२.००	३०६०९.००
	1000 mm dia	मिटर	३५५०९.००	३५५०९.००	३६९२९.००
	1100 mm dia	मिटर	४८०१५.००	४८०१५.००	४९९३५.००
	1200 mm dia	मिटर	५६३९४.००	५६३९४.००	५८०८५.००
	1300 mm dia	मिटर	६९२२१.००	६९२२१.००	७१२९७.००
	1400 mm dia	मिटर	७४४५९.००	७४४५९.००	७६६९२.००
	1500 mm dia	मिटर	८४६२६.००	८४६२६.००	८७१६४.००
	1600 mm dia	मिटर	९१८३२.००	९१८३२.००	९४५८६.००
	1700 mm dia	मिटर	१०३५३१.००	१०३५३१.००	१०५४०१.००
	1800 mm dia	मिटर	११५१०८.००	११५१०८.००	११७४१०.००
	1900 mm dia	मिटर	१२६८०८.००	१२६८०८.००	१२९३४४.००
	2000 mm dia	मिटर	१३८५०७.००	१३८५०७.००	१४१२७७.००
	2100 mm dia	मिटर	१५४४८२.००	१५४४८२.००	१५७५७१.००
	2200 mm dia	मिटर	१७०४५७.००	१७०४५७.००	१७३८६६.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.ब.०७९/८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	2300 mm dia	मिटर	१८६५०३.००	१८६५०३.००	१९०२३३.००
	2400 mm dia	मिटर	२०२५४९.००	२०२५४९.००	२०६५९९.००
	<b>PN-9, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५८८१.००	५८८१.००	६१७५.००
	350 mm dia	मिटर	६७७४.००	६७७४.००	७११२.००
	400 mm dia	मिटर	९१३८.००	९१३८.००	९५९४.००
	450 mm dia	मिटर	१०८३१.००	१०८३१.००	११२६४.००
	500 mm dia	मिटर	१३३००.००	१३३००.००	१३८३२.००
	600 mm dia	मिटर	१५७९९.००	१५७९९.००	१६३४७.००
	700 mm dia	मिटर	२२८७२.००	२२८७२.००	२३७८६.००
	800 mm dia	मिटर	२९८२०.००	२९८२०.००	३०७९२.००
	900 mm dia	मिटर	३९७८६.००	३९७८६.००	३३०५७.००
	1000 mm dia	मिटर	३८३४९.००	३८३४९.००	३९८८२.००
	1100 mm dia	मिटर	५१८५६.००	५१८५६.००	५३४११.००
	1200 mm dia	मिटर	६०९०५.००	६०९०५.००	६२७३२.००
	1300 mm dia	मिटर	७४७५९.००	७४७५९.००	७७००१.००
	1400 mm dia	मिटर	८०४९६.००	८०४९६.००	८२८२८.००
	1500 mm dia	मिटर	९१३९६.००	९१३९६.००	९४१३७.००
	1600 mm dia	मिटर	९९१७८.००	९९१७८.००	१०२१५३.००
	1700 mm dia	मिटर	१११८१३.००	१११८१३.००	११४०४९.००
	1800 mm dia	मिटर	१२४३१७.००	१२४३१७.००	१२६८०३.००
	1900 mm dia	मिटर	१३६९५२.००	१३६९५२.००	१३९६९१.००
	2000 mm dia	मिटर	१४९५८८.००	१४९५८८.००	१५२५७९.००
	2100 mm dia	मिटर	१६६८४९.००	१६६८४९.००	१७०१७७.००
	2200 mm dia	मिटर	१८४०९४.००	१८४०९४.००	१८७७७५.००
	2300 mm dia	मिटर	२०१४२३.००	२०१४२३.००	२०५४५१.००
	2400 mm dia	मिटर	२१८७५३.००	२१८७५३.००	२२३१२८.००
<b>D)</b>	<b>PN-12, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	६४१०.००	६४१०.००	६७३०.००
	350 mm dia	मिटर	७३८४.००	७३८४.००	७७५३.००
	400 mm dia	मिटर	९९६०.००	९९६०.००	१०४५८.००
	450 mm dia	मिटर	११८०६.००	११८०६.००	१२२७८.००
	500 mm dia	मिटर	१४४९७.००	१४४९७.००	१५०७६.००
	600 mm dia	मिटर	१७१३४.००	१७१३४.००	१७८१९.००
	700 mm dia	मिटर	२४९३०.००	२४९३०.००	२५९२७.००
	800 mm dia	मिटर	३२५०३.००	३२५०३.००	३३८०३.००
	900 mm dia	मिटर	३४६४७.००	३४६४७.००	३६०३२.००
	1000 mm dia	मिटर	४१८०१.००	४१८०१.००	४३४७३.००
	1100 mm dia	मिटर	५६५२४.००	५६५२४.००	५८२१९.००
	1200 mm dia	मिटर	६६३८७.००	६६३८७.००	६८३७८.००
	1300 mm dia	मिटर	८१४८८.००	८१४८८.००	८३९३२.००
	1400 mm dia	मिटर	८७६५३.००	८७६५३.००	९०२८२.००
	1500 mm dia	मिटर	९९६२२.००	९९६२२.००	१०२६१०.००
	1600 mm dia	मिटर	१०८१०४.००	१०८१०४.००	११०२६६.००
	1700 mm dia	मिटर	१२१८७७.००	१२१८७७.००	१२४३१४.००
	1800 mm dia	मिटर	१३५५०६.००	१३५५०६.००	१३८२१६.००
	1900 mm dia	मिटर	१४९२७८.००	१४९२७८.००	१५२२६३.००

## GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.ब.०७९/८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	2000 mm dia	मिटर	१६३०५९.००	१६३०५९.००	१६६३९२.००
	2100 mm dia	मिटर	१८१८५७.००	१८१८५७.००	१८५४९४.००
	2200 mm dia	मिटर	२००६६२.००	२००६६२.००	२०४६७५.००
	2300 mm dia	मिटर	२१९५५९.००	२१९५५९.००	२२३९४२.००
	2400 mm dia	मिटर	२३८४४०.००	२३८४४०.००	२४३२०८.००
<b>E)</b>	<b>PN-15, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	७०५९.००	७०५९.००	७४०३.००
	350 mm dia	मिटर	८१२२.००	८१२२.००	८५२८.००
	400 mm dia	मिटर	१०९५६.००	१०९५६.००	११३९४.००
	450 mm dia	मिटर	१२९८७.००	१२९८७.००	१३५०६.००
	500 mm dia	मिटर	१५९४७.००	१५९४७.००	१६५८४.००
	600 mm dia	मिटर	१८८४८.००	१८८४८.००	१९६०९.००
	700 mm dia	मिटर	२७४२३.००	२७४२३.००	२८५१९.००
	800 mm dia	मिटर	३५७५४.००	३५७५४.००	३७१८४.००
	900 mm dia	मिटर	३८१९२.००	३८१९२.००	३९६३६.००
	1000 mm dia	मिटर	४५९८९.००	४५९८९.००	४७८२०.००
	1100 mm dia	मिटर	६२१७६.००	६२१७६.००	६४०४९.००
	1200 mm dia	मिटर	७३०२६.००	७३०२६.००	७५२९६.००
	1300 mm dia	मिटर	८९६३६.००	८९६३६.००	९२३२५.००
	1400 mm dia	मिटर	९६४१८.००	९६४१८.००	९९३९०.००
	1500 mm dia	मिटर	१०९५८४.००	१०९५८४.००	१११७७५.००
	1600 mm dia	मिटर	११८९१५.००	११८९१५.००	१२१२९३.००
	1700 mm dia	मिटर	१३४०६४.००	१३४०६४.००	१३६७४५.००
	1800 mm dia	मिटर	१४९०५६.००	१४९०५६.००	१५२०३७.००
	1900 mm dia	मिटर	१६४२०६.००	१६४२०६.००	१६७४९०.००
	2000 mm dia	मिटर	१७९३५६.००	१७९३५६.००	१८२९४३.००
	2100 mm dia	मिटर	२०००४२.००	२०००४२.००	२०४०४२.००
	2200 mm dia	मिटर	२२०७२९.००	२२०७२९.००	२२५१४३.००
	2300 mm dia	मिटर	२४१५०७.००	२४१५०७.००	२४६३३७.००
	2400 mm dia	मिटर	२६२२८५.००	२६२२८५.००	२६७५३०.००
<b>F)</b>	<b>PN-3, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	६५९३.००	६५९३.००	६९२२.००
	350 mm dia	मिटर	७५९५.००	७५९५.००	७९७४.००
	400 mm dia	मिटर	१०२४५.००	१०२४५.००	१०६५४.००
	450 mm dia	मिटर	१२९४३.००	१२९४३.००	१३६२८.००
	500 mm dia	मिटर	१४९९२.००	१४९९२.००	१५५०८.००
	600 mm dia	मिटर	१७६२४.००	१७६२४.००	१८३२८.००
	700 mm dia	मिटर	२५६४३.००	२५६४३.००	२६६६८.००
	800 mm dia	मिटर	३३४३३.००	३३४३३.००	३४७७०.००
	900 mm dia	मिटर	३५६३८.००	३५६३८.००	३७०६३.००
	1000 mm dia	मिटर	४२९९६.००	४२९९६.००	४४७१५.००
	1100 mm dia	मिटर	५८१४०.००	५८१४०.००	५९८८४.००
	1200 mm dia	मिटर	६८२८५.००	६८२८५.००	७०३३३.००
	1300 mm dia	मिटर	८३८१८.००	८३८१८.००	८६३३२.००
	1400 mm dia	मिटर	९०१५९.००	९०१५९.००	९२८६३.००
	1500 mm dia	मिटर	१०२४७०.००	१०२४७०.००	१०४५९९.००
	1600 mm dia	मिटर	१११९९५.००	१११९९५.००	११३४९८.००

**GRP and HDPE/DWC Pipes**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1700 mm dia	मिटर	१२५३६९.००	१२५३६९.००	१२७८६८.००
	1800 mm dia	मिटर	१३९३८०.००	१३९३८०.००	१४२९६७.००
	1900 mm dia	मिटर	१५३५४६.००	१५३५४६.००	१५६६९६.००
	2000 mm dia	मिटर	१६७७९३.००	१६७७९३.००	१७०८६७.००
	2100 mm dia	मिटर	१८१०५६.००	१८१०५६.००	१९०७९७.००
	2200 mm dia	मिटर	२०६४००.००	२०६४००.००	२१०५२८.००
	2300 mm dia	मिटर	२२५८२९.००	२२५८२९.००	२३०३४५.००
	2400 mm dia	मिटर	२४५२५८.००	२४५२५८.००	२५०९६३.००
<b>G)</b>	<b>PN-6, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	७६२३.००	७६२३.००	८००४.००
	350 mm dia	मिटर	८७८९.००	८७८९.००	९२२०.००
	400 mm dia	मिटर	९९८४.००	९९८४.००	१०३९८.००
	450 mm dia	मिटर	१४०४०.००	१४०४०.००	१४६०९.००
	500 mm dia	मिटर	१७२४९.००	१७२४९.००	१७९३०.००
	600 mm dia	मिटर	२०३७७.००	२०३७७.००	२११९२.००
	700 mm dia	मिटर	२९६४९.००	२९६४९.००	३०८३४.००
	800 mm dia	मिटर	३८६५५.००	३८६५५.००	४०२०९.००
	900 mm dia	मिटर	४९२०४.००	४९२०४.००	४२८५२.००
	1000 mm dia	मिटर	४९७९२.००	४९७९२.००	५१७००.००
	1100 mm dia	मिटर	६७२२९.००	६७२२९.००	६९२३७.००
	1200 mm dia	मिटर	७८९५९.००	७८९५९.००	८१३९९.००
	1300 mm dia	मिटर	९६९९०.००	९६९९०.००	९९८९७.००
	1400 mm dia	मिटर	१०४२४३.००	१०४२४३.००	१०६३२७.००
	1500 mm dia	मिटर	११८४७७.००	११८४७७.००	१२०८४६.००
	1600 mm dia	मिटर	१२८५६४.००	१२८५६४.००	१३१९३५.००
	1700 mm dia	मिटर	१४४९४३.००	१४४९४३.००	१४७८४९.००
	1800 mm dia	मिटर	१६९९५२.००	१६९९५२.००	१६४३७५.००
	1900 mm dia	मिटर	१७७५३९.००	१७७५३९.००	१८१०८९.००
	2000 mm dia	मिटर	१९३९९०.००	१९३९९०.००	१९७७८८.००
	2100 mm dia	मिटर	२१६२७५.००	२१६२७५.००	२२०६००.००
	2200 mm dia	मिटर	२३८६४०.००	२३८६४०.००	२४३४९२.००
	2300 mm dia	मिटर	२६९९०४.००	२६९९०४.००	२६६३२६.००
	2400 mm dia	मिटर	२८३५६८.००	२८३५६८.००	२८९२३९.००
<b>H)</b>	<b>PN-9, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	८८९२.००	८८९२.००	९३३६.००
	350 mm dia	मिटर	१०२४२.००	१०२४२.००	१०६५९.००
	400 mm dia	मिटर	१३८९६.००	१३८९६.००	१४३६८.००
	450 mm dia	मिटर	१६३७७.००	१६३७७.००	१७०३२.००
	500 mm dia	मिटर	२०९९०.००	२०९९०.००	२०९९४.००
	600 mm dia	मिटर	२३७६८.००	२३७६८.००	२४७९८.००
	700 mm dia	मिटर	३४५८२.००	३४५८२.००	३५९६५.००
	800 mm dia	मिटर	४५०८७.००	४५०८७.००	४६८९०.००
	900 mm dia	मिटर	४८०६९.००	४८०६९.००	४९९८३.००
	1000 mm dia	मिटर	५७९८४.००	५७९८४.००	५९७२३.००
	1100 mm dia	मिटर	७८४०७.००	७८४०७.००	८०७५९.००
	1200 mm dia	मिटर	९२०८९.००	९२०८९.००	९४८५९.००
	1300 mm dia	मिटर	११३०३६.००	११३०३६.००	११५२९६.००

## GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८७	आ.ब.०७९८०
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1400 mm dia	मिटर	१२१५८८.००	१२१५८८.००	१२४०१९.००
	1500 mm dia	मिटर	१३८१९९.००	१३८१९९.००	१४०९५४.००
	1600 mm dia	मिटर	१४९९५७.००	१४९९५७.००	१५२९५६.००
	1700 mm dia	मिटर	१६९०६२.००	१६९०६२.००	१७२४४३.००
	1800 mm dia	मिटर	१८७९६७.००	१८७९६७.००	१९१७२६.००
	1900 mm dia	मिटर	२०७०७२.००	२०७०७२.००	२११२१३.००
	2000 mm dia	मिटर	२२६१७७.००	२२६१७७.००	२३०७००.००
	2100 mm dia	मिटर	२४२२६३.००	२४२२६३.००	२५७३०८.००
	2200 mm dia	मिटर	२७८३५०.००	२७८३५०.००	२८३९१७.००
	2300 mm dia	मिटर	३०४५५२.००	३०४५५२.००	३१०६४३.००
	2400 mm dia	मिटर	३३०७५४.००	३३०७५४.००	३३७३६९.००
<b>I)</b>	<b>PN-12, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	९६९२.००	९६९२.००	१०१७६.००
	350 mm dia	मिटर	१११६४.००	१११६४.००	११६१०.००
	400 mm dia	मिटर	१५०५९.००	१५०५९.००	१५६६१.००
	450 mm dia	मिटर	१७८५९.००	१७८५९.००	१८५६५.००
	500 mm dia	मिटर	२१९२०.००	२१९२०.००	२२७९६.००
	600 mm dia	मिटर	२५९०७.००	२५९०७.००	२६९४३.००
	700 mm dia	मिटर	३७६९५.००	३७६९५.००	३९२०२.००
	800 mm dia	मिटर	४९१४५.००	४९१४५.००	५१११०.००
	900 mm dia	मिटर	५२३८६.००	५२३८६.००	५३९५७.००
	1000 mm dia	मिटर	६३२०३.००	६३२०३.००	६५०९९.००
	1100 mm dia	मिटर	८५४६४.००	८५४६४.००	८८०२७.००
	1200 mm dia	मिटर	१००३७७.००	१००३७७.००	१०२३८४.००
	1300 mm dia	मिटर	१२३२०९.००	१२३२०९.००	१२५६७३.००
	1400 mm dia	मिटर	१३२५३९.००	१३२५३९.००	१३५१८१.००
	1500 mm dia	मिटर	१५०६२८.००	१५०६२८.००	१५३६४०.००
	1600 mm dia	मिटर	१६३४५४.००	१६३४५४.००	१६६७२३.००
	1700 mm dia	मिटर	१८४२७७.००	१८४२७७.००	१८७९६२.००
	1800 mm dia	मिटर	२०४८८५.००	२०४८८५.००	२०८९८२.००
	1900 mm dia	मिटर	२२५७०८.००	२२५७०८.००	२३०२२२.००
	2000 mm dia	मिटर	२४६५३२.००	२४६५३२.००	२५१४६२.००
	2100 mm dia	मिटर	२७४९६७.००	२७४९६७.००	२८०४६६.००
	2200 mm dia	मिटर	३०३४०२.००	३०३४०२.००	३०९४७०.००
	2300 mm dia	मिटर	३३१९६२.००	३३१९६२.००	३३८६०१.००
	2400 mm dia	मिटर	३६०५२२.००	३६०५२२.००	३६७७३२.००
<b>J)</b>	<b>PN-15, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	१०६६१.००	१०६६१.००	११०८७.००
	350 mm dia	मिटर	१२२८१.००	१२२८१.००	१२७७२.००
	400 mm dia	मिटर	१६५६५.००	१६५६५.००	१७२२७.००
	450 mm dia	मिटर	१९६३६.००	१९६३६.००	२०४२१.००
	500 mm dia	मिटर	२४११२.००	२४११२.००	२५०७६.००
	600 mm dia	मिटर	२८४९८.००	२८४९८.००	२९६३७.००
	700 mm dia	मिटर	४१४६४.००	४१४६४.००	४३१२२.००
	800 mm dia	मिटर	५४०६०.००	५४०६०.००	५५६८१.००
	900 mm dia	मिटर	५७६२५.००	५७६२५.००	५९३५३.००

### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1000 mm dia	मिटर	६९५२३.००	६९५२३.००	७९६०८.००
	1100 mm dia	मिटर	९४०१०.००	९४०१०.००	९५८९०.००
	1200 mm dia	मिटर	११०४१५.००	११०४१५.००	११२६२३.००
	1300 mm dia	मिटर	१३५५३०.००	१३५५३०.००	१३८२४०.००
	1400 mm dia	मिटर	१४५७८५.००	१४५७८५.००	१४८७००.००
	1500 mm dia	मिटर	१६५६९९.००	१६५६९९.००	१६९००४.००
	1600 mm dia	मिटर	१७९७९९.००	१७९७९९.००	१८३३९४.००
	1700 mm dia	मिटर	२०२७०५.००	२०२७०५.००	२०६७५९.००
	1800 mm dia	मिटर	२२५३७३.००	२२५३७३.००	२२९८८०.००
	1900 mm dia	मिटर	२४८२७९.००	२४८२७९.००	२५३२४४.००
	2000 mm dia	मिटर	२७११८६.००	२७११८६.००	२७६६०९.००
	2100 mm dia	मिटर	३०२४६४.००	३०२४६४.००	३०८५१३.००
	2200 mm dia	मिटर	३३३७४२.००	३३३७४२.००	३४०४१६.००
	2300 mm dia	मिटर	३६५१५८.००	३६५१५८.००	३७२४६९.००
	2400 mm dia	मिटर	३९६५७४.००	३९६५७४.००	४०४५०५.००
<b>2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)</b>					
1	100mm dia.	मिटर	५००.००	५४०.००	५५६.००
2	150mm dia.	मिटर	१०००.००	१०८०.००	१११२.००
3	200mm dia.	मिटर	१५००.००	१६२०.००	१६६८.००
4	250mm dia.	मिटर	१९००.००	२०५२.००	२११३.००
5	300mm dia.	मिटर	३१६०.००	३४१२.८०	३५१५.००
6	400mm dia.	मिटर	४०७०.००	४३९५.६०	४५२७.००
7	500mm dia.	मिटर	४८६०.००	५२४८.८०	५४०६.००
8	600mm dia.	मिटर	८३७०.००	९०३९.६०	९३१०.००
9	800mm dia.	मिटर	१३८७५.००	१४९८५.००	१४९८५.००
10	1000mm dia.	मिटर	२०९००.००	२२५७२.००	२२५७२.००

## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
	<b>Porcelain Clay Sanitaryware</b> (संबन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
१	<b>White glazed porcelain pan</b>				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२७४९.००	२७४९.००	२७४९.००
	580 mm size orrisa Pan	सेट	३३७९.००	३३७९.००	३३७९.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	<b>Porcelain Clay Cistern</b>				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	<b>Commode</b>				
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट		२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover Size: (365x560x352mm) with concealed cistern	सेट		२७९००.००	२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover Size: ( 368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट		२६९५०.००	२६९५०.००
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' \ p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८९९९.००	१८९९९.००	१८९९९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
४	<b>Bidet set</b>				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	<b>Urinal set</b>				
	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	४९७४.००	४९७४.००	४९७४.००
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size )	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६९९.००	१६९९.००	१६९९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९९.००	१००२९९.००	१००२९९.००
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Size: (L355xP320xH615mm ) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट		३९८६०.००	३९८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट		६०५३०.००	६०५३०.००
५	<b>Porcelain Clay Urinal Squatting Plate</b>				

## किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	white glaze squatting plate Small Size (45x35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९१५.००	९१५.००	९१५.००
<b>६</b>	<b>Wash basin</b>				
	Porcelain clay white glaze wash basin (500x400) cm size regular.	सेट	१०९५.००	१०९५.००	१०९५.००
	Porcelain clay white glaze wash basin (50x40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45x32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,complete.	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay 0-counter wash basin,(63x50)cm	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Size: (380x550x175mm ) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट		१७२७५.००	१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, Size: (506x460x194mm ) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट		२०६७५.००	२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, Size: (499x449x181mm ) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट		१९२५५.००	१९२५५.००
	Supplying of white vitreous Acacia E semi recessed Basin, Size: ( W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट		२३१५०.००	२३१५०.००
<b>७</b>	<b>Pedestal:</b>				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
<b>८</b>	<b>Urinal Partition</b>	सेट			
	White glaze porcelain clay (68x30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
<b>९</b>	<b>Lab sink</b>				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janitor sink 58x71x43.5 size	सेट	२७५५३.००	२७५५३.००	२७५५३.००
<b>१०</b>	<b>Super lab sink</b>	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
<b>११</b>	<b>Kitchen sink</b>				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६१.००	६६१.००	६६१.००

## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	iv) White glaze foot rest	सेट	४९९.००	४९९.००	४९९.००
	v) White glaze Toilet paper holder	सेट	९९५७.००	९९५७.००	९९५७.००
१२	<b>Super kitchen sink</b>				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	<b>PVC Cistern Set</b>				
	single flush	सेट	९९७३.००	९९७३.००	९९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set	सेट	९६८६२.००	९६८६२.००	९६८६२.००
	32 mm pvc bottel trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set.	पिस	९४३.००	९४३.००	९४३.००
	Bakellite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflusing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट		९००००.००	९००००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflusing possiblity after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern..Cutting and making good the walls wherever required.	सेट		९६०००.००	९६०००.००

## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७	आ.व.०७८१	आ.व.०७९१
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट		१८०००.००	१८०००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt, Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट		२५००.००	२५००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट		२५००.००	२५००.००
१४	<b>Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.</b>				
	Stainless steel Deep sink 45x45x30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever )with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२५७६४.००	२५७६४.००	२५७६४.००
	Wall mixer (single control) bath faucet with hand shower(conceal system)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४९८२.००	४९८२.००	४९८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve( Grohe, Rak, American standard or equivalent)	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"x16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३९४.००	२३९४.००	२३९४.००
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	१३९९७.००	१३९९७.००	१३९९७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००

## किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe( connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer( single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३९.००	३३९.००	३३९.००
	110 mm dia	पिस	४४९.००	४४९.००	४४९.००
	160 mm dia	पिस	७७९.००	७७९.००	७७९.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout			१८०५५.००	१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer with iColor Chrome Hand Shower & Hose ,complete as required,			२०५३०.००	२०५३०.००
१५	<b>Modern Sanitaryware: -(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	गोटा	७९६४.००	७९६४.००	७९६४.००
	Indian Mark Brand Flush valve	गोटा	५७३९.००	५७३९.००	५७३९.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	१४५९.००	१४५९.००	१४५९.००
	Supplying of C.P. brass Angle valve connection 1/2"plastic handle marking , complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा		७५०.००	७५०.००
	Supplying of Hygiene Spray with hose and flexible pipe , complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा		२१२५.००	२१२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), complete as requiredwith easy clean, eco start, twist free and Water Saving features.	गोटा		२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation.	गोटा		३७९७०.००	३७९७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, complete as required, ready for operation.	गोटा		३४००.००	३४००.००

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा		२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, Model (WF-6581.908.50 ) complete as required, ready for operation.	गोटा		२९२५.००	२९२५.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा		३७००.००	३७००.००
	Supplying of Chrome plated Seva Glass Holder, complete as required, ready for operation.	गोटा		२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar, size (580x220mm), OD: 32mm Make	गोटा		८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा		३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा		५०००.००	५०००.००
<b>१६</b>	<b>Electric &amp; Solar Geyser</b>				
	i) 10 lit. cap. electric water heater	गोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit cap electric water heater	गोटा	२५०११.००	२५०११.००	२५०११.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा		१५०००.००	१५०००.००
<b>१७</b>	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००

## CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७८	आ.व.०७८०९	आ.व.०७९१०
	<b>Chrome plated Accessories - (संबन्धित उत्पादक राक्ष्द्रको गुणस्तर चिन्ह प्राप्त)</b>				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	3) Towel rod ½"x18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३५	<b>C.P. Angle Cock</b>				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३७	<b>C.P. Conceal Stop Cock</b>				

CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७/७८	आ.व.०७८/७९	आ.व.०७९/८०
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३८	<b>C.P. Basin Mixer</b>				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९१.००	३८९१.००	३८९१.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२१.००	२०२१.००	२०२१.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand ShowerWith 1.50 m. PVC Tube	गोटा	१७९१.००	१७९१.००	१७९१.००
	15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
३९	<b>Deep Scrub Sink</b>	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Wall mounted Sensor mixer for operatation theater (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२१.००	१६२२१.००	१६२२१.००
	Sensor valve for Urinal	गोटा	१०६५१.००	१०६५१.००	१०६५१.००
	Basin cock Sensor	गोटा	१४४१८.००	१४४१८.००	१४४१८.००
	15mm U shaped sink cock	गोटा	१७१.००	१७१.००	१७१.००

## CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७७७	आ.व.०७८१	आ.व.०७९१
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२९७९.००	२९७९.००	२९७९.००
४०	<b>European Pattern C.P. Grab Bar for disable</b>				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६९३.००	५६९३.००	५६९३.००
	c) 60 cm long bend type	गोटा	७९८८.००	७९८८.००	७९८८.००

## विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व.०७९/८०
1	<b>G.I. Water Tank (17 Gauge)</b>				
	100 gls	गोटा	८०७५.००	८०७५.००	८४७८.००
	200 gls	गोटा	१२६८५.००	१२६८५.००	१३१९२.००
	300 gls	गोटा	१५९५५.००	१५९५५.००	१६५९३.००
	400 gls	गोटा	१९१५५.००	१९१५५.००	१९९२१.००
	500 gls	गोटा	२२३६५.००	२२३६५.००	२३२५९.००
2	<b>Roof Top PVC Water Tank</b>				
	200 lit – 5000 lit cap.	लीटर	१०.३०	१०.३०	१०.००
	5000 lit – 10,000 lit cap	लीटर	१०.६०	१०.६०	११.००
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	<b>Stainless steel water tank with accessories</b>				
	Capacity 500 ltr	गोटा	१२६१०.००	१२६१०.००	१३११४.००
	Capacity 1000 ltr	गोटा	१८५८०.००	१८५८०.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२८५४०.००	२८५४०.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३४५१०.००	३४५१०.००	३५८९०.००
	Capacity 3000 ltr	गोटा	५१७७०.००	५१७७०.००	५३३२३.००
	Capacity 4000 ltr	गोटा	६९०३०.००	६९०३०.००	७११००.००
	Capacity 5000 ltr	गोटा	९०७१०.००	९०७१०.००	९३४३१.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा		११३००.००	११७५२.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा		१४५००.००	१५०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा		२२०००.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा		३३५००.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा		४१०००.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा		६७०००.००	६९०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा		१०४०००.००	१०६०८०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा		२६०००.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा		३७५००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा		४६०००.००	४७८४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा		७३०००.००	७५१९०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा		११४०००.००	११६२८०.००

**विभिन्न प्रकारका वाटर टैंक र पम्पहरु**

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व.०७९/८०
4	<b>Plastic Water Tank   प्लास्टिक वाटर ट्यांक</b>				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर		१३.५०	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर		११.५०	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर		१२.५०	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा		१२५००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres).	गोटा		१८५००.००	१९२४०.००
5	<b>Water Pumps/Hand Pumps</b>				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२३६०.००	१२३६०.००	१२८५४.००
	6 No. hand pump	गोटा	१५८२.००	१५८२.००	१६६१.००
	<b>Water Pump :</b>				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५.००	१०८८५.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६२५८.००	६२५८.००	६५७०.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४२५८.००	१४२५८.००	१४८२८.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९४६५.००	९४६५.००	९९३८.००
	v) 2.0 H.P. water pump	सेट	२२५८७.००	२२५८७.००	२३४९०.००
	vi) 2.0 H.P.3 phase water pump	सेट	२३८४७.००	२३८४७.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२८६५६.००	२८६५६.००	२९८०२.००
	<b>Jet Water Pump</b>				
	i) 1.10 H.P.	सेट	२१६३०.००	२१६३०.००	२२४९५.००
	ii) Double Stage jet 1.10 H.P.	सेट	२५९५६.००	२५९५६.००	२६९९४.००
	ii) 1.5 H.P.	सेट	२९२०१.००	२९२०१.००	३०३६९.००
	<b>Super Sunction</b>				
	i) 0.50 H.P	सेट	८९२२.००	८९२२.००	९३६८.००
	ii) 0.75 H.P.	सेट	८३२८.००	८३२८.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४२७६.००	१४२७६.००	१४८४७.००
	<b>Water Pump (संबन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२.००	१८२०२.००	१८९३०.००
	2 H.P. single pump set single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	२९२३३.००	२९२३३.००	३०४०२.००

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व.०७९/८०
	<b>Submersible Pump (Italian)</b>				
	i) 1.0 H.P.	सेट	२६०८९.००	२६०८९.००	२७९३२.००
	ii) 2.0 H.P.	सेट	४८३९७.००	४८३९७.००	५०३३२.००
	<b>Electric Water Pump (Chinese)</b>				
	i) ½ H.P	सेट	१७०३.००	१७०३.००	१७८८.००
	ii) ¾ H.P.	सेट	२२१९.००	२२१९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३२७०.००	३२७०.००	३४३३.००
	<b>Submersible Pump Indian</b>				
	i) ½ H.P open well type	सेट	१६६५५.००	१६६५५.००	१७३२१.००
	ii) 1.1 H.P open well type	सेट	२४३८८.००	२४३८८.००	२५३६३.००
	iii) 1.5 H.P open well type	सेट	२९७४१.००	२९७४१.००	३०९३०.००
	<b>Vertical Submersible Pump</b>	सेट			
	i) 1.1 H.P	सेट	२७२५४.००	२७२५४.००	२८३४४.००
	iii) 1.5 H.P	सेट	३२९३२.००	३२९३२.००	३४२४९.००

## साधारण हाते औजारहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.ब.०७७७७८	आ.ब.०७८७८९	आ.ब.०७९७९०
1	Adjustable spanner				
	10"	गोटा	२५५.००	२५५.००	२६५.००
	12"	गोटा	४८२.००	४८२.००	५०९.००
	15"	गोटा	९३८.००	९३८.००	९४४.००
	18"	गोटा	९६४.००	९६४.००	९७०.००
2	Blow Torch				
	1/2 pint	गोटा	९४३.००	९४३.००	९४९.००
	1 pint	गोटा	९७६.००	९७६.००	९८३.००
3	Building Trowel	गोटा	७९.००	७९.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	९६४.००	९६४.००	९७०.००
	75mm	गोटा	९९५.००	९९५.००	२०३३.००
	100mm	गोटा	२२९.००	२२९.००	२३८.००
	150mm	गोटा	३२२.००	३२२.००	३३५.००
	200mm	गोटा	५४९.००	५४९.००	५७४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	९७५.००	९७५.००	९८२.००
	5 ton	गोटा	२९०५.००	२९०५.००	३०९५.००
6	Stone Chisel 1"x12"	गोटा	३६.००	३६.००	३८.००
7	Die teeth oil with cane (250 ml size)	गोटा	२८.००	२८.००	२९.००
8	Smooth steel file half round				
	8"	गोटा	५३९.००	५३९.००	५६०.००
	10"	गोटा	९०३.००	९०३.००	९०७.००
	Flat file 10"	गोटा	५३९.००	५३९.००	५६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	९९.००	९९.००	२००.००
11	Handle die set				
	25 mm	गोटा	३२०.००	३२०.००	३३२.००
	50 mm	गोटा	३६२.००	३६२.००	३७७.००
	60 mm	गोटा	९६३.००	९६३.००	९०९.००
12	Heating Plate				
	80 mm	गोटा	९६३.००	९६३.००	९००.००
	100 mm	गोटा	९९०.००	९९०.००	९९४.००
	125 mm	गोटा	९४९.००	९४९.००	९४७.००
	150 mm	गोटा	९६८.००	९६८.००	९७५.००
	200 mm	गोटा	२७३.००	२७३.००	२८४.००
	250 mm	गोटा	३३०.००	३३०.००	३४४.००
	300 mm	गोटा	३६४.००	३६४.००	४०९.००
13	Iron Brush 12"	गोटा	७४.००	७४.००	७६.००
14	Iron Pan (medium)	गोटा	२६.००	२६.००	२७.००
15	Pick Axe 1.7 Kg.	गोटा	४३.००	४३.००	४४.००
16	Pipe Cutter				
	15-50 mm	गोटा	२०३.००	२०३.००	२१२.००
	65-80 mm	गोटा	३९७.००	३९७.००	३९८.००
	100 mm	गोटा	५०९.००	५०९.००	५३०.००
	125 mm	गोटा	५६६.००	५६६.००	५८९.००
	150 mm	गोटा	९०८.००	९०८.००	९०८.००
17	Pipe Jack Machine (Heavy)	गोटा	३२२.००	३२२.००	३३५.००
18	Pipe Vice				
	2"	गोटा	२४९.००	२४९.००	२५९.००

## साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.ब.०७७७७८	आ.ब.०७८७७९	आ.व.०७९७८०	
		3"	गोटा	३६२६.००	३६२६.००	३७७९.००
		4"	गोटा	५४६७.००	५४६७.००	५६८५.००
		5"	गोटा	९०९४०.००	९०९४०.००	९०५४५.००
19	Pipe Wrench					
		10"	गोटा	३९७.००	३९७.००	३२९.००
		12"	गोटा	५८९.००	५८९.००	६९२.००
		14"	गोटा	७०२.००	७०२.००	७३०.००
		18"	गोटा	९९९७.००	९९९७.००	९९६९.००
		24"	गोटा	९५४९.००	९५४९.००	९६०२.००
		36"	गोटा	५४३८.००	५४३८.००	५६५५.००
		48"	गोटा	९६३९.००	९६३९.००	९००९६.००
20	Plumb Bob Line	गोटा	९९.००	९९.००	९४.००	
21	Ratchet Die Set					
		1/2"-1"	गोटा	४३०५.००	४३०५.००	४४७७.००
		11/4"-2"	गोटा	८०४४.००	८०४४.००	८३६५.००
		21/2"-3"	गोटा	९७५६२.००	९७५६२.००	९८२६४.००
22	Round File 10"	गोटा	३६९.००	३६९.००	३८३.००	
23	Screw Driver 12"	गोटा	२०४.००	२०४.००	२९२.००	
24	Shovel 1.5 Kg	गोटा	३६९.००	३६९.००	३८३.००	
25	Slide wrench					
		10"	गोटा	३६३.००	३६३.००	३७७.००
		12"	गोटा	४८७.००	४८७.००	५०६.००
		15"	गोटा	९४२२.००	९४२२.००	९४७८.००
26	Spade	गोटा	४४२.००	४४२.००	४५९.००	
27	Spare Die Teeth					
		15 mm	गोटा	५८९.००	५८९.००	६९२.००
		20 mm	गोटा	५८९.००	५८९.००	६९२.००
		25 mm	गोटा	५८९.००	५८९.००	६९२.००
		32 mm	गोटा	९३५.००	९३५.००	९७२.००
		40 mm	गोटा	९५९८.००	९५९८.००	९६६९.००
		50 mm	गोटा	९६९५.००	९६९५.००	९६७९.००
		65 mm	गोटा	९८६९.००	९८६९.००	९९४३.००
		80 mm	गोटा	२०९६.००	२०९६.००	२९७९.००
28	Telflon Cover					
		5'x5'	गोटा	३९२.००	३९२.००	३२४.००
		7'x7'	गोटा	४२५.००	४२५.००	४४२.००
29	Telflon Cloth	र.मि		३४२८.००	३४२८.००	३५६५.००
30	Telflon Tape 10 mm	रोल		९८.००	९८.००	९८.००
31	Thermochrome Crayon					
		Indian	गोटा	७६५.००	७६५.००	७९५.००
32	Tool Box (14"x8"x22")	गोटा		२९०२.००	२९०२.००	२९८६.००

**मेनहोल कभरहरु**

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.ब.०७९/८०
	<b>C.I. Manhole Cover including frame.</b>				
१	<b>Square Frame Medium Duty</b>				
	i) 10" x 10" (4 Kg.)	सेट	६२६	६२६	६७५.००
	ii) 12" x 12" (5 Kg.)	सेट	७७४	७७४	८३५.००
	iii) 14" x 14" (7 Kg.)	सेट	११५६	११५६	१२४७.००
	v) 16" x 16" (10 Kg.)	सेट	१५४९	१५४९	१६७९.००
	vi) 18" x 18" (14 Kg.)	सेट	२४०८	२४०८	२५९८.००
	viii) 20" x 20" (16 Kg.)	सेट	२७९६	२७९६	२९३०.००
	ix) 22" x 22" (20 Kg.)	सेट	३१०८	३१०८	३३५३.००
	x) 24" x 24" (24 Kg.)	सेट	४३९८	४३९८	४६५९.००
	xi) 27" x 27" (31 Kg.)	सेट	५४४२	५४४२	५८७९.००
२	<b>Square Frame Heavy Duty</b>				
	iii) 14" x 14" (14 Kg.)	सेट	२३५५	२३५५	२५४९.००
	viii) 20" x 20" (16 Kg.)		३८४०	३८४०	४१४३.००
	ix) 22" x 22" (22 Kg.)	सेट	५२५१	५२५१	५६६५.००
	xi) 27" x 27" (45 Kg.)	सेट	७५११	७५११	८१०४.००
३	<b>Rounded Manhole Cover</b>				
	Round Manhole cover medium 450mm(22")		४१५९	४१५९	४४८७.००
	Round Manhole cover Heavy 450mm(22")		८२०१	८२०१	८८४८.००
	Round Manhole cover medium 500 mm(24")		६५४६	६५४६	७०६३.००
	Round Manhole cover Heavy 500 mm(24")		९७९२	९७९२	१०५६५.००
	<b>Rounded Manhole Cover with square frame</b>				
	i) 18" dia. with square frame (60 Kg.)	सेट	९३१५	९३१५	१००५०.००
	ii) 20" dia. with square frame (70 Kg.)	,,	१०८६४	१०८६४	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	,,	१५५२१	१५५२१	१६७७७.००
	iv) 22" dia. Medium class. (125 Kg.)	,,	१९४९९	१९४९९	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	,,	३२३४७	३२३४७	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	,,	१११७१	१११७१	१२०५३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	,,	१३४८४	१३४८४	१४५४९.००
	viii) 24" with square frame (IS:1726 ) (70 Kg.)	,,	१०९१७	१०९१७	११७७९.००
	ix) 26"with square frame (IS:1726 ) (85 Kg.)	,,	१३२६१	१३२६१	१४३०८.००
	xi) 28" with square frame (IS:1726 ) (116 Kg.)	,,	१८३०१	१८३०१	१९७४६.००
	x) 30" with square frame (IS:1726 ) (100 Kg.)	,,	१५५९५	१५५९५	१६८२७.००
	xi) 30" with square frame (IS:1726 ) (116 Kg.)	,,	१८३०१	१८३०१	१९७४६.००
	xi) 32" with square frame (IS:1726 ) (208Kg.)	,,	३२३४७	३२३४७	३४९०२.००
४	<b>C.I. Tank Cover Locking Types- Round</b>				
	18" (8 Kg.)	सेट	१७९३	१७९३	१९३४.००
	20" (12 Kg.)	,,	२६३०	२६३०	२८३७.००
	22" (14 Kg.)	,,	२९८७	२९८७	३२२२.००
	24" (16 Kg.)	,,	३५८५	३५८५	३८६८.००

## मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
	28" (24 Kg.)	,,	५३७८	५३७८	५८०२.००
५	<b>C.I. Tank Cover Locking Types- Rectangular</b>				
	18" x 18" (13 Kg.)	सेट	२९८७	२९८७	३२२२.००
	24" x 24" (50 Kg.)	सेट	१०७५५	१०७५५	११६०४.००
	18" x 24" (27 Kg.)	सेट	५९७६	५९७६	६४४८.००
६	<b>C.I. Gully Gratings &amp; Jali strip-Medium Duty</b>				
	4"	सेट	१०७	१०७	११५.००
	5"	सेट	१४३	१४३	१५४.००
	6"	सेट	१९१	१९१	२०६.००
	10"	सेट	६५७	६५७	७०८.००
७	<b>C.I. Gully Gratings &amp; Jali Strip- Medium Duty</b>				
	4" x 4"	सेट	९५	९५	१०२.००
	5" x 5"	सेट	१२०	१२०	१२९.००
	6" x 6"	सेट	१४३	१४३	१५४.००
	9" x 9"	सेट	४१८	४१८	४५१.००
	10" x 10"	सेट	५३८	५३८	५८०.००
	12" x 12"	सेट	७७७	७७७	८३८.००
८	<b>C.I. Gully Gratings</b>				
	i) 15"x18" Medium (18 Kg.)	सेट	३९४४	३९४४	४२५५.००
	ii) 15"x18" Heavy (25 Kg.)	सेट	५३७८	५३७८	५८०२.००
९	<b>Grit Cover</b> - फलामे एडलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१७४	१७४	१८७.००
१०	<b>Aluminum Grating 4" dia.</b>	गोटा	४५	४५	४८.००
११	<b>SMC Manhole Cover</b>				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा	२५२२१	२५२२१	२७७४३.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा	१७२५७	१७२५७	१८९८२.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा		१८३००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा	९२९२	९२९२	१०२२१.००
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा		१२२७०	१३४९७.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा		२००००	२००००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा		७८५०	७९००.००

## मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.ब.०७९/८०
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा		६७३०	६७५०.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey ( <b>Overlapping</b> 15 Ton Capacity)	गोटा		१२०००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	४७७९	४७७९	५२५६.००
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	२४७८	२४७८	२७२५.००
	Frame Size 400mm*400mm – Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	१७६९९	१७६९९	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	९२०४	९२०४	७५००.००
	Frame Size 510mm*610mm – Cover Size 478mm*578mm-Rectangle-Black ( <b>Overlapping</b> )	गोटा	५७५२	५७५२	६३२७.००
	Manhole Cover Lock Set	सेट			२०००.००

**RCC Ring and Boring Work**

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७७७	आ.व. ०७८१	आ.व.०७९१
१	<b>RCC Ring for well and Toilets</b>				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६४५.००
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	७६२.००	७६२.००	८००.००
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	८८६.००	८८६.००	९३०.००
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	११७३.००	११७३.००	१२३१.००
२	<b>RCC cover</b>				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१८५८.००	१८५८.००	१९५०.००
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२४६०.००	२४६०.००	२५८३.००
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२६९९.००	२६९९.००	२८३३.००
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	३२२४.००	३२२४.००	३३८५.००
३	<b>Drilling of tube well by DTH Method</b>				
	Drilling of holecin all formation (6 inch)	मी.	५६२३.००	५६२३.००	५९०४.००
	Drilling of holecin all formation (8 inch)	मी.	६५७८.००	६५७८.००	६९०६.००

**Multilayer Composite Pipe**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९८
१	<b>Cold Water Pipe (White)</b>				
	12-16 mm ½"	र.मि	१०१.००	१०१.००	१०६.००
	14-18 mm ½"	र.मि	१११.००	१११.००	११६.००
	16-20 mm ½"	र.मि	११९.००	११९.००	१२४.००
	20-25 mm ¾"	र.मि	१८०.००	१८०.००	१८९.००
	26-32 mm 1"	र.मि	२८१.००	२८१.००	२९५.००
	32-40 mm 1¼"	र.मि	४४६.००	४४६.००	४६८.००
	41-50 mm 1½"	र.मि	६५३.००	६५३.००	६८५.००
२	<b>Hot Water Pipe (Orange)</b>				
	12-16 mm ½"	र.मि	१११.००	१११.००	११६.००
	14-18 mm ½"	र.मि	१२३.००	१२३.००	१२९.००
	16-20 mm ½"	र.मि	१४१.००	१४१.००	१४८.००
	20-25 mm ¾"	र.मि	२०८.००	२०८.००	२१८.००
	26-32 mm 1"	र.मि	३०२.००	३०२.००	३१७.००
	32-40 mm 1¼"	र.मि	४६५.००	४६५.००	४८८.००
३	<b>Gas Lines Pipe (Yellow)</b>				
	12-16 mm ½"	र.मि	८७.००	८७.००	९१.००
	14-18 mm ½"	र.मि	८७.००	८७.००	९१.००
४	<b>MULTILAYER COMPOSITE Fittings</b>				
	<b>a. Equal Straight Union</b>				
	½"Ø (16mm Ø)	गोटा	१३३.००	१३३.००	१३९.००
	½"Ø (18mm Ø)	गोटा	१४०.००	१४०.००	१४७.००
	½"Ø (20mm Ø)	गोटा	१५४.००	१५४.००	१६१.००
	¾" Ø (25 mm Ø)	गोटा	२२५.००	२२५.००	२३६.००
	1" Ø (32 mm Ø)	गोटा	३५१.००	३५१.००	३६८.००
	1¼" Ø (40 mm Ø)	गोटा	१२९६.००	१२९६.००	१३६०.००
	1½" Ø (50 mm Ø)	गोटा	१९५८.००	१९५८.००	२०५५.००
	<b>b. Unequal Straight Union</b>				
	25 - 16 mm Ø	गोटा	२५२.००	२५२.००	२६४.००
	25 - 18 mm Ø	गोटा	२६१.००	२६१.००	२७४.००
	25 - 20 mm Ø	गोटा	२७५.००	२७५.००	२८८.००
	32 - 16 mm Ø	गोटा	३३८.००	३३८.००	३५४.००
	32 - 18 mm Ø	गोटा	३५६.००	३५६.००	३७३.००
	32 - 20 mm Ø	गोटा	३८३.००	३८३.००	४०२.००
	32 - 25 mm Ø	गोटा	४१०.००	४१०.००	४३०.००
	40 - 32 mm Ø	गोटा	११२१.००	११२१.००	११७७.००
	50 - 20 mm Ø	गोटा	१६३४.००	१६३४.००	१७१५.००
	50 - 32 mm Ø	गोटा	१९५८.००	१९५८.००	२०५५.००
	50 - 40 mm Ø	गोटा	१८४५.००	१८४५.००	१९३७.००
	<b>c. Male Union</b>				
	16mm x ½"M	गोटा	९५.००	९५.००	९९.००
	18mm x ½"M	गोटा	११०.००	११०.००	११५.००
	20mm x ½"M	गोटा	१२६.००	१२६.००	१३२.००
	25mm x ½"M	गोटा	१५३.००	१५३.००	१६०.००
	25mm x ¾"M	गोटा	१९४.००	१९४.००	२०३.००
	25mm x 1"M	गोटा	२४८.००	२४८.००	२६०.००

**Multilayer Composite Pipe**

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
	32mm x ¾"M	गोटा	२८४.००	२८४.००	२९८.००
	32mm x 1"M	गोटा	३११.००	३११.००	३२६.००
	32mm x 1½"M	गोटा	३१५.००	३१५.००	३३०.००
	40mm x 1"M	गोटा	९९५.००	९९५.००	१०४४.००
	40mm x 1½"M	गोटा	१०३०.००	१०३०.००	१०८१.००
	50mm x 1"M	गोटा	१५६३.००	१५६३.००	१६४१.००
	50mm x 1¼"M	गोटा	१५९०.००	१५९०.००	१६६९.००
	50mm x 1½"M	गोटा	२१६०.००	२१६०.००	२२६८.००
	50mm x 2"M	गोटा	१६२३.००	१६२३.००	१७०४.००
	<b>d. Female Straight Union</b>				
	16mm x ½"F	गोटा	१०४.००	१०४.००	१०९.००
	18mm x ½"F	गोटा	११३.००	११३.००	११८.००
	20mm x ½"F	गोटा	१२२.००	१२२.००	१२८.००
	25mm x ½"F	गोटा	१६२.००	१६२.००	१७०.००
	25mm x ¾"F	गोटा	१९४.००	१९४.००	२०३.००
	25mm x 1"F	गोटा	१९८.००	१९८.००	२०७.००
	32mm x ½"F	गोटा	२०३.००	२०३.००	२१३.००
	32mm x ¾"F	गोटा	२०७.००	२०७.००	२१७.००
	32mm x 1"F	गोटा	२१३.००	२१३.००	३०७.००
	40mm x 1½"F	गोटा	११६८.००	११६८.००	१२२६.००
	50mm x 1¼"F	गोटा	१५७५.००	१५७५.००	१६५३.००
	50mm x 1½"F	गोटा	२१६०.००	२१६०.००	२२६८.००
	50mm x 2"F	गोटा	१६३८.००	१६३८.००	१७१९.००
	<b>e. Equal Elbow</b>				
	½"ø (16mm ø)	गोटा	१२६.००	१२६.००	१३२.००
	½"ø (18mm ø)	गोटा	१५३.००	१५३.००	१६०.००
	½"ø (20mm ø)	गोटा	२०७.००	२०७.००	२१७.००
	¾" ø (25 mm ø)	गोटा	३१५.००	३१५.००	३३०.००
	1" ø (32 mm ø)	गोटा	५०९.००	५०९.००	५३४.००
	1¼" ø (40 mm ø)	गोटा	१६५६.००	१६५६.००	१७३८.००
	1½" ø (50 mm ø)	गोटा	२५६५.००	२५६५.००	२६९३.००
	<b>f. Unequal Elbow</b>				
	40 - 32 mm ø	गोटा	१८३६.००	१८३६.००	१९२७.००
	50 - 20 mm ø	गोटा	२११५.००	२११५.००	२२२०.००
	50 - 40 mm ø	गोटा	२१५६.००	२१५६.००	२२६३.००
	<b>g. Female Elbow</b>				
	16mm x ½"F	गोटा	१६७.००	१६७.००	१७५.००
	18mm x ½"F	गोटा	१८५.००	१८५.००	१९४.००
	20mm x ½"F	गोटा	२०३.००	२०३.००	२१३.००
	25mm x ½"F	गोटा	२२५.००	२२५.००	२३६.००
	25mm x ¾"F	गोटा	२७९.००	२७९.००	२९२.००
	25mm x 1"F	गोटा	३०६.००	३०६.००	३२१.००
	32mm x ¾"F	गोटा	३२९.००	३२९.००	३४५.००
	32mm x 1"F	गोटा	४१०.००	४१०.००	४३०.००
	50mm x 1¼"F	गोटा	२११५.००	२११५.००	२२२०.००
	<b>h. Male Elbow</b>				
	25mm x ¾"M	गोटा	२२५.००	२२५.००	२३६.००
	25mm x 1"M	गोटा	२९३.००	२९३.००	३०७.००

## Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	32mm x ¾"M	गोटा	२२१.००	२२१.००	२३२.००
	32mm x 1"M	गोटा	३७४.००	३७४.००	३९२.००
	40mm x 1"M	गोटा	१२१५.००	१२१५.००	१२७५.००
	50mm x 1"M	गोटा	१७३२.००	१७३२.००	१८१८.००
	<b>i. Equal Tee</b>				
	½"Ø (16mm Ø)	गोटा	२२५.००	२२५.००	२३६.००
	½"Ø (18mm Ø)	गोटा	२५२.००	२५२.००	२६४.००
	½"Ø (20mm Ø)	गोटा	३१५.००	३१५.००	३३०.००
	¾" Ø (25 mm Ø)	गोटा	४५५.००	४५५.००	४७७.००
	1" Ø (32 mm Ø)	गोटा	७११.००	७११.००	७४६.००
	1¼" Ø (40 mm Ø)	गोटा	२६५८.००	२६५८.००	२७९०.००
	1½" Ø (50 mm Ø)	गोटा	३८८४.००	३८८४.००	४०७८.००
	<b>j. Unequal Tee</b>				
	20 mm x 16 mm x 20 mm	गोटा	२०३.००	२०३.००	२१३.००
	20 mm x 18 mm x 20 mm	गोटा	२२५.००	२२५.००	२३६.००
	25 mm x 16 mm x 25 mm	गोटा	३३८.००	३३८.००	३५४.००
	25 mm x 18 mm x 25 mm	गोटा	३८३.००	३८३.००	४०२.००
	25 mm x 20 mm x 25 mm	गोटा	३९६.००	३९६.००	४१५.००
	32 mm x 16 mm x 32 mm	गोटा	६५३.००	६५३.००	६८५.००
	32 mm x 18 mm x 32 mm	गोटा	६७५.००	६७५.००	७०८.००
	32 mm x 20 mm x 32 mm	गोटा	७०२.००	७०२.००	७३७.००
	32 mm x 25 mm x 32 mm	गोटा	७२०.००	७२०.००	७५६.००
	40 mm x 32 mm x 32 mm	गोटा	१९६७.००	१९६७.००	२०६५.००
	40 mm x 32 mm x 40 mm	गोटा	२२७८.००	२२७८.००	२३९१.००
	50 mm x 20 mm x 50 mm	गोटा	३१०५.००	३१०५.००	३२६०.००
	50 mm x 32 mm x 32 mm	गोटा	२०४७.००	२०४७.००	२१४९.००
	50 mm x 32 mm x 50 mm	गोटा	३१३७.००	३१३७.००	३२९३.००
	50 mm x 40 mm x 40 mm	गोटा	३१४७.००	३१४७.००	३३०४.००
	50 mm x 40 mm x 50 mm	गोटा	३५९५.००	३५९५.००	३७७४.००
	<b>k. Female Tee</b>				
	16mm x ½"F x 16mm	गोटा	२२५.००	२२५.००	२३६.००
	18mm x ½"F x 18mm	गोटा	२३४.००	२३४.००	२४५.००
	20mm x ½"F x 20mm	गोटा	२५२.००	२५२.००	२६४.००
	25mm x ½"F x 25mm	गोटा	२३७.००	२३७.००	२४८.००
	25mm x ¾"F x 25mm	गोटा	२६१.००	२६१.००	२७४.००
	25mm x 1"F x 25mm	गोटा	३३८.००	३३८.००	३५४.००
	32mm x ½"F x 32mm	गोटा	३६५.००	३६५.००	३८३.००
	32mm x ¾"F x 32mm	गोटा	३७४.००	३७४.००	३९२.००
	32mm x 1"F x 32mm	गोटा	५०७.००	५०७.००	५३२.००
	40mm x ¾"F x 32mm	गोटा	१४९६.००	१४९६.००	१५७०.००
	50mm x ¾"F x 40mm	गोटा	२२१९.००	२२१९.००	२३२९.००
	<b>l. Equal Ball Valve Union</b>				
	½"Ø (16mm Ø)	गोटा	२६२.००	२६२.००	२७५.००
	½"Ø (18mm Ø)	गोटा	२९१.००	२९१.००	३०५.००
	½"Ø (20mm Ø)	गोटा	३८३.००	३८३.००	४०२.००
	¾" Ø (25 mm Ø)	गोटा	६३५.००	६३५.००	६६६.००

### Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१	आ.ब.०७९१
	1" Ø (32 mm Ø)	गोटा	८८२.००	८८२.००	९२६.००
	1¼" Ø (40 mm Ø)	गोटा	२८८२.००	२८८२.००	३०२६.००
	1½" Ø (50 mm Ø)	गोटा	४९५९.००	४९५९.००	४३६६.००
	<b>m. Female Ball Valve Union</b>				
	16mm x ½"F	गोटा	२४४.००	२४४.००	२५६.००
	18mm x ½"F	गोटा	२८०.००	२८०.००	२९४.००
	20mm x ½"F	गोटा	३९३.००	३९३.००	३२८.००
	20mm x ¾"F	गोटा	३५९.००	३५९.००	३६८.००
	25mm x ¾"F	गोटा	६५३.००	६५३.००	६८५.००
	25mm x 1"F	गोटा	६६६.००	६६६.००	६९९.००
	32mm x 1"F	गोटा	७०२.००	७०२.००	७३७.००
	<b>n. Plug</b>				
	1¼" Ø (40 mm Ø)	गोटा	९४४०.००	९४४०.००	९५९२.००
	1½" Ø (50 mm Ø)	गोटा	९९८०.००	९९८०.००	२०७९.००
	<b>p. Wall Plated Female Elbow</b>				
	16mm x ½"F	गोटा	९८९.००	९८९.००	९९८.००
	18mm x ½"F	गोटा	२०७.००	२०७.००	२९७.००
	20mm x ½"F	गोटा	२२५.००	२२५.००	२३६.००
	<b>Nipple</b>				
	N 1/2F*1/2F	गोटा	४९.००	४९.००	५९.००
	N 1/2M*1/2M	गोटा	४९.००	४९.००	५९.००
	N 3/4F*1/2F	गोटा	६८.००	६८.००	७९.००
	N 1F*1/2F	गोटा	७७.००	७७.००	८०.००
	N 1F*3/4F	गोटा	८७.००	८७.००	९९.००
	N 3/4M*1/2M	गोटा	६८.००	६८.००	७९.००
	N 1M*1/2M	गोटा	७७.००	७७.००	८०.००
	N 1M*3/4M	गोटा	८७.००	८७.००	९९.००
	N 1/2F*1/2M	गोटा	५९.००	५९.००	६९.००
	N 1/2F*3/4M	गोटा	६८.००	६८.००	७९.००
	N 1/2F*1M	गोटा	९०७.००	९०७.००	९९२.००
	N 1/2M*3/4F	गोटा	६८.००	६८.००	७९.००
	N 1/2M*1F	गोटा	९९२.००	९९२.००	९९७.००
	N 3/4F*3/4M	गोटा	८७.००	८७.००	९९.००
	N 3/4F*1M	गोटा	९६.००	९६.००	९००.००
	N 3/4M*1F	गोटा	९२७.००	९२७.००	९३३.००

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
१	<b>140 mm Dia.</b>				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	१५९.००	१५९.००	१६६.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२५७.००	२५७.००	२६९.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	३५२.००	३५२.००	३६९.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	४३२.००	४३२.००	४५३.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	४३२.००	४३२.००	४५३.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९५.००	९५.००	९९.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line	गोटा	३०५.००	३०५.००	३२०.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	७७.००	७७.००	८०.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	५०.००	५०.००	५२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३२.००	३२.००	३३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	७७.००	७७.००	८०.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३०.००	३०.००	३१.००
२	<b>75 mm dia.</b>				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६३.००	६३.००	६६.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	३८.००	३८.००	३९.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१२६.००	१२६.००	१३२.००
	180 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	३०२.००	३०२.००	३१७.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	३५८.००	३५८.००	३७५.००

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	५१८.००	५१८.००	५४३.००
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	५९२.००	५९२.००	६२९.००
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	५९२.००	५९२.००	६२९.००
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	गोटा	१४०.००	१४०.००	१४७.००
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	४२४.००	४२४.००	४४५.००
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	१०८.००	१०८.००	११३.००
	<b>TOP BRACKET</b> To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	९१.००	९१.००	९५.००
	<b>CLAMP</b> To ensure perfect fixing between pipe and fittings.	गोटा	५१.००	५१.००	५३.००
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	११०.००	११०.००	११५.००
	<b>RUBBER GASKET</b> To provide leak proof joints.	गोटा	४१.००	४१.००	४३.००
<b>३</b>	<b>110 mm dia.</b>				
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६८.००	६८.००	७१.००
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	गोटा	४४.००	४४.००	४६.००
	<b>SINGLE SOCKET ELBOW</b> To join the roof water outlet with down line pipe.	गोटा	२४३.००	२४३.००	२५५.००
<b>४</b>	<b>250 mm dia.</b>				
	<b>ROOF WATER PIPES (HALF ROUND)</b> To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	५८५.००	५८५.००	६१४.००
	<b>JOINT BRACKET</b> To connect two lengths of roof water	गोटा	६१४.००	६१४.००	६४४.००
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	९६५.००	९६५.००	१०१३.००
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	१३८७.००	१३८७.००	१४५६.००
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	१३८७.००	१३८७.००	१४५६.००

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.ब.०७९१८०
	SHORT STOP END To close the end of roof water pipe line.	गोटा	३०२.००	३०२.००	३१७.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	८०२.००	८०२.००	८४२.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	३००.००	३००.००	३१५.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१६४.००	१६४.००	१७२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	१२२.००	१२२.००	१२८.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	३१८.००	३१८.००	३३३.००
	RUBBER GASKET To provide leak proof joints.	गोटा	१६६.००	१६६.००	१७४.००
५	<b>160 mm dia.</b>				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८२.००	८२.००	८६.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	१९१.००	१९१.००	२००.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	४३७.००	४३७.००	४५८.००
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	२४७.००	२४७.००	२५९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४३८.००	४३८.००	४५९.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	२६२.००	२६२.००	२७५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४७०.००	४७०.००	४९३.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४४७.००	४४७.००	४६९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६७३.००	६७३.००	७०६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४७३.००	४७३.००	४९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६९६.००	६९६.००	७३०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	९५९.००	९५९.००	१००६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	११९६.००	११९६.००	१२५५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०२२.००	१०२२.००	१०७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१३५०.००	१३५०.००	१४१७.००

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	१४०.००	१४०.००	१४७.००
	DWV Bend 87.5 Degree	गोटा	१७७.००	१७७.००	१८५.००
	DWV Bend 87.5 Degree with Door	गोटा	८१.००	८१.००	८५.००
	DWV Socket Plug	गोटा	१८९.००	१८९.००	१९८.००
	DWV Cleansing Pipe	गोटा	११४.००	११४.००	११९.००
	DWV Coupler	गोटा	२०२.००	२०२.००	२१२.००
	DWV Single Tee	गोटा	२२२.००	२२२.००	२३३.००
	DWV Single Tee with Door	गोटा	३४९.००	३४९.००	३६६.००
	DWV Cross Tee	गोटा	४९१.००	४९१.००	५१५.००
	DWV Cross Tee with Door	गोटा	३६१.००	३६१.००	३७९.००
	DWV Double 'Y'	गोटा	४८१.००	४८१.००	५०५.००
	DWV Double 'Y' with Door	गोटा	२२६.००	२२६.००	२३७.००
	DWV Single 'Y'	गोटा	२८८.००	२८८.००	३०२.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२५.००	२५.००	२६.००
	DWV Vent Cowel	गोटा	२३०.००	२३०.००	२४१.००
	DWV Bend 45 Degree 110mm size	गोटा	२८२.००	२८२.००	२९६.००
	DWV Bend 87.5 Degree	गोटा	३२३.००	३२३.००	३३९.००
	DWV Bend 87.5 Degree with Door	गोटा	१०३.००	१०३.००	१०८.००
	DWV Socket Plug	गोटा	३७०.००	३७०.००	३८८.००
	DWV Cleansing Pipe	गोटा	२०६.००	२०६.००	२१६.००
	DWV Coupler	गोटा	६८४.००	६८४.००	७१८.००
	DWV Double 'Y'	गोटा	८०८.००	८०८.००	८४८.००
	DWV Double 'Y' with Door	गोटा	५६६.००	५६६.००	५९४.००
	DWV Cross Tee	गोटा	६४२.००	६४२.००	६७४.००
	DWV Cross Tee with Door	गोटा	३७०.००	३७०.००	३८८.००
	DWV Single Tee	गोटा	४३७.००	४३७.००	४५८.००
	DWV Single Tee with Door	गोटा	४५३.००	४५३.००	४७५.००
	DWV Single 'Y'	गोटा	४७५.००	४७५.००	४९८.००
	DWV Single 'Y' with Door	गोटा	४७.००	४७.००	४९.००
	DWV Vent Cowel	गोटा	१६१.००	१६१.००	१६९.००
	DWV Reducer 110*75 mm	गोटा	३६.००	३६.००	३७.००
	DWV Pipe Clip 110mm size	गोटा	४३६.००	४३६.००	४५७.००
	DWV W.C. Connectore (Straight type)	गोटा	३४८.००	३४८.००	३६५.००
	DWV W.C. Connectore (Bend type)	गोटा	१७४.००	१७४.००	१८२.००
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	२४.००	२४.००	२५.००
	DWV Nahani Trap Jali	गोटा	५३९.००	५३९.००	५६५.००
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	७७३.००	७७३.००	८११.००
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	२३२.००	२३२.००	२४३.००
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	४७०.००	४७०.००	४९३.००
	DWV Reducer 60*110 mm	गोटा	४४९.००	४४९.००	४७१.००
	DWV Coupler 160mm size	गोटा	१०७७.००	१०७७.००	११३०.००
	DWV Single Tee	गोटा	११५७.००	११५७.००	१२१४.००
	DWV Single Tee with Door	गोटा	२०१६.००	२०१६.००	२११६.००
	DWV Single 'Y'	गोटा	२११८.००	२११८.००	२२२३.००
	DWV Single 'Y' with Door	गोटा	७४२.००	७४२.००	७७९.००

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	DWV Bend 87.5 Degree	गोटा	९८८.००	९८८.००	१०३७.००
	DWV Bend 87.5 Degree with Door	गोटा	८६४.००	८६४.००	९०७.००
६	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	५८४.००	५८४.००	६१३.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	६०६.००	६०६.००	६३६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	६३०.००	६३०.००	६६९.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	५९३.००	५९३.००	६२२.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	६०४.००	६०४.००	६३४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	१०७८.००	१०७८.००	११३९.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	११२०.००	११२०.००	११७६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	११६३.००	११६३.००	१२२९.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१०९६.००	१०९६.००	११५०.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१११६.००	१११६.००	११७१.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	१६८८.००	१६८८.००	१७७२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१८०३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१७४६.००	१७४६.००	१८३३.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२९४९.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२९९९.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	२८९९.००	२८९९.००	३०४३.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३७०९.००	३७०९.००	३८९४.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३९६९.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	४०२९.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४८१२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४८९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४९८०.००
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	५८३.००	५८३.००	६१२.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	५९८.००	५९८.००	६२७.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	६१३.००	६१३.००	६४३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	५९४.००	५९४.००	६२३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	६०५.००	६०५.००	६३५.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१०७७.००	१०७७.००	११३०.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	११०९.००	११०९.००	११६४.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	११३९.००	११३९.००	११९५.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१०९७.००	१०९७.००	११५९.००

### Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१७९	आ.ब.०७९१८०
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१११६.००	१११६.००	११७१.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१६८८.००	१६८८.००	१७७२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१८०३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१७४७.००	१७४७.००	१८३४.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२९४१.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२९९१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	२८९८.००	२८९८.००	३०४२.००
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	३७०९.००	३७०९.००	३८९४.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३९६१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	४०२९.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४८१२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४८९६.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४९८०.००
	DWV Coupler SN-8 110mm	गोटा	२९४.००	२९४.००	३०८.००
	DWV Coupler SN-4 160 mm	गोटा	७०८.००	७०८.००	७४३.००
	DWV Coupler SN-4 200 mm	गोटा	१४४७.००	१४४७.००	१५१९.००
	DWV Coupler SN-4 250 mm	गोटा	२६९७.००	२६९७.००	२८३१.००
	DWV Coupler SN-2 315mm	गोटा	४३३८.००	४३३८.००	४५५४.००
	DWV Coupler SN-4 315 mm	गोटा	४७३६.००	४७३६.००	४९७२.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१००१.००	१००१.००	१०५१.००
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	२७८७.००	२७८७.००	२९२६.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	५२०५.००	५२०५.००	५४६५.००
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	११६६८.००	११६६८.००	१२२५१.००
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	२७७०५.००	२७७०५.००	२९०९०.००

## सिचाई संबन्धि कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७/७८	आ.ब.०७८/७९	आ.ब.०७९/८०
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५०.००	१५०.००	१५७.००
२	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३०.००	३०.००	३१.००
३	<b>SPRINKLERS &amp; ACCESSORIES</b>				
	<b>Unispray</b>	गोटा	६६०.००	६६०.००	६९३.००
	Providing of Pop up spray head having and two piece stem ratchet ( 0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२००.००	१२००.००	१२६०.००
	Providing of Shrub spray head having variable adjustable arc ( 0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२००.००	१२००.००	१२६०.००
	Gear rotors 5004	गोटा	३१००.००	३१००.००	३२५५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	३९०.००	३९०.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	४८०.००	४८०.००	५०४.००
	Providing and fixing of HDPE service saddle of varying size	गोटा	८५०.००	८५०.००	८९२.००
४	<b>VALVES &amp; ACCESSORIES</b>				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३८००.००	३८००.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२१००.००	२१००.००	२२०५.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७५००.००	७५००.००	७८७५.००
	6"Round box.	गोटा	१२५०.००	१२५०.००	१३१२.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१३५००.००	१३५००.००	१४०४०.००
	Key threads into top of QCV to provide water access 33DK	गोटा	९७५०.००	९७५०.००	१०२३७.००

### Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७८	आ.ब.०७८१९	आ.व.०७९१८०
१	<b>LLDPE PLASTIC DUSTBIN - SMALL SIZE (:fgf] 8:6ljg)</b> (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा		३०००.००	३९२०.००
२	<b>LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन)</b> (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा		४०००.००	४९६०.००
३	<b>LLDPE PLASTIC LARGE WHEEL DUSTBIN (पांग्रावाला लार्ज डस्टबिन)</b> (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा		७०००.००	७२८०.००
४	<b>LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पांग्रावाला एक्स्ट्रा लार्ज डस्टबिन)</b> (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा		८०००.००	८३२०.००
५	<b>M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS</b> SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा		६०००.००	६२४०.००
६	<b>M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS</b> SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा		८०००.००	८३२०.००
७	<b>LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित)</b> BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा		४०००.००	४९६०.००
८	<b>LLDPE ROAD-DIVIDER - SMALL ( रोड डिभाइडर , सानो साइज )</b> WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा		३०००.००	३९२०.००
९	<b>LLDPE ROAD-DIVIDER - LARGE ( रोड डिभाइडर, ठूलो साइज)</b> WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा		९६५००.००	९७९६०.००
१०	<b>LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला)</b> WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा		५५००.००	५७२०.००

## Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७७७	आ.ब.०७८१९	आ.ब. ०७९१०८०
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा		१२०७३६.०	१२०७३६.००
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height ) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified.	गोटा		१६१३९२.०	१६१३९२.००
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height ) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा		२१५६००.०	२१५६००.००
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified.	गोटा		२७२२७२.०	२७२२७२.००
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा		३२१५५२.०	३२१५५२.००
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	गोटा		३७५७६०.०	३७५७६०.००
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height ) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा		४४९६८०.०	४४९६८०.००
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified	गोटा		४८६६४०.०	४८६६४०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	<b>SWITCH SOCKET-</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	५८.००	५८.००	५८.००
	One Gang two way switch	सेट	६९.००	६९.००	६९.००
	One way bell switch	सेट	७२.००	७२.००	७२.००
	Two gang one way switch	सेट	९६.००	९६.००	९६.००
	Two gang one way switch with one bell push	सेट	१०५.००	१०५.००	१०५.००
	Two gang Full two way switch	सेट	१०७.००	१०७.००	१०७.००
	Three Gang one way switch	सेट	१२७.००	१२७.००	१२७.००
	Four gang one way switch	सेट	१६१.००	१६१.००	१६१.००
	Six gang one way switch ( 3x5 )	सेट	२५३.००	२५३.००	२५३.००
	Eight gang one way switch	सेट	३०४.००	३०४.००	३०४.००
	Dimmer single 300 watt	सेट	३०९.००	३०९.००	३०९.००
	Dimmer single 750 watt	सेट	४५९.००	४५९.००	४५९.००
	5 Step humming free dimmer	सेट	४०७.००	४०७.००	४०७.००
	16Amp 3 Pin Plug Top	सेट	१२१.००	१२१.००	१२१.००
	1 switch with dimmer	सेट	३६८.००	३६८.००	३६८.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५१.००	१५१.००	१५१.००
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१६९.००	१६९.००	१६९.००
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१.००	३७१.००	३७१.००
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२०६.००	२०६.००	२०६.००
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११.००	६११.००	६११.००
	Blanking plate single	सेट	४०.००	४०.००	४०.००
	Telephone socket single	सेट	११८.००	११८.००	११८.००
	Telephone socket Double	सेट	१६९.००	१६९.००	१६९.००
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००
	Ceiling Rose	सेट	३५.००	३५.००	३५.००
	Buzzer	सेट	९७.००	९७.००	९७.००
	Musical bell	सेट	२२२.००	२२२.००	२२२.००
	T.V. antenna single Socket	सेट	८२.००	८२.००	८२.००
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८.००	१२८.००	१२८.००
	RJ 45 Computer Socket for modem	सेट	२३४.००	२३४.००	२३४.००
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३.००	६३.००	६३.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	९८.००	९८.००	९८.००
२	<b>Switch / socket outlet, Plate series</b> having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	८३.००	८३.००	८३.००
	10A 2gang 1way Switch	सेट	१६३.००	१६३.००	१६३.००
	10A 3gang 1way Switch	सेट	२१६.००	२१६.००	२१६.००
	10A 4gang 1way Switch	सेट	३५०.००	३५०.००	३५०.००
	10A 5gang 1way Switch	सेट	३७१.००	३७१.००	३७१.००
	10A 6gang 1way Switch	सेट	६१७.००	६१७.००	६१७.००
	10A 1gang 2way Switch	सेट	१४४.००	१४४.००	१४४.००
	10A 2gang 2way Switch	सेट	२७८.००	२७८.००	२७८.००
	10A 3gang 2way Switch	सेट	४०७.००	४०७.००	४०७.००
	10A 4gang 2way Switch	सेट	६१३.००	६१३.००	६१३.००
	T V Socket outlet	सेट	२९९.००	२९९.००	२९९.००
	Telephone Socket	सेट	२६८.००	२६८.००	२६८.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	13A Universal socket outlet	सेट	४६४.००	४६४.००	४६४.००
	13A Socket	सेट	२७३.००	२७३.००	२७३.००
	15A switched Socket outlet	सेट	४४३.००	४४३.००	४४३.००
	5A Socket	सेट	३४०.००	३४०.००	३४०.००
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४.००	८२४.००
	TV and Telephone Socket	सेट	५९२.००	५९२.००	५९२.००
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७.००	९२७.००
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७.००	५७७.००
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३.००	७८३.००
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५.००	५०५.००
	Bell Press	सेट	२३७.००	२३७.००	२३७.००
	Blank Plate	सेट	९३.००	९३.००	९३.००
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६.००	९०६.००
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७.००	९१७.००
	5 Step Fan Controller	सेट	८९६.००	८९६.००	८९६.००
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३.००	४५३.००
	13A Twin Socket	सेट	६८०.००	६८०.००	६८०.००
३	MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>WHITE PLATE</b>				
	1 MODULAR PLATE	सेट		१४८.००	१४८.००
	2 MODULAR PLATE	सेट		१४८.००	१४८.००
	3 MODULAR PLATE	सेट		१९२.००	१९२.००
	4 MODULAR PLATE	सेट		२२१.००	२२१.००
	6 MODULAR PLATE	सेट		३०१.००	३०१.००
	8 MODULAR PLATE	सेट		३५४.००	३५४.००
	12 MODULAR PLATE	सेट		४८२.००	४८२.००
	16 MODULAR PLATE	सेट		५६२.००	५६२.००
	18 MODULAR PLATE	सेट		५९३.००	५९३.००
	<b>GREY PLATE</b>				
	1 MODULAR PLATE	सेट		२६५.००	२६५.००
	2 MODULAR PLATE	सेट		२६५.००	२६५.००
	3 MODULAR PLATE	सेट		३४२.००	३४२.००
	4 MODULAR PLATE	सेट		३९४.००	३९४.००
	6 MODULAR PLATE	सेट		५३५.००	५३५.००
	8 MODULAR PLATE	सेट		६२४.००	६२४.००
	12 MODULAR PLATE	सेट		८५४.००	८५४.००
	16 MODULAR PLATE	सेट		१०००.००	१०००.००
	18 MODULAR PLATE	सेट		१०५८.००	१०५८.००
४	SWITCHES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>WHITE</b>				
	10A 1 WAY SWITCH	सेट		१३०.००	१३०.००
	10A 2 WAY SWITCH	सेट		२३९.००	२३९.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट		२८३.००	२८३.००
	16A 1 WAY SWITCH	सेट		२५२.००	२५२.००
	20A DP SWITCH WITH INDICATOR	सेट		५४६.००	५४६.००
	32A DP SWITCH WITH INDICATOR	सेट		६५५.००	६५५.००
	10A BELL PUSH	सेट		२५२.००	२५२.००
	10A 2 MODULAR BELL PUSH	सेट		३७२.००	३७२.००
	25A MOTOR STATER	सेट		११६२.००	११६२.००
	400W 1 MODULAR DIMMER	सेट		६७३.००	६७३.००
	100W 2 MODULAR DIMMER	सेट		१३१३.००	१३१३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	STEP REGULATOR 4 STEP DIMMER	सेट		६९०.००	६९०.००
	20A 2 WAY SWITCH 1M	सेट		३९६.००	३९६.००
	20A 1 WAY SWITCH WITH IND 1M	सेट		४८०.००	४८०.००
	<b>GREY</b>				
	10A 1 WAY SWITCH	सेट		१५९.००	१५९.००
	10A 2 WAY SWITCH	सेट		३२३.००	३२३.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट		४५६.००	४५६.००
	16A 1 WAY SWITCH	सेट		३७६.००	३७६.००
	20A DP SWITCH WITH INDICATOR	सेट		७३०.००	७३०.००
	32A DP SWITCH WITH INDICATOR	सेट		८७६.००	८७६.००
	10A BELL PUSH	सेट		३३६.००	३३६.००
	10A 2 MODULAR BELL PUSH	सेट		५००.००	५००.००
	25A MOTOR STATER	सेट		१५५३.००	१५५३.००
	400W 1 MODULAR DIMMER	सेट		१०९३.००	१०९३.००
	100W 2 MODULAR DIMMER	सेट		१७५७.००	१७५७.००
	STEP REGULATOR 4 STEP DIMMER	सेट		९८४.००	९८४.००
५	<b>SOCKETS (संयुक्त उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>WHITE</b>				
	6A 2 PIN SOCKET	सेट		२१२.००	२१२.००
	13A UNIVERSAL SOCKET	सेट		२७९.००	२७९.००
	6/16A 3 PIN SOCKET	सेट		४२९.००	४२९.००
	RJ11 SOCKET	सेट		२८२.००	२८२.००
	TV SOCKET	सेट		२२६.००	२२६.००
	USB CHARGER	सेट		२१५५.००	२१५५.००
	BUZZER OFF	सेट		५३६.००	५३६.००
	BLANK OFF	सेट		५०.००	५०.००
	LED FOOT LIGHT 2M	सेट		१०८५.००	१०८५.००
	LED PHASE INDICATOR	सेट		२८५.००	२८५.००
	RJ 45 SOCKET	सेट		८१९.००	८१९.००
	CALL BELL INDICATOR	सेट		२०३१.००	२०३१.००
	MOVEMENT SENSOR	सेट		७२३०.००	७२३०.००
	<b>GREY</b>				
	6A 2 PIN SOCKET	सेट		२९६.००	२९६.००
	13A UNIVERSAL SOCKET	सेट		५८४.००	५८४.००
	6/16A 3 PIN SOCKET	सेट		५९३.००	५९३.००
	RJ11 SOCKET	सेट		३४५.००	३४५.००
	TV SOCKET	सेट		३३२.००	३३२.००
	USB CHARGER	सेट		३०६६.००	३०६६.००
	BUZZER OFF	सेट		८०१.००	८०१.००
	BLANK OFF	सेट		७९.००	७९.००
	LED FOOT LIGHT 2M	सेट		१६१५.००	१६१५.००
	RJ 45 SOCKET	सेट		१२२१.००	१२२१.००
	CALL BELL INDICATOR	सेट		२५४०.००	२५४०.००
	MOVEMENT SENSOR	सेट		९०३५.००	९०३५.००
६	<b>HOSPITALITY</b>				
	<b>WHITE</b>				
	SAVER SOCKET 4M	सेट		६२९६.००	६२९६.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट		१५००.००	१५००.००
	DND MMR INSIDE ROOM UNIT	सेट		१३०१.००	१३०१.००
	DND MMR OUTSIDE ROOM UNIT	सेट		९२५.००	९२५.००
	<b>GREY</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SAVER SOCKET 4M	सेट		७८६७.००	७८६७.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट		१९०३.००	१९०३.००
	DND MMR INSIDE ROOM UNIT	सेट		१३१०.००	१३१०.००
	DND MMR OUTSIDE ROOM UNIT	सेट		९२९.००	९२९.००
<b>७</b>	<b>MODULAR SWITCH IN GANG MODULE WHITE</b>				
	1 GANG ONE WAY SWITCH	सेट		२७८.००	२७८.००
	2 GANG ONE WAY SWITCH	सेट		४०८.००	४०८.००
	3 GANG ONE WAY SWITCH	सेट		५८२.००	५८२.००
	4 GANG ONE WAY SWITCH	सेट		७४१.००	७४१.००
	6 GANG ONE WAY SWITCH	सेट		१०८१.००	१०८१.००
	8 GANG ONE WAY SWITCH	सेट		१३९४.००	१३९४.००
	12 GANG ONE WAY SWITCH	सेट		२०४२.००	२०४२.००
	16 GANG ONE WAY SWITCH	सेट		२६४२.००	२६४२.००
	18 GANG ONE WAY SWITCH	सेट		२९३३.००	२९३३.००
	1 GANG TWO WAY SWITCH	सेट		३८७.००	३८७.००
	16A POWER SOCKET SET	सेट		८७३.००	८७३.००
	13A UNIVERSAL SOCKET SET	सेट		७२३.००	७२३.००
	400W DIMMER SET	सेट		८२१.००	८२१.००
	1000W DIMMER SET	सेट		१४६४.००	१४६४.००
	RJ45 SOCKET SET	सेट		९६७.००	९६७.००
	RJ11 SOCKET SET	सेट		४३०.००	४३०.००
	BLANK PLATE	सेट		५०.००	५०.००
	TV SOCKET SET	सेट		३७४.००	३७४.००
	BELL PUSH SET	सेट		४००.००	४००.००
	20A DP SWITCH WITH INDICATOR SET	सेट		६९४.००	६९४.००
	32A D.P SWITCH WITH INDICATOR SET	सेट		८०३.००	८०३.००
<b>८</b>	<b>GI METAL BOX RATES</b>				
	GI METAL BOX 1/2 MODULE 3*3	सेट		१०३.००	१०३.००
	GI METAL BOX 3 MODULE 3*4	सेट		१२८.००	१२८.००
	GI METAL BOX 4 MODULE 3*5	सेट		१४१.००	१४१.००
	GI METAL BOX 6 MODULE 3*8	सेट		२१०.००	२१०.००
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट		२६७.००	२६७.००
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट		२६७.००	२६७.००
	GI METAL BOX 12/16 MODULE 6*8	सेट		४०५.००	४०५.००
	GI METAL BOX 18 MODULE 8*8	सेट		४६२.००	४६२.००
<b>९</b>	<b>NON MODULAR SWITCHES LOCAL BRAND</b>				
	16A MULTI POWER SOCKET	सेट		३२५.००	३२५.००
	16A POWER MULTI SOCKET + USB	सेट		८००.००	८००.००
	16A DOUBLE MULTI POWER SOCKET	सेट		६६५.००	६६५.००
	2 GANG + SOCKET SWITCH	सेट		३२०.००	३२०.००
	4 GANG + SOCKET SWITCH	सेट		५२५.००	५२५.००
	6 GANG + SOCKET SWITCH	सेट		६४०.००	६४०.००
	1 GANG SWITCH	सेट		१३५.००	१३५.००
	2 GANG SWITCH	सेट		२००.००	२००.००
	3 GANG SWITCH	सेट		२६७.००	२६७.००
	4 GANG SWITCH	सेट		३५०.००	३५०.००
	6 GANG SWITCH	सेट		५२५.००	५२५.००
	8 GANG SWITCH	सेट		६५५.००	६५५.००
	10 GANG SWITCH	सेट		८००.००	८००.००
	DIMMER KNOB	सेट		४४५.००	४४५.००
	2 PIN SOCKET KNOB	सेट		१००.००	१००.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	2 WAY SWITCH KNOB	सेट		९४.००	९४.००
	DOOR BELL KNOB	सेट		९४.००	९४.००
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट		१७५.००	१७५.००
	20A D.P SWITCH	सेट		४४५.००	४४५.००
	45A D.P SWITCH	सेट		६६०.००	६६०.००
	TV SOCKET	सेट		२०६.००	२०६.००
	TELEPHONE SOCKET	सेट		२०६.००	२०६.००
	RJ45 SOCKET KNOB	सेट		२९०.००	२९०.००
	TV+ TELEPHONE SOCKET	सेट		२७५.००	२७५.००
	1 GANG PLATE	सेट		९४.००	९४.००
	2 GANG PLATE	सेट		९४.००	९४.००
	3X3 WOODEN PLATE	सेट		१२५.००	१२५.००
	3X5 WOODEN PLATE	सेट		१६५.००	१६५.००
१०	<b>LOCAL BRAND LIGHTS</b>				०.००
	3W CONCEAL PANEL LIGHT RD WHITE	गोटा		२८०.००	२८०.००
	3W CONCEAL PANEL LIGHT RD WW	गोटा		२८०.००	२८०.००
	6W CONCEAL PANEL LIGHT RD WHITE	गोटा		३७५.००	३७५.००
	6W CONCEAL PANEL LIGHT RD WW	गोटा		३७५.००	३७५.००
	12W CONCEAL PANEL LIGHT RD WHITE	गोटा		५५५.००	५५५.००
	9W CONCEAL PANEL LIGHT RD WHITE	गोटा		५३०.००	५३०.००
	6W CONCEAL PANEL LIGHT RD RGB+ WH	गोटा		७२०.००	७२०.००
	6W SURFACE PANEL LIGHT ROUND WHITE	गोटा		४५५.००	४५५.००
	12W SURFACE PANEL LIGHT ROUND WHITE	गोटा		६९०.००	६९०.००
	6+3W SURFACE PANEL LIGHT RD RGB+ WH	गोटा		८५५.००	८५५.००
	12W SURFACE PANEL LIGHT RD RGB+WH	गोटा		११४५.००	११४५.००
	48W 600*600 LED PANEL LIGHT	गोटा		४६३०.००	४६३०.००
	5W COB SURFACE	गोटा		८९०.००	८९०.००
११	<b>LOCAL BRAND BULBS</b>				०.००
	3W B22 WHITE	गोटा		१२०.००	१२०.००
	3W B22 WARM	गोटा		१३०.००	१३०.००
	5W B22 WHITE	गोटा		१४०.००	१४०.००
	5W B22 WARM	गोटा		१५०.००	१५०.००
	7W B22 WHITE	गोटा		१७०.००	१७०.००
	7W B22 WARM	गोटा		१८०.००	१८०.००
	9W B22 WHITE	गोटा		२०५.००	२०५.००
	12W B22 WHITE	गोटा		२४०.००	२४०.००
	12W B22 WARM	गोटा		२५०.००	२५०.००
	15W B22 WHITE	गोटा		३२०.००	३२०.००
	3W E27 WHITE	गोटा		१२०.००	१२०.००
	3W E27 WARM	गोटा		१३०.००	१३०.००
	5W E27 WHITE	गोटा		१४०.००	१४०.००
	5W E27 WARM	गोटा		१५०.००	१५०.००
	7W E27 WHITE	गोटा		१७०.००	१७०.००
	7W E27 WARM	गोटा		१८०.००	१८०.००
	9W E27 WHITE	गोटा		२०५.००	२०५.००
	12W E27 WARM	गोटा		२४०.००	२४०.००
	12W E27 WHITE	गोटा		२५०.००	२५०.००
	15W E27 WHITE	गोटा		३२०.००	३२०.००
	18W B22 WHITE	गोटा		३६५.००	३६५.००
	24W B22 WHITE	गोटा		८५०.००	८५०.००
	40 W B22 WHITE	गोटा		११०५.००	११०५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	18W E27 WHITE	गोटा		३६५.००	३६५.००
	24W E27 WHITE	गोटा		८५०.००	८५०.००
	40 W E27 WHITE	गोटा		११०५.००	११०५.००
	5W E14 WHITE	गोटा		१७५.००	१७५.००
	5W E14 WARM	गोटा		१८५.००	१८५.००
	24W B22 WARM	गोटा		८७०.००	८७०.००
	4W E14 TAIL WARM	गोटा		२५०.००	२५०.००
	4W E14 NON TAIL WARM	गोटा		२३०.००	२३०.००
१२	<b>WATER HEATER RATES</b>				०.००
	15 LTRS ABS WATER HEATER	सेट		२०१००.००	२०१००.००
	25 LTRS ABS WATER HEATER	सेट		२२३००.००	२२३००.००
	15 LTRS METAL WATER HEATER	सेट		१७९००.००	१७९००.००
	25 LTRS METAL WATER HEATER	सेट		१९७००.००	१९७००.००
	3 LTR ABS INSTANT	सेट		७५२५.००	७५२५.००
	6 LTR GAS	सेट		११७२५.००	११७२५.००
१३	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	१००.००	१००.००	१००.००
	One Gang two way switch	सेट	११२.००	११२.००	११२.००
	One way bell switch	सेट	११२.००	११२.००	११२.००
	Two gang one way switch	सेट	१३३.००	१३३.००	१३३.००
	Two gang one way switch with one bell push	सेट	१४६.००	१४६.००	१४६.००
	Two gang Full two way switch	सेट	१५८.००	१५८.००	१५८.००
	Three Gang one way switch	सेट	१६७.००	१६७.००	१६७.००
	Four gang one way switch	सेट	२०२.००	२०२.००	२०२.००
	Six gang one way switch	सेट	३०७.००	३०७.००	३०७.००
	Eight gang one way switch	सेट	३७४.००	३७४.००	३७४.००
	Dimmer single 400 watt	सेट	४८६.००	४८६.००	४८६.००
	1 switch with dimmer	सेट	४९९.००	४९९.००	४९९.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००	२६०.००	२६०.००
	6/13 Amp , Power sockets with switch , indicator	सेट	२६३.००	२६३.००	२६३.००
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००	३५४.००	३५४.००
	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	३९१.००	३९१.००	३९१.००
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४७४.००	४७४.००
	Blanking plate single	सेट	६२.००	६२.००	६२.००
	Telephone socket single	सेट	१५२.००	१५२.००	१५२.००
	Telephone socket Double	सेट	२४९.००	२४९.००	२४९.००
	T.V.antena single Socket	सेट	१४२.००	१४२.००	१४२.००
	RJ 45 Computer Socket for modem	सेट	२०६.००	२०६.००	२०६.००
	CAT-6 Computer Socket for modem	सेट	३२१.००	३२१.००	३२१.००
१४	<b>Modular Type Switch Socket set</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1P – 6A/10A 1 way switch	गोटा	१३९.००	१३९.००	१३९.००
	1P – 16A/20A 1 way switch	गोटा	२२३.००	२२३.००	२२३.००
	1P – 25A 1 way switch	गोटा	३२६.००	३२६.००	३२६.००
	1P – 6A/10A 2 way switch	गोटा	१६७.००	१६७.००	१६७.००
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५३.००	२५३.००
	1P – 6A push button	गोटा	१८४.००	१८४.००	१८४.००
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००
	2 gang blanking module	गोटा	८६.००	८६.००	८६.००
१५	<b>FAN REGULATOR / DIMMER</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Step type fan regulator	गोटा	६३८.००	६३८.००	६३८.००
	60 – 500 W dimmer	गोटा	७९७.००	७९७.००	७९७.००
	1000 W dimmer	गोटा	१५२४.००	१५२४.००	१५२४.००
१६	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>				
	6A – multi socket 5 pin	गोटा	२४०.००	२४०.००	२४०.००
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३२.००	३३२.००
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३२.००	३३२.००
	25A 3 pin socket	गोटा	४०१.००	४०१.००	४०१.००
	13A 3 pin socket	गोटा	२७०.००	२७०.००	२७०.००
	RJ 11 telephone jack	गोटा	१५९.००	१५९.००	१५९.००
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७.००	५५७.००
	TV socket	गोटा	१६१.००	१६१.००	१६१.००
	<b>HOSPITALITY RANGE</b>				
	250V/110V shaver socket	गोटा	४३५.००	४३५.००	४३५.००
	Indicator (DO NOT DISTUURE)	गोटा	१८०.००	१८०.००	१८०.००
	LED yellow night lamp	गोटा	५६०.००	५६०.००	५६०.००
	LED Blue night lamp	गोटा	५६०.००	५६०.००	५६०.००
१७	<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>	गोटा			
	1 module front plate	गोटा	७२.००	७२.००	७२.००
	2 module front plate	गोटा	७७.००	७७.००	७७.००
	3 module front plate	गोटा	८४.००	८४.००	८४.००
	4 module front plate	गोटा	८९.००	८९.००	८९.००
	6 module front plate	गोटा	१६२.००	१६२.००	१६२.००
	8 module front plate(4+4)	गोटा	२१७.००	२१७.००	२१७.००
	8 module front plate (Horizontal)	गोटा	१७४.००	१७४.००	१७४.००
	12 module front plate	गोटा	२६०.००	२६०.००	२६०.००
	18 module front plate	गोटा	३५०.००	३५०.००	३५०.००
१८	<b>Modular Type Switch Socket</b> (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>Seperate Module for Modular Switch &amp; Socket</b>				
	1P – 6A/10A 1 way switch	गोटा	८७.००	८७.००	९०.००
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४४.००	१५०.००
	1P – 6A/10A 2 way switch	गोटा	१३४.००	१३४.००	१३९.००
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७५.००	१८२.००
	1P – 6A push button	गोटा	१३४.००	१३४.००	१३९.००
	1 gang blanking module	गोटा	४१.००	४१.००	४२.००
	2 gang blanking module	गोटा	७८.००	७८.००	८१.००
	<b>Modular Switch, Sockets, Plates</b>				
	<b>White series</b>				
	6A SWITCH 1W 1 MODULE	गोटा		१५७.००	१३७.६०
	6A SWITCH 2W 1 MODULE	गोटा		२७२.००	२६५.६०
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा		२७८.००	२६५.६०
	10A SWITCH 1W 2 MODULE	गोटा		३३६.००	३२३.२०
	10A SWITCH 2W 2 MODULE	गोटा		३९४.००	३८०.८०
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा		२२२७.००	२१५३.६०
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा		४३२.००	४१२.८०
	16A SWITCH 1W 1 MODULE	गोटा		३०४.००	३००.८०
	16A SWITCH 2W 1 MODULE	गोटा		३८७.००	३७७.६०
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा		४०३.००	३९०.४०
	20A SWITCH 1W 1 MODULE	गोटा		४६४.००	४४९.६०

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	20A DP SWITCH 1W 2 MODULE	गोटा		६७५.००	६४९.६०
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा		६८५.००	६६२.४०
	20A SWITCH 2W 2 MODULE	गोटा		७६८.००	७४२.४०
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा		४८०.००	४६०.८०
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा		९१८.००	८९६.००
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा		५०२.००	४८३.२०
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा			९५०.४०
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा		५१८.००	५०५.६०
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा		३९७.००	३९०.४०
	6/16 A SOCKET 3 MODULE	गोटा		६९८.००	५९८.४०
	6/16 A SOCKET 2 MODULE	गोटा		५२५.००	५०५.६०
	6/16A EURO SOCKET 2 MODULE	गोटा		५३४.००	५२४.८०
	25A SOCKET 2 MODULE	गोटा		५२५.००	५०५.६०
	6A 3 PIN ISI SOCKET 2M	गोटा			२५२.८०
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा		९२८.००	८९९.२०
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा		११९४.००	११४८.८०
	REMOVABLE LED LAMP 2 MODULE	गोटा			३६९६.००
	LED SKIRTING LIGHT 3 MODULE	गोटा		७७४.००	७७९.००
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा			८१६.००
	BELL CALL INDICATOR 240V 1 MODULE	गोटा			१५२९.६०
	BUZZER 230 V 1 MODULE	गोटा		१०२७.००	१०२७.२०
	INFRARED SENSOR 400W 2 MODULE	गोटा			२४४४.८०
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा		५६१९.००	५८६९.००
	REMOTE CONTROL HAND UNIT	गोटा		८७०.००	९०८.००
	16A KEY CARD SWITCH 2 MODULE	गोटा		४९७९.००	४९५०.४०
	CREDIT CARD SIZE KEY FOB	गोटा			१६६.४०
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा		५४४.००	५४४.००
	INTERNAL CONTROL UNIT FOR DND &MMR 1+1 MODULE	गोटा		४५१.००	४४१.६०
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा		३७८६.००	३८०४.८०
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा		७३९.००	७६१.६०
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा		१०३४.००	१०६८.८०
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा		२११२.००	२०५७.६०
	PRETERMINATED HDMI SOCKET1 MODULE	गोटा		२५८२.००	२५२८.००
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा		२५८२.००	२५२८.००
	VOLUME CONTROLLER 2 MODULE	गोटा		१६६४.००	१६२५.६०
	6A 3 PIN ISI SOCKET 2M	सेट			२९४.४०
	ROTARY LIGHT DIMMER 400W 1 MODULE	सेट			१०३०.४०
	ROTARY LIGHT DIMMER 500W 2 MODULE	सेट			१३२८.००
	FAN STEP REGULATOR 100W 1 MODULE	सेट			९५६.८०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	सेट			११७९.२०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	सेट			१३३४.४०
	FAN STEP REGULATOR 70W 2 MODULE	सेट			१२८६.४०
	FAN REGULATOR 100W 8 STEP 2M	सेट			१०४९.६०
	LED SKIRTING LIGHT 3 MODULE	सेट			८७३.६०
	BELL CALL INDICATOR 240V 1 MODULE	सेट			१७५८.४०
	BUZZER 230 V 1 MODULE	सेट			११५८.४०
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	सेट			६३७९.२०
	REMOTE CONTROL HAND UNIT	सेट			९७९.२०
	16A KEY CARD SWITCH 2 MODULE	सेट			५५९६.८०
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	सेट			६३०.४०

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	INTERNAL CONTROL UNIT FOR DND &MMR 1+1 MODULE	सेट			५०५.६०
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	सेट			४२५२.८०
	TV COAXIAL SOCKET 1 MODULE	सेट			३१३.६०
	TELEPHONE SOCKET RJ11 1 MODULE	सेट			२९७.६०
	TELEPHONE SOCKET DOUBLE RJ11 1MODULE	सेट			५०८.८०
	RJ45 UTP CAT 5 TOOLES WITH SHUTTER 1 M GREY	सेट			८३८.४०
	RJ45 UTP CAT 6 TOOLES WITH SHUTTER 1 M GREY	सेट			११७१.२०
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	सेट			२३७७.६०
	PRETERMINATED HDMI SOCKET1 MODULE	सेट			२९०२.४०
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	सेट			२९०२.४०
	VOLUME CONTROLLER 2 MODULE	सेट			१८७२.००
	USB CHARGER 1000 mA 1 MODULAR TYPE A	सेट			१८३६.८०
	DOUBLE USB CHARGER 3000 mA 2 MODULE	सेट			४३००.८०
	USB CHARGER 1500 mA 1 MODULAR C TYPE	सेट			२०७०.४०
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A	सेट			४९६३.२०
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A & TYPE C	सेट			५४६८.८०
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	सेट			३२४८.००
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	सेट			४३२९.६०
	BLUETOOTH SOUND DIFFUSION 2 MODULE	सेट			८२६८.८०
	ROTARY LED DIMMER 50 W 1 MODULE	सेट			४२११.२०
	CABLE OUTLET 8 mm 1 MODULE	सेट			२९१.२०
	BLANKING PLATE 1 MODULE	सेट			६७.२०
	PLATE + FRAME 1M	गोटा	२१८.००		२२७
	PLATE + FRAME 2M	गोटा	२१८.००		२२७
	PLATE + FRAME 3M	गोटा	२९४.००		३०७
	PLATE + FRAME 4M	गोटा	३०७.००		३२०
	PLATE + FRAME 6M	गोटा	३९०.००		४०७
	PLATE + FRAME 8M(H)	गोटा	५२५.००		५४८
	PLATE + FRAME 2 X 4 M	गोटा	५२५.००		५४८
	PLATE + FRAME 12M	गोटा	७३६.००		७६८
	PLATE + FRAME 16M	गोटा	८४५.००		८८२
	PLATE + FRAME 18M	गोटा	११५८.००		१२०९
१९	<b>FAN REGULATOR / DIMMER</b>				
	Step type fan regulator	गोटा	७००.००	७००.००	७३१.००
	60 – 500 W dimmer	गोटा	५९७.००	५९७.००	६२३.००
	<b>White Series</b>				
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	८५८.००		८२२.४०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	१०५०.००		१०१७.६०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा	१२००.००		११६४.८०
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	११५८.००		१११३.६०
	FAN REGULATOR 100W 8 STEP 2M	गोटा			९१५.२०
	<b>Black series</b>				
	FAN STEP REGULATOR 100W 1 MODULE	गोटा			९५६.८०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा			११७१.२०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा			१३३४.४०
	FAN STEP REGULATOR 70W 2 MODULE	गोटा			१२८६.४०
	FAN REGULATOR 100W 8 STEP 2M	गोटा			१०४९.६०
२०	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>				
	6A – multi socket 5 pin	गोटा	१८५.००	१८५.००	१९३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6/16A twin socket 3 pin (flushed)	गोटा	२८८.००	२८८.००	३००.००
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२८८.००	३००.००
	13A 3 pin socket	गोटा	१८५.००	१८५.००	१९३.००
	RJ 11 telephone jack	गोटा	१४४.००	१४४.००	१५०.००
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२३७.००	२४७.००
	<b>White Series</b>				
	TV COAXIAL SOCKET 1 MODULE	गोटा		२७८.००	२९०.००
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा		२६६.००	२७७.००
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा		४५४.००	४७४.००
	<b>Black Series</b>				
	TV COAXIAL SOCKET 1 MODULE	गोटा			३१३.६०
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा			२९७.६०
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा			५०८.८०
२१	<b>TV socket</b>	गोटा	१४४.००	१४४.००	१५०.००
	1 module front plate	गोटा	११३.००	११३.००	११८.००
	2 module front plate	गोटा	११३.००	११३.००	११८.००
	3 module front plate	गोटा	१४८.००	१४८.००	१५४.००
	4 module front plate	गोटा	१६५.००	१६५.००	१७२.००
	6 module front plate	गोटा	२२७.००	२२७.००	२३७.००
	8 module front plate(4+4)	गोटा	३०५.००	३०५.००	३१८.००
	8 module front plate (Horizontal)	गोटा	३१३.००	३१३.००	३२६.००
	12 module front plate	गोटा	३६३.००	३६३.००	३७९.००
	18 module front plate	गोटा	४५३.००	४५३.००	४७३.००
२२	<b>Flush mounting galvanized Metal box for modular type switch &amp; socket-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२.००	५२.००	५४.००
	2 module " " =(78x78x45)mm	सेट	५२.००	५२.००	५४.००
	3 gang " " =(78x100x45)mm	सेट	५६.००	५६.००	५८.००
	4 gang " " =(78x140x50)mm	सेट	६८.००	६८.००	७१.००
	5 gang " " =(78x205x50)mm	सेट	१३४.००	१३४.००	१३९.००
	6 gang " " =(78x205x50)mm	सेट	१३६.००	१३६.००	१४२.००
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८१.००	१८९.००
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८१.००	१८९.००
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३१.००	२४१.००
	TV socket metal box	सेट	५२.००	५२.००	५४.००
	Telephone socket metal box	सेट	५२.००	५२.००	५४.००
२३	<b>METAL Junction BOX</b>				
	4"x4"	सेट	१००.००	१००.००	१०४.००
	4"x6"	सेट	१५०.००	१५०.००	१५६.००
	6"x8"	सेट	२३७.००	२३७.००	२४७.००
	8"x10"	सेट	३४९.००	३४९.००	३६४.००
	8"x12"	सेट	३४९.००	३४९.००	३६४.००
२४	<b>PVC Junction Box</b>	सेट	३४.००	३४.००	३५.००
	4"x4"	सेट			०.००
	4"x6"	सेट	३१.००	३१.००	३२.००
	6"x8"	सेट	४६.००	४६.००	४८.००
	8"x10"	सेट	६७.००	६७.००	६९.००
	8" x12"	सेट	१२९.००	१२९.००	१३४.००
	PVC Junction box cover	सेट	१४४.००	१४४.००	१५०.००
२५	<b>Junction Box</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	The Junction Box shall be insulated and made out of Polypropylene or polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are certified in accordance with the new international standard IEC 60670-22. Burning behavior: glow wire test in accordance with IEC 60695-2-11: 750 deg. Cent. Flame retardant and self-extinguishing. The JB should have rear side cable entry possibility, quarter turn polycarbonate screws for quick opening and closing, multi-level metric knockouts for cable glands in different sizes, external brackets for wall fixing. Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 07 ( 2 Joule).				
	Dimensions (mm)				
	93 x 93 x 62	गोटा		९७४.४०	१०१३.००
	104 x 104 x 70	गोटा		१०१९.२०	१०५९.००
	104 x 104 x 70	गोटा		११०८.८०	११५३.००
	130 x 130 x 77	गोटा		१८१४.४०	१८८६.००
	130 x 130 x 77	गोटा		२१९५.२०	२२८३.००
	130 x 180 x 77	गोटा		२५४२.४०	२६४४.००
	130 x 180 x 77	गोटा		२८६७.२०	२९८१.००
	155 x 210 x 92	गोटा		४४१२.८०	४५८९.००
	155 x 210 x 92	गोटा		५४८८.००	५७०७.००
	205 x 255 x 112	गोटा		२८७०५.६०	२९८५३.००
	225 x 295 x 122	गोटा		२५५५८.४०	२६५८०.००
	255 x 355 x 122	गोटा		८४६७.२०	८८०५.००
	255 x 355 x 122	गोटा		२९८८१.६०	३१०७६.००
	The Junction Box shall be insulated and made out of PC-GFS Polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66/IP67/IP69 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. The Polycarbonate enclosures shall be fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 09(10Joule).				
	Dimensions(mm)				
	93 x 93 x 62	गोटा		१३६६.४०	१४२७.००
	104 x 104 x 70	गोटा		१६१२.८०	१६८४.००
	104 x 104 x 70	गोटा		१६८०.००	१७५४.००
	130 x 130 x 77	गोटा		२१९५.२०	२२९२.००
	130 x 130 x 77	गोटा		३०५७.६०	३१९३.००
	130 x 180 x 77	गोटा		३५७२.८०	३७३१.००
	130 x 180 x 77	गोटा		३९२०.००	४०९४.००
	155 x 210 x 92	गोटा		४५५८.४०	४७६९.००
	155 x 210 x 92	गोटा		५१०७.२०	५३३४.००
	205 x 255 x 112	गोटा		२७४२८.८०	२८६४९.००
	225 x 295 x 122	गोटा		२८८१७.६०	३००९९.००
	255 x 355 x 122	गोटा		८०१९.२०	८३७६.००
	Thermoplastics PS Polystyrene MCB DB in accordance with IEC 60670-24, should be IP65 protected in accordance with IEC 60529, corrosion proof, suitable for 1-54 MCB modules with new FIXCONNECT plug-in terminal technology for PE/N ,captive lid screws made of stainless steel V2A, internally embedded polyurethane gasket for lid and enclosures, metric knockouts/elastic membranes for cable entry from top and bottom and possibility to attach similar DB on either side. DB should be able to adapt any make of MCB or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 08(5Joule).				
	No. of Modules ( 1 Module= 1 SP MCB)				
	3 Modules	गोटा		३७९६.८०	३९८६.००
	4 Modules	गोटा		४७९३.६०	५०३३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	6 Modules	गोटा		५४८८.००	५७२२.००
	9 Modules	गोटा		६८५४.४०	७१९७.००
	12 Modules	गोटा		११३५६.८०	११८११.००
	18 Modules	गोटा		१३५६३.२०	१४१०५.००
	24 Modules	गोटा		१६१२८.००	१६७७३.००
	2 row 36 Modules	गोटा		२०८३२.००	२१६६५.००
	3 row 36 Modules	गोटा		२०२३८.४०	२१०४७.००
	4 row 48 Modules	गोटा		२६३४२.४०	२७३९६.००
	3 row 54 Modules	गोटा		२९९९८.४०	३०३६६.००
	Thermoplastics polycarbonate hinged door meter box in accordance with IEC 60670-24, should be IP66 protected in accordance with IEC 60529, corrosion proof, suitable for single phase energy meter, internally embedded polyurethane gasket for lid , metric size knock outs for cable entry from top and bottom . Meter box should be able to adapt any make of Meter or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing.Colour grey,RAL 7035.				
	Dimensions(mm)				
	136 x 253 x 115	गोटा		४०३२.००	४२३३.००
	168 x 253 x 115	गोटा		४२३३.६०	४४४५.००
	217 x 253 x 115	गोटा		४५४७.२०	४७७४.००
	300 x 150 x 170	गोटा		५५७७.६०	५८५६.००
	300 x 300 x 170	गोटा		८८३६.८०	९२७८.००
	300 x 450 x 170	गोटा		१०४७२.००	१०८९०.००
	300 x 600 x 170	गोटा		१२८५७.६०	१३३७१.००
	The board/panel shall be made of modular POLYCARBONATE THERMOPLASTIC ENCLOSURES which should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 ( 5 Joule) in accordance with IEC 62262. The manufacturer of board/panel shall submit a copy of CPRI TEST REPORT OF DEGREE OF INGRESS PROTECTION IP 65/ IP54 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane. The manufacturer of board / panel SHALL submit a copy of TYPE TEST REPORT of a board made out of Polycarbonate thermoplastic panel in accordance with IEC 60439-1. The CPRI report shall have mention of following tests performed and passed out satisfactorily:				
	Dimensions(mm)				
	300 x 150 x 170	गोटा		६६७५.२०	७००८.००
	300 x 300 x 170	गोटा		९६३२.००	१०११३.००
	300 x 450 x 170	गोटा		१२६७८.४०	१३१८५.००
	300 x 600 x 170	गोटा		१५७२४.८०	१६३५३.००
	450 x 600 x 170	गोटा		२७५९६.८०	२८७००.००
	600 x 600 x 170	गोटा		३४८०९.६०	३६२०१.००
	300 x 300 x 214	गोटा		१०३४८.८०	१०७६२.००
	300 x 450 x 214	गोटा		१३७७६.००	१४३२७.००
	300 x 600 x 214	गोटा		१७९९२.००	१७८७९.००
	300 x 300 x 180	गोटा		१११७७.६०	११६२४.००
	IP 68 Cable Glands Made from Polyamide Material				
	Metric Thread				
	M 12 x 1.5	गोटा		७३.९२	७७.००
	M 16 x 1.5	गोटा		७६.१६	७९.००
	M 20 x 1.5	गोटा		१०३.०४	१०७.००
	M 25 x 1.5	गोटा		१७९.२०	१८७.००
	M 32 x 1.5	गोटा		२४४.१६	२५५.००
	M 40 x 1.5	गोटा		५०८.४८	५३१.००
	M 50 x 1.5	गोटा		७८८.४८	८२३.००
	M 63 x 1.5	गोटा		१२३४.२४	१२८९.००
	Locknuts for IP 68 Cable Glands Made from Polyamide Material				
	Metric Thread				
	M 12 x 1.5	गोटा		१७.९२	१८.००
	M 16 x 1.5	गोटा		१७.९२	१८.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	M 20 x 1.5	गोटा		२२.४०	२३.००
	M 25 x 1.5	गोटा		३५.८४	३७.००
	M 32 x 1.5	गोटा		४७.०४	४९.००
	M 40 x 1.5	गोटा		७८.४०	८१.००
	M 50 x 1.5	गोटा		१७६.९६	१८४.००
	M 63 x 1.5	गोटा		२४४.९६	२५५.००
	IP67 CEE Type Insulated Plug & Socket, made of high quality Polyamide P-6 body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.				
	<b>Amp and No.of Pin</b>				
	16/20 Amp 3 Pin Socket	गोटा		३६८४.८०	३८४८.००
	16/20 Amp 4 Pin Socket	गोटा		४०४३.२०	४२२३.००
	16/20 Amp 5 Pin Socket	गोटा		४०४३.२०	४२२३.००
	32 Amp 3 Pin Socket	गोटा		४९८८.८०	४३७५.००
	32 Amp 4 Pin Socket	गोटा		४७०४.००	४९९३.००
	32 Amp 5 Pin Socket	गोटा		४७०४.००	४९९३.००
	63 Amp 3 Pin Socket	गोटा		१०७५२.००	१११८२.००
	63 Amp 4 Pin Socket	गोटा		९८००.००	१०१९२.००
	63 Amp 5 Pin Socket	गोटा		९८००.००	१०१९२.००
	<b>Amp and No.of Pin</b>				
	16/20 Amp 3 Pin Plug	गोटा		१८५९.२०	१९४१.००
	16/20 Amp 4 Pin Plug	गोटा		२५९८.४०	२७४४.००
	16/20 Amp 5 Pin Plug	गोटा		२१७२.८०	२२६९.००
	32 Amp 3 Pin Plug	गोटा		३२०३.२०	३३४५.००
	32 Amp 4 Pin Plug	गोटा		३२७०.४०	३४१५.००
	32 Amp 5 Pin Plug	गोटा		२६७६.८०	२७९५.००
	63 Amp 3 Pin Plug	गोटा		९६६५.६०	१००९५.००
	63 Amp 4 Pin Plug	गोटा		७७५०.४०	८०९५.००
	63 Amp 5 Pin Plug	गोटा		६७८७.२०	७०८९.००
	IP 66 Degree of Protection, Waterproof Wall Sockets with Din Channels made of Thermoplastic Polycarbonate body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.				
	<b>Amp and No.of Pin</b>				
	16/20 Amp 3 Pin	गोटा		६६१९.२०	६९१३.००
	16/20 Amp 4 Pin	गोटा		६९४४.००	७२५३.००
	16/20 Amp 5 Pin	गोटा		६८७६.८०	७१८२.००
	32 Amp 3 Pin	गोटा		७८४०.००	८१८८.००
	32 Amp 4 Pin	गोटा		७७२८.००	८०७१.००
	32 Amp 5 Pin	गोटा		७७२८.००	८०७१.००
	IP 44 made of special hard synthetic rubber,UV & Chemical resistant, insulated & sock proof, suitable for cable assemblies upto 6 sqmm, suitable to accommodate upto 32A 5pin CEE Sockets and having sturdy and lightweight handle, handle for easy rotation,can be equipped with RCCB/MCBs and tined transparent cover easy access to breakers,trolley arrangement for easy transportation The cable drum shall be used for construction sites / shut down / maintenance and therefore shall be intended for use in both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out. The complete unit shall be portable / transportable (semi-fixed) or mobile assemblies with enclosure. The assembly shall conform to IEC 604139 – 4; while the sockets shall conform to IEC 60309 – 1 for general requirements & IEC 60309 -2 for requirements of Earth Pin Position. IEC 60309-2 connectors shall be so designed that a plug of one type can only be inserted into a socket of the same type.				
	<b>Dimension ( mm dia )</b>				
	Empty Cable Drum 235 mm dia	गोटा		१०६५१.२०	११०७७.००
	Empty Cable Drum 310 mm dia	गोटा		१६५२०.००	१७१८०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Empty Cable Drum 380 mm dia	गोटा		३६७८०.८०	३८२५२.००
	Empty Cable Drum 450 mm dia	गोटा		४२७६.८०	४४४२५.००
	IP 65 Panel Boards In accordance with IEC 60 439-1 (IS8623) at ASTA ( CPRI Bhopal Laboratory ) and IEC 60 439-2 for power switchgear and controlgear assembly. The party must be submitted routine test certificate from manufacturer/principal company in accordance with IEC 60 439-1. The panel boards must have high flexibility of the modular enclosure system allows an easy upgrading of the assembly including bus bar system at any time even after many years, made of high quality Polycarbonate PC-GFS (Shock Proof, rust free, corrosion free, add and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC, UV resistant according to IEC 61439-1, having high grade internally embedded gasket made of Polyurethane (PUR). All left or right side enclosures should have pre moulded knockouts for side cable entry or for future extension. Each enclosure should have multi no of self threaded holes to mount mounting plate or Din Channel or any equipment. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	<b>Incomer Rating</b>	सेट			
	60/75/100 Amp, 9"x36"x48" size	सेट			१६३८३६.००
	60/75/100 AMP, 12"x36"x48" size	सेट			१६३८३६.००
	60/75/100 AMP, 9"x48"x60" size	सेट			२७४९३२.००
	60/75/100 AMP, 15"x49"x60" size	सेट			२७४९३२.००
	150/200 AMP, 9"x38"x52" size	सेट			१७४४६८.००
	150/200 AMP, 12"x38"x52" size	सेट			१७४४६८.००
	150/200 AMP, 9"x42"x56" size	सेट			२१०१२०.००
	150/200 AMP, 12"x42"x56" size	सेट			२१०१२०.००
	250/300 AMP, 12"x48"x60" size	सेट			२७४९३२.००
	250/300 AMP, 12"x52"x62" size	सेट			२९६००४.००
	400 AMP, 12"x52"x66" size	सेट			३१७२४.००
२६	<b>PVC Listy Double Lock { 6'length =1 no.(गोटा)}</b>				
	½ " breadth	सेट	३१.००	३१.००	३२.००
	¾"	सेट	४६.००	४६.००	४८.००
	1"	सेट	६७.००	६७.००	६९.००
	1½"	सेट	१२९.००	१२९.००	१३४.००
	2"	सेट	१४४.००	१४४.००	१५०.००
२७	<b>PVC Conduit Pipe</b>				
	1) ½ " diameter	र.मी	३१.००	३१.००	३२.००
	2) ¾"	र.मी	४६.००	४६.००	४८.००
	3) 1"	र.मी	६७.००	६७.००	६९.००
२८	<b>Listy Pipe Accessories</b>				
	½"-2" size Saddle	र.मी	८.००	८.००	८.००
	Grips (Denmark)	गोटा	६.००	६.००	६.००
	Steel screws	गोटा	२.००	२.००	२.००
	PVC Tape	गोटा	१५.००	१५.००	१५.००
२९	<b>Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.</b>				
	4 way SPN DB Double Cover	सेट	१०८२.००	१०८२.००	११३०.००
	6 way SPN DB " "	सेट	११३५.००	११३५.००	११८५.००
	8 way SPN DB " "	सेट	१४१६.००	१४१६.००	१४७९.००
	12 way SPN DB " "	सेट	१६७९.००	१६७९.००	१७५३.००
	16 way SPN DB " "	सेट	१७९५.००	१७९५.००	१८७४.००
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२६६८.००	२७८६.००
	6 way TPN " " "	सेट	२९९८.००	२९९८.००	३१३१.००
	8 way TPN " " " Vertical	सेट	५७९९.००	५७९९.००	६०५७.००
	12 way TPN " " " Vertical	सेट	७७२७.००	७७२७.००	८०७०.००
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५४४६.००	५६८८.००
	<b>PVC Box for MCB</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	1-pole PVC box GPS	सेट	८१.००	८१.००	८४.००
	2- pole PVC " "	सेट	८१.००	८१.००	८४.००
	3 and 4-pole PVC " "	सेट	१३०.००	१३०.००	१३५.००
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट		३००२.००	३१३५.००
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट		३७०६.००	३८७०.००
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट		४४५४.००	४६५२.००
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट		५६५१.००	५९०२.००
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट		५७७९.००	६०३६.००
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट		७०११.००	७३२२.००
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट		२२५६.००	२३५६.००
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट		२७५२.००	२८७४.००
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट		३२५४.००	३३९८.००
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट		३९७४.००	४१५०.००
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट		७३३४.००	७६६०.००
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट		९१३३.००	९५३९.००
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट		१०९५४.००	११३९२.००
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट		१६४०६.००	१७०६२.००
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट		२०३३९.००	२११५२.००
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट		२८४७४.००	२९६१२.००
	2 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		९३९८.००	९८१६.००
	3 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		११२८६.००	११७३७.००
	4 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट		१२२९४.००	१२७८५.००
	3 ROW OF 14M FLEXY DB +MCCB (DOUBLE DOOR)	सेट		१२२९१.००	१२७८२.००
	4WAY DPX3 160+12 VTPN DB'S (DOUBLE DOOR)	सेट		२२००३.००	२२८८३.००
	6WAY DPX3 160+18 VTPN DB'S (DOUBLE DOOR)	सेट		२४९९८.००	२५९९७.००
	8WAY DPX3 160+24 VTPN DB'S (DOUBLE DOOR)	सेट		२७५१४.००	२८६१४.००
	12WAY DPX3 160+36 VTPN DB'S (DOUBLE DOOR)	सेट		३७५१०.००	३९०१०.००
	4WAY DPX3 160+12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		२६४१३.००	२७४६९.००
	4WAY DPX3 160+12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३०२३४.००	३१४४३.००
	4WAY DPX3 160+12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३४९५७.००	३६३५५.००
	4WAY DPX3 160+12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३९४२७.००	४१००४.००
	DPX3 160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		६५२८.००	६८१८.००
	DPX3 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		११५९४.००	१२०५७.००
	DRX100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		३४८८.००	३६४३.००
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००	१२१३.००
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००	१२१३.००
	Cable Interlock	सेट			
	CABLE INTERLOCK TYPE 1	सेट			२०३९०.४०
	CABLE INTERLOCK TYPE 2	सेट			२०५७२.८०
	CABLE INTERLOCK TYPE 3	सेट			२०३९०.४०
	-	सेट			०.००
	CABLE INTERLOCK 4600MM	सेट			२३०९७.६०
	CABLE INTERLOCK 5600MM	सेट			२४६९१.२०
	Accessories	सेट			
	RATING MIS-INSERTION DEVICE	सेट			१२२१४.४०
	OPERATION COUNTER	सेट			१७४८४.८०
	INSERTED/TEST/DRAW-OUT CONTACT	सेट			१९८०४.८०

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	CONT READY TO CLOSE W/CHR SPRI	सेट			१७६५४.४०
	ADDITIONAL SIGNALLING CONTACTS	सेट			४५२८.००
	SIGNAL CONTACT FOR AUXILIARIES	सेट			४२८१.६०
	DOOR SEALING FRAME IP40	सेट			८५९८.४०
	LIFTING PLATE	सेट			१४०७६.८०
३०	<b>Miniature Circuits Breaker (MCB) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>Single Pole</b>				
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००	२१५.००
	40A SP 10 KA MCB	गोटा		७४९.००	७८२.००
	63A SP 10 KA MCB	गोटा		८१७.००	८५३.००
	<b>Double Pole</b>				
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०२०.००	१०६५.००
	40A DP 10 KA MCB	गोटा		१६००.००	१६७१.००
	63A DP 10 KA MCB	गोटा		१८००.००	१८८०.००
	<b>Three Pole</b>				
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१६७०.००	१७४४.००
	40A TP 10 KA MCB	गोटा		२४५०.००	२५५९.००
	63A TP 10 KA MCB	गोटा		२५९०.००	२७०५.००
	<b>Four Pole</b>				
	10-32 amp MCB FP (Four pole)	गोटा		२१४०.००	२२३५.००
	40A FP 10 KA MCB	गोटा		३१३०.००	३२६९.००
	63A FP 10 KA MCB	गोटा		३२००.००	३३४२.००
३१	<b>Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	0.5-5 amp MCB SP (single pole)	गोटा	२५८.००	२५८.००	२६९.००
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६५.००	१७२.००
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६१८.००	६४५.००
	6-32 amp MCB TP (Triple pole)	गोटा	१२३६.००	१२३६.००	१२९१.००
	32 amp MCB TPN	गोटा	१४९४.००	१४९४.००	१५६०.००
	40-63 amp MCB DP	गोटा	९७९.००	९७९.००	१०२२.००
	40-63 amp MCB TP	गोटा	१३९१.००	१३९१.००	१४५२.००
	40-63 amp MCB TPN	गोटा	१८५४.००	१८५४.००	१९३६.००
३२	<b>Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>Two Pole</b>				
	25A 30mA 2 POLE RCCB	गोटा	२७५१.००	२७५१.००	२८७३.००
	25A 100mA 2 POLE RCCB	गोटा		३७२५.००	३८९०.००
	25A 300mA DP RCCB	गोटा		३७२५.००	३८९०.००
	40A30mA DP RCCB	गोटा		४०२५.००	४२०४.००
	40A 100mA DP RCCB	गोटा		४२६०.००	४४४९.००
	40A 300mA DP RCCB	गोटा		४२६०.००	४४४९.००
	63A 30mA DP RCCB	गोटा		५०१५.००	५२३८.००
	63A 300mA DP RCCB	गोटा		५१४०.००	५३६८.००
	<b>Four Pole</b>				
	25A30mA Four Pole RCCB	गोटा		४७१०.००	४९१९.००
	25A 100mA Four Pole RCCB	गोटा		४८८०.००	५०९७.००
	25A 300mA Four Pole RCCB	गोटा		४८८०.००	५०९७.००
	40A 30mA Four Pole RCCB	गोटा		४७३०.००	४९४०.००
	40A 100mA Four Pole RCCB	गोटा		४९५५.००	५१७५.००
	40A 300mA Four Pole RCCB	गोटा		४९५५.००	५१७५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	63A 30mA Four Pole RCCB	गोटा		५४२५.००	५६६६.००
	63A 100mA Four Pole RCCB	गोटा		५६९५.००	५९४८.००
	63A 300mA Four Pole RCCB	गोटा		५६९५.००	५९४८.००
	100A 300mA Four Pole RCCB	गोटा		९५५०.००	९९७४.००
३३	<b>Moulded Case Circuit Breaker (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	15 A-100 A 3 POLE, 10 KA	गोटा			४१३२.००
	15 A-100 A 4 POLE, 19 KA	गोटा			६०६७.००
	16A-63A 3P MCCB 10 KA FTFM	गोटा		३३८५.००	३७२३.००
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००	४३३४.००
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००	४३३४.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा		५५८५.००	६१४३.००
	15 A-100 A 3 POLE, 10 KA	गोटा			८५००.००
	125 A 3 POLE, 16 KA	गोटा			९१९६.००
	160 A 3 POLE, 16 KA	गोटा			११८५.००
	15 A-100 A 4 POLE, 19 KA	गोटा			११३३०.००
	125 A 4 POLE, 16 KA	गोटा			११४०२.००
	160 A 4 POLE, 16 KA	गोटा			१४९२.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा		१२२००.००	१३४२०.००
	16A 3P MCCB 25 KA	गोटा			९९३६.००
	20A-63A 3P MCCB 25 KA	गोटा		९२३०.००	१०१५३.००
	80A 3P MCCB 25 KA	गोटा		९६८०.००	१०६४८.००
	100A 3P MCCB 25 KA	गोटा		९६८०.००	१०६४८.००
	125A 3P MCCB 25 KA	गोटा		१३१४०.००	१४४५४.००
	160A 3P MCCB 25 KA	गोटा		२०२००.००	२२२२०.००
	200A 3P MCCB 25 KA	गोटा		२७५००.००	३०२५०.००
	250A 3P MCCB 25 KA	गोटा		२९३८०.००	३२३१८.००
	16A - 100 A 3P MCCB 36 KA	गोटा			१२५९२.००
	125A 3P MCCB 36 KA	गोटा		१८१६५.००	१९९८१.००
	160A 3P MCCB 36 KA	गोटा		२४१४५.००	२६५५९.००
	200A 3P MCCB 36 KA	गोटा		२८७१०.००	३१५८१.००
	250A 3P MCCB 36 KA	गोटा		३२३१०.००	३५५४१.००
	320A 3P MCCB 36 KA	गोटा		३७४७५.००	४१२२२.००
	400A 3P MCCB 36 KA	गोटा		३७५०८.००	४१२५८.००
	500A 3P MCCB 36 KA	गोटा		४३३१०.००	४७६४१.००
	630A 3P MCCB 36 KA	गोटा		४९९००.००	५४०१०.००
	800A 3P MCCB 36 KA	गोटा			७९६५३.००
	1000A 3P MCCB 36 KA	गोटा			१०३९६८.००
	1250A 3P MCCB 36 KA	गोटा			१४८५५५.००
	125A 3P MCCB 50 KA	गोटा		२३५७०.००	२५९२७.००
	160A 3P MCCB 50 KA	गोटा		२९६७५.००	३२६४२.००
	200A 3P MCCB 50 KA	गोटा		२७९३०.००	३०७२३.००
	250A 3P MCCB 50 KA	गोटा		३०७३२.००	३३८०५.००
	320A 3P MCCB 50 KA	गोटा		३५९६१.००	३९५५७.००
	400A 3P MCCB 50 KA	गोटा		३६०८०.००	३९६८८.००
	500A 3P MCCB 50 KA	गोटा		४२८६०.००	४७१४६.००
	630A 3P MCCB 50 KA	गोटा		५५५००.००	६१०५०.००
	800A 3P MCCB 50 KA	गोटा		८६१३०.००	९४७४३.००
	1000A 3P MCCB 50 KA	गोटा		१३६६३७.००	१५०३००.००
	1250A 3P MCCB 50 KA	गोटा		१६७१८५.००	१८३९०३.००
	800 A 3 POLE, 70 KA	गोटा			१४२२३६.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	1000 A 3 POLE, 70 KA	गोटा			२१५३९०.००
	1250A 3 POLE, 70 KA	गोटा			२२०६५६.००
	16A 4P MCCB 25 KA	गोटा			१३८१२.००
	20A 4P MCCB 25 KA	गोटा		१२९०५.००	१४१९५.००
	25A 4P MCCB 25 KA	गोटा		१२९०५.००	१४१९५.००
	32A 4P MCCB 25 KA	गोटा		१२९०५.००	१४१९५.००
	40A 4P MCCB 25 KA	गोटा		१२९०५.००	१४१९५.००
	50A 4P MCCB 25 KA	गोटा		१५४३५.००	१६९७८.००
	63A 3P MCCB 25 KA	गोटा			१३८१२.००
	80A 4P MCCB 25 KA	गोटा		१५४३५.००	१६९७८.००
	100A 4P MCCB 25 KA	गोटा		१५७३५.००	१७३०८.००
	125A 4P MCCB 25 KA	गोटा		१९५२०.००	२१४७२.००
	160A 4P MCCB 25 KA	गोटा		२५०५०.००	२७५५५.००
	200A 4P MCCB 25 KA	गोटा		३४९५०.००	३८४४५.००
	250A 4P MCCB 25 KA	गोटा		३६८४५.००	४०५२९.००
	16A - 100 A 4P MCCB 36 KA	गोटा			१५७९२.००
	125A 4P MCCB 36 KA	गोटा		२२५५५.००	२४८१०.००
	160A 4P MCCB 36 KA	गोटा		२८६८०.००	३१५४८.००
	200A 4P MCCB 36 KA	गोटा		३५३२०.००	३८८५२.००
	250A 4P MCCB 36 KA	गोटा		३९४७०.००	४३४१७.००
	320A 4P MCCB 36 KA	गोटा		४६८००.००	५१४८०.००
	400A 4P MCCB 36 KA	गोटा		४७५७५.००	५२३३२.००
	500A 4P MCCB 36 KA	गोटा		५९०१५.००	६४९१६.००
	630A 4P MCCB 36 KA	गोटा		६५४००.००	७१९४०.००
	800A 4P MCCB 36 KA	गोटा			८९६१६.००
	1000A 4P MCCB 36 KA	गोटा			१३१४३६.००
	1250A 4P MCCB 36 KA	गोटा			१५८११९.००
	125A 4P MCCB 50 KA	गोटा		२६४३०.००	२९०७३.००
	200A 4P MCCB 50 KA	गोटा		३४९१५.००	३८४०६.००
	250A 4P MCCB 50 KA	गोटा		३७७०४.००	४१४७४.००
	320A 4P MCCB 50 KA	गोटा		४४४४२.००	४८८८६.००
	400A 4P MCCB 50 KA	गोटा		४५०५७.००	४९५६२.००
	500A 4P MCCB 50 KA	गोटा		५४१२४.००	५९५३६.००
	630A 4P MCCB 50 KA	गोटा		५७६९८.००	६३४६७.००
	800A 4P MCCB 50 KA	गोटा		९८२००.००	१०८०२०.००
	1000A 4P MCCB 50 KA	गोटा		१९०४१५.००	२०९४५६.००
	1250A 4P MCCB 50 KA	गोटा		२४०५००.००	२६४५५०.००
	800 A 4 POLE, 70 KA	गोटा			१६४८९६.००
	1000 A 4 POLE, 70 KA	गोटा			३०४९६८.००
	1250A 4 POLE, 70 KA	गोटा			३५१६६२.००
३४	<b>Manual Change over Panel Type - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	63 Amp FP	गोटा	११६१८.००	११६१८.००	१२१३५.००
	80 Amp FP	गोटा	१२८५४.००	१२८५४.००	१३४२६.००
	100 Amp FP	गोटा	१८२१०.००	१८२१०.००	१९०२०.००
	125 Amp FP	गोटा	१९१९९.००	१९१९९.००	२००५३.००
	160 Amp FP	गोटा	२५२१४.००	२५२१४.००	२६३३६.००
	200 Amp FP	गोटा	२६०३८.००	२६०३८.००	२७१९६.००
	250 Amp FP	गोटा	२७६८६.००	२७६८६.००	२८९१८.००
	315 Amp FP	गोटा	३५०२०.००	३५०२०.००	३६५७८.००
	<b>OPEN EXECUTION</b>				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा		९६००.००	१००२७.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा		१२६५५.००	१३२१८.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा		१९२४५.००	२०१०१.००
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा		२०८००.००	२१७२५.००
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा		२५२६०.००	२६३८४.००
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा		३७६५.००	३८८१८.००
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा		३९१४०.००	४०८८१.००
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा		५७६९०.००	६०२५७.००
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा		६८०००.००	७१०२६.००
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा		९८५००.००	१०२८८३.००
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा		१७६५००.००	१८४३५४.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा		२३४५००.००	२४४९३५.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा		२७७५००.००	२८९८४८.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा		३७७९००.००	३९४७९६.००
	<b>Sheet Steel Enclosure</b>				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा		१३९३५.००	१४५५५.००
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा		१७७७५.००	१८५६५.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा		२५९००.००	२७०५२.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा		२८९१०.००	३०१९६.००
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा		३३४३०.००	३४९१७.००
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा		४७२५५.००	४९३५७.००
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा		४९५३०.००	५१७३४.००
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा		७२९८०.००	७५३९२.००
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा		८६०००.००	८९८२७.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा		१२९९९०.००	१३५७७४.००
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा		२२८५००.००	२३८६६८.००
	<b>DOOM LIGHT</b>				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा		२८५०.००	२९७६.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा		२८५०.००	२९७६.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा		१७५०.००	१८२७.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा		१७५०.००	१८२७.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा		२२००.००	२२९७.००
	30W DOOM LIGHT LIPER RD 6500K	गोटा		२२००.००	२२९७.००
	20W BALLKIT 6500K	गोटा		१८५०.००	१९३२.००
३५	<b>Dome light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८८.००
	6 " Brass base decorative dome light	सेट	७३६.००	७३६.००	७६८.००
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२३७.००
	8 " Brass base decorative dome light	सेट	८७६.००	८७६.००	९१४.००
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११५६.००
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५९२.००
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL. (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२६६.००
३६	<b>Wall bracket/spout light/mirror light bulk head ordinary (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>	सेट	२३२.००	२३२.००	२४२.००
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६९.००	३६९.००	३७७.००
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८६०.००
	1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete Set	सेट	९६८.००	९६८.००	१०११.००
	1 x 18 watt CFL <b>Down light</b> with reflector & diffuser (conceal light) Complete Set	सेट	१५१४.००	१५१४.००	१५८१.००
	Dining lamp.	सेट	१७००.००	१७००.००	१७७५.००
	<b>Chandlers</b> 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५७६१.००
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	११२४२.००
	Mirror Light Euro Light	सेट	४६४.००	४६४.००	४८४.००
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६९९.००
	Wall spot Light E27 60W Euro or eqv.	सेट	३६९.००	३६९.००	३७७.००
	Exit Light safety sign(8.24)W	सेट	८२४.००	८२४.००	८६०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
३७	<b>Post top Lanterns</b>				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२५७५.००	२५७५.००	२६८९.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३२२७.००
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३६३०.००
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४७९.००
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२८२४.००
३८	<b>Roadway light(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	30W STREET LIGHT SENSOR	सेट		५५००.००	५७४४.००
	50W STREET LIGHT SENSOR	सेट		६५००.००	६७८९.००
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२७५४.००
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	४०४०.००
	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	सेट	१५४५.००	१५४५.००	१६१३.००
	1000 watt halogen weather proof <b>flood light</b> with glass cover Complete set	सेट	३०९०.००	३०९०.००	३२२७.००
	150 watt <b>HPSV</b> weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९६८२.००
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.५०	१०८१.५०	११२९.००
	Single Piece deep drawn aluminum POT optics <b>road light luminaries</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३.००	५२५३.००	५४८६.००
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२३७२.००
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५३४६.००
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५६८६.००	५६८६.००	५९३९.००
३९	<b>TABLE FAN, CEILING FANS &amp; EXHAUST Fans,</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२२५९.००
	42" size " "	गोटा	२२६६.००	२२६६.००	२३६६.००
	48" size " "	गोटा	२३१८.००	२०६०.००	२१५१.००
	56" size " "	गोटा	२५७५.००	२५७५.००	२६८९.००
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१५६०.००
	8" EXHAUST FAN PLASTIC WHITE	गोटा		१९००.००	१९८४.००
	9" Exhaust Fan	गोटा	१८०३.००	२२६५.००	२३६५.००
	10" EXHAUST FAN PLASTIC WHITE	गोटा		२०६०.००	२१५१.००
	16" size wall fan	गोटा	२८३३.००	२८३३.००	२९५९.००
	12" size exhaust fan	गोटा	२५७५.००	२६२०.००	२७३६.००
	16" TABLE FAN	गोटा		२६३०.००	२७४७.००
	18" TABLE FAN GOLD	गोटा		२८८५.००	३०१३.००
	16" WALL FAN	गोटा		२२३५.००	२३३४.००
	18" STAND FAN GOLD	गोटा		३३००.००	३४४६.००
	16" STAND FAN	गोटा		२६६०.००	२७७८.००
	16" STAND FAN 3 BLADES	गोटा		२२७५.००	२३७६.००
	18" WALL FAN REMOTE	गोटा		३१६०.००	३३००.००
	<b>Decorative Fans</b>				
	48"Ceiling Fan -Zypher	गोटा		५२००.००	५२००.००
	48" Ceiling Fan - Clover	गोटा		४२५०.००	४२५०.००
	48"Ceiling Fan -Max Air Deco	गोटा		३४२५.००	३४२५.००
	48"Ceiling Fan -Max Air Deco	गोटा		३४२५.००	३४२५.००
	48" Ceiling Fan - Max Air Deco -Metallic	गोटा		३७५०.००	३७५०.००
	48" Ceiling Fan - Eirwen	गोटा		३९००.००	३९००.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	48" Underlight Ceiling Fan -Arty	गोटा		७३५०.००	७३५०.००
	48" Decorative Fan - Airfurl	गोटा		५३७५.००	५३७५.००
	48" Decorative Fan - Cool Whizz	गोटा		४७५०.००	४७५०.००
	48" Decorative Fan - Wind Stellar	गोटा		४९००.००	४९००.००
	48" Decorative Fan - Apus	गोटा		४२२५.००	४२२५.००
	48" Decorative Fan - Ruppel	गोटा		५१००.००	५१००.००
	48" Decorative Fan - Voyage	गोटा		४०००.००	४०००.००
	48" Decorative Fan - Skyward	गोटा		५४२५.००	५४२५.००
	48" Decorative Fan -Aviah	गोटा		४२७५.००	४२७५.००
	48" Decorative Fan -Wind Acer	गोटा		५४००.००	५४००.००
	48" Decorative Fan -Aeon	गोटा		५१५०.००	५१५०.००
	48" Decorative Fan -Aeon Prime	गोटा		५१५०.००	५१५०.००
	48" Decorative Fan -Dasher	गोटा		५०७५.००	५०७५.००
	48" Decorative Fan -Fiesta	गोटा		४९००.००	४९००.००
	48" BLDC Fan - Vyana	गोटा		७४५०.००	७४५०.००
	56" Ceiling Fan - Max Air Deco	गोटा		३९७५.००	३९७५.००
	<b>Economy Plain Fans</b>				
	56" Ceiling Fan - Max Air	गोटा		३७००.००	३७००.००
	48" Power Saver Ceiling Fan -Eco -50 W	गोटा		३८००.००	३८००.००
	48" Power Saver Ceiling Fan -Fisaga- 50W	गोटा		४४००.००	४४००.००
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००.००
	48" Ceiling Fan- Max Air-Antidust	गोटा		२७५०.००	२७५०.००
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००.००
	48" Ceiling Fan- Max Air	गोटा		२६००.००	२६००.००
	48" Ceiling Fan - Halito	गोटा		२६००.००	२६००.००
	36" Ceiling Fan - Max Air	गोटा		२९००.००	२९००.००
	24" Ceiling Fan - Max Air (High Speed)	गोटा		२८००.००	२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा		२८००.००	२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा		२८००.००	२८००.००
	<b>Table / Pedestal / Wall Fans</b>				
	16" Farata Fan - Whirlmax	गोटा		५८००.००	५८००.००
	18" Farata Fan - Whirlmax Plus	गोटा		६९००.००	६९००.००
	20"Farata Fan -Whirl Max Pro	गोटा		७४८०.००	७४८०.००
	16" High Speed Pedestal Fan -Impello Supreme	गोटा		५५००.००	५५००.००
	16" Pedestal Fan -Impello	गोटा		५१५०.००	५१५०.००
	16" High Speed Table Fan- Brisa Max	गोटा		४५००.००	४५००.००
	16" Table Fan-Brisa	गोटा		४०००.००	४०००.००
	16" High Speed Wall Fan-Kaizen Plus	गोटा		४५००.००	४५००.००
	16" Wall Fan -Kaizen	गोटा		४२००.००	४२००.००
	16" Pedestal Fan -Ordain	गोटा		५४००.००	५४००.००
	16" High Speed Pedestal Fan -Ordain Supreme	गोटा		५८००.००	५८००.००
	16" Table Fan-Twirl Pro	गोटा		३९००.००	३९००.००
	16" High Speed Table Fan- Swift Pro	गोटा		४५००.००	४५००.००
	16" Wall Fan -Aerodome	गोटा		४२००.००	४२००.००
	16" High Speed Wall Fan-Aerodome +	गोटा		४७००.००	४७००.००
	<b>Ventilation / Exhaust Fans</b>				
	6" Ventilation Exhaust Fan-Aerospin	गोटा		२०००.००	२०००.००
	8" Ventilation Exhaust Fan-Aerobrisk	गोटा		२०९०.००	२०९०.००
	10" Ventilation Exhaust Fan-Aerocrisp	गोटा		२४७५.००	२४७५.००
	4" Moduler Ventilation Exhaust - Aerospin	गोटा		२२००.००	२२००.००
	6" Moduler Ventilation Exhaust - Aerospin	गोटा		२४७५.००	२४७५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	4" Moduler Ventilation Exhaust - Aerofresh	गोटा		२५२५.००	२५२५.००
	6" Moduler Ventilation Exhaust - Aerofresh	गोटा		२९५०.००	२९५०.००
	9"Open Metal Exhaust - Aeroplus	गोटा		२९७५.००	२९७५.००
	12"Open Metal Exhaust - Aeromax	गोटा		३४७५.००	३४७५.००
	<b>Exclusive &amp; Underlight Fans</b>				
	ESC-304	गोटा		२७०००.००	२७०००.००
	ESC-305	गोटा		२००००.००	२००००.००
	ESC-314YY - Umber	गोटा		३०५००.००	३०५००.००
	ESC-C193 - Breeze	गोटा		२८४००.००	२८४००.००
	ESC-322-Y - Sparkle	गोटा		२७२००.००	२७२००.००
	ESC-339	गोटा		४६४००.००	४६४००.००
	ESC-001-D -Allure	गोटा		२९६००.००	२९६००.००
	ESC-001-E -Aerial	गोटा		२२७००.००	२२७००.००
	ESC-400	गोटा		२५८००.००	२५८००.००
	ESC-402YY - Tiara	गोटा		२२६००.००	२२६००.००
४०	<b>BELL INDICATOR</b>				
	4 way bell indicator with plate	सेट	१२५५.००	१२५५.००	१२५५.००
	6 way " " " "	सेट	२०४९.००	२०४९.००	२०४९.००
	8 way " " " "	सेट	२८५९.००	२८५९.००	२८५९.००
	12 way " " " "	सेट	४३९५.००	४३९५.००	४३९५.००
	<b>White Series</b>				
	6A PUSH BUTTON SP 1 MODULE	सेट		२२९.००	२९४.००
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट		३९४.००	३९४.००
	6A BELL PUSH 1 MODULE	सेट		२८५.००	२८९.००
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट		३४२.००	३३२.००
	6A BELL PUSH 2 MODULE	सेट		३८४.००	३७७.००
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट		५७०.००	५५६.००
	BELL CALL INDICATOR 240V 1 MODULE	सेट		१५३०.००	१५३०.००
	<b>Black Series</b>				
	6A PUSH BUTTON SP 1 MODULE	सेट			२४६.४०
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट			३५५.२०
	6A BELL PUSH 1 MODULE	सेट			३२३.२०
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट			३८४.००
	6A BELL PUSH 2 MODULE	सेट			४२५.६०
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट			६४३.२०
४१	<b>Materials For Earthing &amp; Lightening Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>				
	Copper plate	के.जी	९९७.००	९९७.००	९५७.००
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१०८२.००	१०८२.००	११३०.००
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	११३०.००
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	११३०.००
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२८५९.००
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१५०.००
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२६३.००
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६९८.००	६४५.००
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	२०४.००
	Funnel with wire mesh	गोटा	३६९.००	३६९.००	३७७.००
	Charcoal	ब्याग	३०९.००	३०९.००	३२२.००
	Salt	के.जी	१२.००	१२.००	१२.००
४३	<b>Smart Poles With Luminaries:</b>				०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा		३९४४०००.००	४९९९५०८.००
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा		३४०००००.००	३५५९३००.००
	7 Meter Smart Poles with Decorative Lights and Smart Sensors	गोटा		२८५६०००.००	२९८३०९२.००
	Gobo Projector	गोटा		९९९६४८०.००	२०८५३२३.००
४४	<b>Decorative Poles With Luminaries:</b>				
	16 Arm Smart Decorative Butterfly Poles	गोटा		२४३४४००.००	२५४२७३०.००
	12 Arm Smart Decorative Butterfly Poles	गोटा		२०५३६००.००	२९४४९८५.००
४५	<b>Smart Automation and Control System:</b>				
	Smart PIR Sensor Ceiling Mount Type	गोटा		२०४००.००	२९३०७.००
	Smart PIR Sensor Surface Mount Type	गोटा		२९४८८.००	२२४४४.००
	Smart PIR Sensors Recessed Mount Type	गोटा		४२९६.००	४४०३.००
	6 Button Keypad	गोटा		६९२००.००	६३९२३.००
	4 Button Keypad	गोटा		५०३२०.००	५२५५९.००
	3 Channel Relay Dali Controller	गोटा		९७५९८४.००	९८३८९५.००
	4 Channel Relay Controller	गोटा		८९०५६.००	८४६६२.००
	15 V DC 1.5 Amps regulated power supply	गोटा		५९८४०.००	६२५०२.००
	TCP/IP Protocol network gateway	गोटा		९२९२००.००	९३४९४९.००
	PDS Networked Touch Screen intelligent control	गोटा		५३६६५६.००	५६०५३७.००
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा		९७५४४००.००	९८३२४७०.००
४६	<b>Fluorescent Tube light (FTL) set including Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated &amp; powder coated CRCA steel all complete accessories pre wired upto a terminal block .</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1x20 watt FTL (Patti fittings)	सेट	४६४.००	४६४.००	४८४.००
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७७५.००	८०९.००
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८७६.००	९९४.००
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	९०२०.००	९०२०.००	९०६५.००
	1x40 watt FTL box fittings	सेट	९९५९.००	९९५९.००	९२९०.००
	2x40 watt FTL box fittings	सेट	९७५९.००	९७५९.००	९८२८.००
	1x40 watt FTL Industrial channel	सेट	९७८२.००	९७८२.००	९८६९.००
	2x40 watt FTL Industrial channel	सेट	२२८७.००	२२८७.००	२३८८.००
	1x40 watt FTL, opalite with opal Arcylic dissuser .	सेट	९८५४.००	९८५४.००	९९३६.००
	2x40 watt FTL, oplite with opal Arcylic dissuser	सेट	३०९०.००	३०९०.००	३२२७.००
	4x20 watt FTL, oplite WCF 93418	सेट	५४९०.००	५४९०.००	५६५०.००
	4x20 watt FTL <b>mirror optic</b> , surface/recessed mounting	सेट	५४९०.००	५४९०.००	५६५०.००
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३५५४.००	३५५४.००	३७९२.००
	2x40 watt FTL <b>mirror optic</b> , surface/recessed mounting with electronic choke	सेट	४३२६.००	४३२६.००	४५९८.००
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set	सेट	९३८३.००	९३८३.००	९८००.००
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८२४५.००	८२४५.००	८६९९.००
४७	<b>LED WEATHER PROOF INDUSTRIAL BATTEN</b>				
	18W/36W @ 100lm/watt IP65 AC90-300v,50/60Hz Thermo-plastic+Polycarbonate cover 3000k-6500k LED weatherproof batten	गोटा		५०००.००	५०००.००
४८	<b>LED UFO HIGH-BAY LIGHT</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	100W/150W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा		३२०००.००	३२०००.००
	200W/240W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा		४५०००.००	४५०००.००
४९	<b>HIGHBAY LIGHT</b>				
	<b>GreenPerform Prime:</b> GreenPerform Prime is a new age highbay range that offers an industry leading efficacy of 150lm/W specially designed to deliver unmatched performance in adverse industrial environments with its robust housing design and cater to diverse applications with multiple options of beam angles.CCT Options of 5700K and 4000K at the same MRP. Beam Angles Available: NB 60° - 10000 lm, 15000 lm,20000 lm & 25000 lm   WB 110° - 10000 lm & 15000 lm   ENB 30° - 25000 lm				
	100W	गोटा		२०८००.००	२०८००.००
	150w	गोटा		२४०००.००	२४०००.००
	200w	गोटा		२७२००.००	२७२००.००
	250w	गोटा		३५२००.००	३५२००.००
	IP66 & IK08 protected LED Highbay solution with PDC housing, toughened & shattered proof glass available in both Narrow & Wide beam optics.				
	100W	गोटा		१९२००.००	१९२००.००
	130W	गोटा		२३२००.००	२३२००.००
	160w	गोटा		२७२००.००	२७२००.००
	195w	गोटा		३५२००.००	३५२००.००
५०	<b>COB</b>				
	3W, >240lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		१३००.००	१३००.००
	6W, >420lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		१६००.००	१६००.००
	9W, >720lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		२१६०.००	२१६०.००
	12W, >960lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		२६७०.००	२६७०.००
	16W, >1280lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		३०७०.००	३०७०.००
	24W, >1920lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		४०७०.००	४०७०.००
	30W, >2400lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा		४७००.००	४७००.००
	Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	2W LED RGB/WW/CDL/NW	गोटा		७२५.००	७२५.००
	3W	गोटा		१६७०.००	१६७०.००
	7W	गोटा		२२८५.००	२२८५.००
	12W	गोटा		२९६०.००	२९६०.००
	18W	गोटा		५३६५.००	५३६५.००
	20W	गोटा		६३४५.००	६३४५.००
५१	<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८.००	२६७८.००	२६७८.००
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१८३३.००	१८३३.००	१९१४.००
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२२६६.००	२२६६.००	२३३६.००
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	६०६७.००	६०६७.००	६३३६.००
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	६८२४.००	६८२४.००	७१२७.००
	Recess mounting Direct Indirect LED linaire	सेट	१०८१५.००	१०८१५.००	११२९६.००
	Recess mounting Direct Indirect LED linaire	सेट	१४०६०.००	१४०६०.००	१४६८५.००
	Recess Surface mounted LED luminate	सेट	१३३३९.००	१३३३९.००	१३९३२.००
	Hight efficiency circular LED Down Lighter	सेट	३२४५.००	३२४५.००	३३८९.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	१४६००.००	१४६००.००	१५२४९.००
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	१०८२.००	१०८२.००	११३०.००
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३३८९.००
	Square LED Wall/Dome light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३३८९.००
	Recess mounted indirect and direct luminaires	सेट	६१२९.००	६१२९.००	६४०१.००
	2x36 Watt CFL Surface Mirror Optic	सेट	६१२९.००	६१२९.००	६४०१.००
५२.०	<b>Down Light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१२९८.००	१३५५.००
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१२९८.००	१३५५.००
	FDLOO4 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८५७.००	१९३९.००
	FDLOO4 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८५७.००	१९३९.००
	FDLOO4 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८२८.००	२९५३.००
	FDLOO4 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८२८.००	२९५३.००
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९१.००	५०९१.००	५३१७.००
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५३१७.००
	FDLO12 COB5W-WWH (90MM)	सेट	१३०१.००	१३०१.००	१३५८.००
	FDLO12 COB5W-CW	सेट	१३०१.००	१३०१.००	१३५८.००
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९.००	१९७९.००	२०६७.००
	FDLO12 COB10W-CW	सेट	१९७९.००	१९७९.००	२०६७.००
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५०९१.००	५०९१.००	५३१७.००
	FDLO12 COB15W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५३१७.००
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६७८७.००	७०८९.००
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७.००	६७८७.००	७०८९.००
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८४८३.००	८८६०.००
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३.००	८४८३.००	८८६०.००
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४.००	४१८४.००	४३७०.००
	FDLOO7 SMD12W-CW Taiwan chip	सेट	४१८४.००	४१८४.००	४३७०.००
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८.००	६१०८.००	६३७९.००
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८.००	६१०८.००	६३७९.००
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७६३५.००	७९७४.००
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५.००	७६३५.००	७९७४.००
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७.००	३१६७.००	३३०७.००
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३३०७.००
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७.००	३१६७.००	३३०७.००
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३३०७.००
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१.००	१३०१.००	१३५८.००
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१.००	१३०१.००	१३५८.००
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१६९६.००	१७७९.००
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६.००	१६९६.००	१७७९.००
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११.००	३१११.००	३२४९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११.००	३१११.००	३२४९.००
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७.००	६७८७.००	७०८९.००
	FM3161 HP 18W-CW Cree Led	सेट	६७८७.००	६७८७.००	७०८९.००
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४.००	२०९४.००	२१८७.००
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२०९४.००	२१८७.००
	HD-5010-14-WWH Osram chip (115*105)	सेट	३१६७.००	३१६७.००	३३०७.००
	HD-5010-14-CW Osram chip	सेट	३१६७.००	३१६७.००	३३०७.००
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	३९५९.००	४१३५.००
	HD-5010-14-CW Osram chip	सेट	३९५९.००	३९५९.००	४१३५.००
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	७८६०.००	८२०९.००
	HD-5010-18-CW Osram chip	सेट	७८६०.००	७८६०.००	८२०९.००
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१.००	२४५१.००	२५६०.००
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१.००	२४५१.००	२५६०.००
	LUCIA WHITE OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	LUCIA BLACK OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	LUCIA-GD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	LUCIA-GD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	REMI/LUCIA WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/LUCIA BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५२४.००	२६३६.००
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८८३.००
	REMI/MADDI WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/MADDI BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३.००	२१६३.००	२२५९.००
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०.००	७२१०.००	७५३०.००
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६४८९.००	६७७७.००
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६४८९.००	६७७७.००
	GELMI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	GELMI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	DANZI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	DANZI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	३०१२.००
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३३८९.००
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३३८९.००
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३३८९.००
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३३८९.००
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३७६५.००
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३७६५.००
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३२४५.००	३३८९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७२१०.००	७५३०.००
	<b>Deep Recessed Downlight Luminaires:</b>				
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED6S-6500 PSU WH Wide / Medium Angle Beam	गोटा		१०८८०.००	११३६४.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED10S-6500 PSU WH Wide / Medium Angle Beam	गोटा		१०८८०.००	११३६४.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED15S-6500 PSU WH-Wide / Medium Angle Beam	गोटा		१०८८०.००	११३६४.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED20S-6500 PSU WH-Wide / Medium Angle Beam	गोटा		१०८८०.००	११३६४.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED6S-6500 PSD WH Wide / Medium Angle Beam	गोटा		२०४००.००	२१३०७.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED10S-6500 PSD WH Wide / Medium Angle Beam	गोटा		२०४००.००	२१३०७.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED15S-6500 PSD WH-Wide / Medium Angle Beam	गोटा		२०४००.००	२१३०७.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED20S-6500 PSD WH-Wide / Medium Angle Beam	गोटा		२०४००.००	२१३०७.००
	<b>Cylindrical Downlight Luminaires:</b>				
	Cylindrical Downlight Luminaires: SP320P LED6S-6500 PSU	गोटा		१११५२.००	११६४८.००
	Cylindrical Downlight Luminaires: SP320P LED10S-6500 PSU	गोटा		११६९६.००	१२२१६.००
	Cylindrical Downlight Luminaires: SP320P LED15S-6500 PSU	गोटा		१२५१२.००	१३०६८.००
	Cylindrical Downlight Luminaires: SP320P LED20S-6500 PSU	गोटा		१३०५६.००	१३६३६.००
	<b>prime plus</b> recessed downlight with 100lm/watt,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	3W	गोटा		९२५.००	९६६.००
	5W	गोटा		१०३५.००	१०८१.००
	10W	गोटा		१४२०.००	१४८३.००
	15W	गोटा		१७२०.००	१७९६.००
	22W	गोटा		३८७०.००	४०४२.००
	<b>star surface</b> downlight ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	7W	गोटा		१८५५.००	१९३७.००
	12W	गोटा		२३९५.००	२५०१.००
	18W	गोटा		३३६०.००	३५०९.००
	22W	गोटा		५९१५.००	६१७८.००
५३.०	<b>Smart Light:</b>				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा		२६६५६०.००	२७८४२१.००
	Exterior Rated RGB Linear Lights - 2Ft	गोटा		१७५४४०.००	१८३२४७.००
	DMX Controller	सेट		६८०००.००	७०२६०.००
	DMX Amplifier	सेट		२०४०००.००	२१३०७८.००
	Testing and commissioning of ultra-compact commissioning	सेट		१२२४०००.००	१२७८४६८.००
५४.०	<b>Outdoor Street Luminaries:</b>				
	Outdoor Street Luminaries 10-12 Watt	गोटा		६२५६.००	६५३४.००
	Outdoor Street Luminaries 23-25 Watt	गोटा		१२२४०.००	१२७८४.००
	Outdoor Street Luminaries 28-30 Watt	गोटा		१३६००.००	१४२०५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Outdoor Street Luminaries 36 Watt	गोटा		१४४१६.००	१५०५७.००
	Outdoor Street Luminaries 40 Watt	गोटा		१४९६०.००	१५६२५.००
	Outdoor Street Luminaries 45 Watt	गोटा		१५३६८.००	१६०५१.००
	Outdoor Street Luminaries 48 Watt	गोटा		१५७७६.००	१६४७८.००
	Outdoor Street Luminaries 60 Watt	गोटा		१६३२०.००	१७०४६.००
	Outdoor Street Luminaries 70 Watt	गोटा		२१७६०.००	२२७२८.००
	Outdoor Street Luminaries 90 Watt	गोटा		२५५६८.००	२६७०५.००
	Outdoor Street Luminaries 105 Watt	गोटा		२७७४४.००	२८९७८.००
	Outdoor Street Luminaries 120 Watt	गोटा		३००८०.००	३१७७४.००
	Outdoor Street Luminaries 140 Watt	गोटा		४३५२०.००	४५४५६.००
	Outdoor Street Luminaries 160 Watt	गोटा		४८९६०.००	५११३८.००
५५.०	<b>Batten Lights - Residential Application:</b>				
	Almunium Excruded 4 Feet Linear Batten	गोटा		२३१२.००	२४१४.००
	Almunium Excruded 4 Feet Linear Batten	गोटा		४०७७.२८	४२५८.००
	Almunium Excruded 2 Feet Linear Batten	गोटा		१५५०.४०	१६१९.००
	<b>Astraline essential LED batten ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	1Feet size batten	गोटा		६४५.००	६७३.००
	2 feet size batten	गोटा		८९५.००	९३४.००
	4 feet size batten	गोटा		११७५.००	१२२७.००
५६.०	<b>Batten Lights - Industrial Application:</b>				
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा		२३१२.००	२४१४.००
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा		१०३३६.००	१०७९५.००
	Batten 4 ftLED luminaire- 18 Watt	गोटा		५३०४.००	५५४०.००
	Batten 4 ftLED luminaire-34 Watt	गोटा		८७०४.००	९०९१.००
	Batten 4 ftLED luminaire-47Watt	गोटा		११९६८.००	१२५००.००
	Batten 4 ftLED luminaire- 18 Watt with PIR Sensors	गोटा		८०२४.००	८३८१.००
	Batten 4 ftLED luminaire-34 Watt with PIR Sensors	गोटा		११४२४.००	११९३२.००
	Batten 4 ftLED luminaire-47Watt with PIR Sensors	गोटा		१४६८८.००	१५३४१.००
५७.०	<b>INDUSTRIAL T-LED BOX TYPE PATTI</b>				
	1X4 box type patti T-Led 1x20w			१७२०.००	१७९६.००
	1X4 box type patti T-Led 2x20w			१८८०.००	१९६३.००
५८.०	<b>Industrial Reflector</b>			२१५०.००	२२४५.००
	20W T-Led Stellar bright 4Ft	गोटा		८८०.००	९१९.००
५९.०	<b>Linear Suspended Luminaries:</b>				
	Suspended 4 Feet Linear Luminaires- Non Dimmable	गोटा		१६३२०.००	१७०४६.००
	Suspended -4 Feet Linear Luminaires- Non Dimmable	गोटा		१७६८०.००	१८४६६.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१४९६०.००	१५६२५.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१६३२०.००	१७०४६.००
	Surface- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१४९६०.००	१५६२५.००
	Suspended- 4 Feet Linear Luminaires- Non Dimmable	गोटा		१८४७१.५२	१९२९३.००
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा		३७४८७.०४	३९१५५.००
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा		३७४८७.०४	३९१५५.००
	Suspended- 2 Feet Continous Linear Luminaires- Non Dimmable	गोटा		१२३७३.२८	१२९२३.००
६०.०	<b>2 * 2 Square Luminaires:</b>				
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED36S-6500-PSU	गोटा		१३०५६.००	१३६३६.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSU	गोटा		१०८८०.००	११३६४.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSU	गोटा		१४१४४.००	१४७७३.००
	Recessed 2x2 Dimmable Luminaires: RC380B LED36S-6500-PSD	गोटा		२८५६०.००	२९८३०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSD	गोटा		२७२००.००	२८४१०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSD	गोटा		३२६४०.००	३४०९२.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED36S-6500-PSU	गोटा		८७०४.००	९०९१.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED30S-6500-PSU	गोटा		८१६०.००	८५२३.००
६१.०	<b>2 X 2 Luminaires - Indirect Lights:</b>				
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 30S 6500 PSU	गोटा		१६३२०.००	१७०४६.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSU	गोटा		१७६८०.००	१८४६६.००
	Indirect Lighting Recessed 2x2 Dimmable Luminaires: RC 420B M LED 30S 6500 PSD	गोटा		१९०४०.००	१९८८७.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSD	गोटा		२०४००.००	२१३०७.००
६२.०	<b>2 X 2 Luminaires - Smart Decorative Lights (Suspended, Recessed):</b>				
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED30S-PSU	गोटा		३६७२०.००	३८३५४.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED25S-PSU	गोटा		३९४४०.००	४११९५.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED36S-PSU	गोटा		४२१६०.००	४४०३६.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED25S-PSD	गोटा		५१६८०.००	५३९७९.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED30S-PSD	गोटा		५४४००.००	५६८२०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED36S-PSD	गोटा		५७१२०.००	५९६६१.००
६३	<b>System Sensor Product (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	Photo Electric Smoke Detector	सेट	१८७५.००	१८७५.००	१९५८.००
	Rate of Rise Heat Detector	सेट	१८७५.००	१८७५.००	१९५८.००
	Fixed temperature Detector	सेट	२२८७.००	२२८७.००	२३८८.००
	Base	सेट	३७१.००	३७१.००	३८७.००
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३.००	१४८३.००	१५४८.००
	Wall mount Horn+Strobe	सेट	४१२०.००	४१२०.००	४३०३.००
	Ceiling mount Horn+Strobe	सेट	४१२०.००	४१२०.००	४३०३.००
६४	<b>Exit Light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	MODEL SLM 18	सेट	१२३६०.००	१२३६०.००	१२९१०.००
	MODEL ELS 28	सेट	१२३६०.००	१२३६०.००	१२९१०.००
	MODEL ETL 210H-4LA	सेट	१२३६०.००	१२३६०.००	१२९१०.००
६५	<b>LUMINARIES Accessories-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	500 watt halogen rod	गोटा	२३२.००	२३२.००	२४२.००
	1000 watt halogen rod	गोटा	२७८.००	२७८.००	२९०.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८३४.००	८७१.००
	150 watt sodium vapour bulb	गोटा	१२९८.००	१२९८.००	१३५५.००
	250 watt sodium vapour bulb	गोटा	१७००.००	१७००.००	१७७५.००
	20-40 watt FTL rod	गोटा	८०.००	८०.००	८३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	20-40 watt FTL Copper chowk.	गोटा	२५८.००	२५८.००	२६९.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४१२.००	४१२.००	४३०.००
	Acryle cover for 4x20 FTL	गोटा	९८९.००	९८९.००	१०३३.००
	FTL starter	गोटा	१९.००	१९.००	१९.००
	8 W to11W, C.F.L.Direct fit	गोटा	२३२.००	२३२.००	२४२.००
	13 to 22W , C.F.L.Direct fit	गोटा	२९९.००	२९९.००	३१२.००
	15-100 watt bulb.( ISI )	गोटा	२६.००	२६.००	२७.००
	PL-S 9W/86 (CFL)	गोटा	१६५.००	१६५.००	१७२.००
	PL-S 11W/86 (CFL)	गोटा	१७५.००	१७५.००	१८२.००
	PL-L 36W/86 (CFL)	गोटा	४१७.००	४१७.००	४३५.००
	125W HPL-N (Murcury Vapour)	गोटा	३७१.००	३७१.००	३८७.००
	250W HPL-N	गोटा	८७६.००	८७६.००	९१४.००
	<b>Solar LED bulb</b>	गोटा			
	12V/2W LED bulb	गोटा	३६९.००	३६९.००	३७७.००
	12V/3W LED bulb	गोटा	४१२.००	४१२.००	४३०.००
	12V/4W LED bulb	गोटा	४६४.००	४६४.००	४८४.००
६६	<b>COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked</b>				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८.००	९४८.००	९९०.००
	3/22 " " "	क्वायल	११३३.००	११३३.००	११८३.००
	3/20 " " "	क्वायल	१८०३.००	१८०३.००	१८८३.००
	7/22 " " "	क्वायल	२५२४.००	२५२४.००	२६३६.००
	7/20 " " "	क्वायल	४१२०.००	४१२०.००	४३०३.००
	7/18 " " "	क्वायल	६४८९.००	६४८९.००	६७७७.००
	7/16 " " "	क्वायल	१३३९०.००	१३३९०.००	१३९८५.००
	19/18 " " "	क्वायल	१८०२५.००	१८०२५.००	१८८२७.००
	19/16 " " "	क्वायल	३६०५०.००	३६०५०.००	३७६५४.००
	2\20 " " "	क्वायल	१३७०.००	१३७०.००	१४३०.००
	2\22 " " "	क्वायल	९२७.००	९२७.००	९६८.००
६७	<b>FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010</b>				
	Size 1 C *0.75 SQMM	र.मी	२२.००	२२.००	२२.००
	Size 1 C *1 SQMM	र.मी	३०.००	३०.००	३१.००
	Size 1 C *1.5 SQMM	र.मी	४४.००	४४.००	४५.००
	Size 1 C *2.5SQMM	र.मी	७२.००	७२.००	७५.००
	Size 1 C *4SQMM	र.मी	१०५.००	१०५.००	१०९.००
	Size 1 C *6SQMM	र.मी	१५९.००	१५९.००	१६६.००
६८	<b>FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010</b>				
	Size 1 C *0.75 SQMM	र.मी	२४.००	२४.००	२५.००
	Size 1 C *1 SQMM	र.मी	३२.००	३२.००	३३.००
	Size 1 C *1.5 SQMM	र.मी	४७.००	४७.००	४९.००
	Size 1 C *2.5SQMM	र.मी	७६.००	७६.००	७९.००
	Size 1 C *4SQMM	र.मी	११२.००	११२.००	११६.००
	Size 1 C *6SQMM	र.मी	१६८.००	१६८.००	१७५.००
६९	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>				
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०.००	१०३०.००	१०७५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१६४८.००	१७२१.००
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१.००	२४२१.००	२५२८.००
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४.००	३९१४.००	४०८८.००
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०.००	६१८०.००	६४५५.००
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	१०३००.००	१०७५८.००
७०	<b>Concentric cable NS marked Eqv.</b>				
	4mm size concentric cable	र.मी	२३.००	२३.००	२४.००
	6mm size " "	र.मी	२६.००	२६.००	२७.००
	10mm size concentric cable	र.मी	३९.००	३९.००	४०.००
	16mm size " "	र.मी	६७.००	६७.००	६९.००
	25mm size " "	र.मी	८९.००	८९.००	९२.००
	RG6 Coaxial cable	र.मी	२३.००	२३.००	२४.००
	RG59 Coaxial cable	र.मी	२६.००	२६.००	२७.००
	UTP cat -5 networking cable	र.मी	२६.००	२६.००	२७.००
७१	<b>Telephone Drop wire/pair cable NS marked Eqv.</b>				
	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	९८९.००	९८९.००	१०३३.००
	<sup>2</sup> / <sub>22</sub> " "	क्वायल	६७०.००	६७०.००	६९९.००
	2- pair cable wire (2x2x0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००
	3- pair cable wire (3x2x0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००
	5- pair cable wire (5x2x0.45) mm Heavy	र.मी	३२.००	३२.००	३३.००
	10- pair cable wire (10x2x0.45) mm Heavy	र.मी	६२.००	६२.००	६४.००
	15- pair cable wire (15x2x0.45) mm Heavy	र.मी	९१.००	९१.००	९५.००
	20- pair cable wire (20x2x0.45) mm Heavy	र.मी	११९.००	११९.००	१२४.००
	1mm drop wire	र.मी	१०.००	१०.००	१०.००
७२	1-4 Line <b>EPABX</b> ,with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	७६४८.००	७६४८.००	७९८८.००
	2-6 Line EPABX	सेट	१८४११.००	१८४११.००	१९२३०.००
	3-8 Line EPABX	सेट	२०५३८.००	२०५३८.००	२१४५१.००
	4-12 Line EPABX	सेट	३६८२३.००	३६८२३.००	३८४६१.००
	6-16 Line EPABX	सेट	४९५६९.००	४९५६९.००	५१७७४.००
	8-24 Line EPABX	सेट	८४९७५.००	८४९७५.००	८८७५६.००
	8-48 Line EPABX	सेट	९०९२३.००	९०९२३.००	९४९६९.००
	8-72 Line EPABX	सेट	९७२८८.००	९७२८८.००	१०१६१७.००
	<b>Other Accessories</b>				
	6" size Dome light glass	गोटा	६५.००	६५.००	६७.००
	8" size " " "	गोटा	७६.००	७६.००	७९.००
	wall bracket glass	गोटा	६५.००	६५.००	६७.००
	Fan regulator	गोटा	२७.००	२७.००	२८३.००
७३	<b>Panel board</b> -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB & measuring instrument				
	60/75/100 AMP, 9"x36"x48" size	सेट	२१४१४.००	२१४१४.००	२२३६६.००
	60/75/100 AMP "12x36"x48" size	सेट	२५४९३.००	२५४९३.००	२६६२७.००
	60/75/100 AMP 9"x48"x60" size	सेट	३५६९०.००	३५६९०.००	३७२७८.००
	60/75/100 AMP 12"x49"x60" size	सेट	४२४८८.००	४२४८८.००	४४३७८.००
	150/200 AMP 9"x38"x52" size	सेट	२३७९३.००	२३७९३.००	२४८५१.००
	150/200 AMP 12"x38"x52" size	सेट	२३७९३.००	२३७९३.००	२४८५१.००
	150/200 AMP 9"x42"x56 "size	सेट	२६४९६.००	२६४९६.००	२७६७५.००
	150/200 AMP 12"x42"x56" size	सेट	२८१७९.००	२८१७९.००	२९४३२.००
	250/300AMP 12"x48"x60"size	सेट	३४५०५.००	३४५०५.००	३६०४०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	250/300AMP 12"x52"x62" size	सेट	३८६२६.००	३८६२६.००	४०३४४.००
	400 AMP 12"x52"x66" size	सेट	४१११८.००	४१११८.००	४२९४७.००
७४	<b>Panel Board measurement instrument</b>				
	0-500 volt meter	पिस	१०२३.००	१०२३.००	१०६८.००
	60/100 Amp meter .	पिस	९७९.००	९७९.००	१०२२.००
	Panel Indicator	पिस	२३७.००	२३७.००	२४७.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३४.००	१३९.००
	AMP meter selector switch	पिस	६४९.००	६४९.००	६७७.००
	volt meter selector switch	पिस	७११.००	७११.००	७४२.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४३२.००	१४९५.००
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२.००	१७८२.००	१८६१.००
	250-300 AMP ,, ,,	गोटा	२४२१.००	२४२१.००	२४२८.००
	400/500/600AMP ,, ,,	गोटा	३५५४.००	३५५४.००	३७२२.००
	Kilo watt hour energy meter single phase	पिस	२२७.००	२२७.००	२३७२.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०२२८.००	१०६८३.००
७५	<b>Trailing Protected Industrial Plug IP44</b>				
	16A 3P+E 400V Industrial plug	सेट	५४१.००	५४१.००	५६५.००
	32 A 3p +N+E " Plug	सेट	८०३.००	८०३.००	८३८.००
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५४५.००	१६१३.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२०६००.००	२१५१६.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१३९०५.००	१४५२३.००
७६	<b>CABLE SHOE</b>				
	16 sq.mm cable shoe	गोटा	६४.००	६४.००	६६.००
	25 sq.mm " "	गोटा	८३.००	८३.००	८६.००
	35 sq.mm " "	गोटा	६४.००	६४.००	६६.००
	50 sq.mm " "	गोटा	७५.००	७५.००	७८.००
	70 sq.mm " "	गोटा	९२.००	९२.००	९६.००
	95 sq.mm " "	गोटा	१४३.००	१४३.००	१४९.००
	150 sq.mm " "	गोटा	२१५.००	२१५.००	२२४.००
	195 sq.mm " "	गोटा	३०५.००	३०५.००	३१८.००
	250 sq.mm " "	गोटा	४८५.००	४८५.००	५०६.००
७७	<b>Copper Conductor Armoured Power Cables NS marked or equivalent</b>				
	<b>a) 2 Core</b>				
	1.5 mm2	र.मी	१०३.००	१०३.००	१०७.००
	2.5 mm2	र.मी	१३९.००	१३९.००	१४५.००
	4.0 mm2	र.मी	१९१.००	१९१.००	१९९.००
	6.0 mm2	र.मी	२४७.००	२४७.००	२५७.००
	10.0 mm2	र.मी	३७१.००	३७१.००	३८७.००
	16.0 mm2	र.मी	४९४.००	४९४.००	५१५.००
	25.0 mm2	र.मी	७२१.००	७२१.००	७५३.००
	35.0 mm2	र.मी	९५८.००	९५८.००	१०००.००
	50.0 mm2	र.मी	१३३९.००	१३३९.००	१३९८.००
	<b>b) 3 Core</b>				
	1.5 mm2	र.मी	१२९.००	१२९.००	१३४.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	2.5 mm2	र.मी	१८०.००	१८०.००	१८८.००
	4.0 mm2	र.मी	२५८.००	२५८.००	२६९.००
	6.0 mm2	र.मी	३३०.००	३३०.००	३४४.००
	10.0 mm2	र.मी	४९४.००	४९४.००	५१५.००
	16.0 mm2	र.मी	६९०.००	६९०.००	७२०.००
	25.0 mm2	र.मी	१०५१.००	१०५१.००	१०९७.००
	35.0 mm2	र.मी	१३९१.००	१३९१.००	१४५२.००
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६.००	१९०६.००	१९९०.००
	70.0 mm2	र.मी	२६७८.००	२६७८.००	२७९७.००
	95.0 mm2	र.मी	३६०५.००	३६०५.००	३७६५.००
	120.0 mm2	र.मी	४५३२.००	४५३२.००	४७३३.००
	150.0 mm2	र.मी	५५६२.००	५५६२.००	५८०९.००
	<b>c) 3.5 Core</b>				
	25.0 mm2	र.मी	१२५७.००	१२५७.००	१३१२.००
	35.0 mm2	र.मी	१५९७.००	१५९७.००	१६६८.००
	50.0 mm2	र.मी	२२४५.००	२२४५.००	२३४४.००
	70.0 mm2	र.मी	३०९०.००	३०९०.००	३२२७.००
	95.0 mm2	र.मी	४१२०.००	४१२०.००	४३०३.००
	120.0 mm2	र.मी	५४०८.००	५४०८.००	५६४८.००
	150.0 mm2	र.मी	६३८६.००	६३८६.००	६६७०.००
	185.0 mm2	र.मी	७९३१.००	७९३१.००	८२८३.००
	240.0 mm2	र.मी	१०४०३.००	१०४०३.००	१०८६५.००
	300.0 mm2	र.मी	१३१८४.००	१३१८४.००	१३७७०.००
	400.0 mm2	र.मी	१७३०४.००	१७३०४.००	१८०७४.००
	<b>d) 4 Core</b>				
	1.5 mm <sup>2</sup>	र.मी	१५५.००	१५५.००	१६१.००
	2.5 mm2	र.मी	२२१.००	२२१.००	२३०.००
	4.0 mm2	र.मी	३१९.००	३१९.००	३३३.००
	6.0 mm2	र.मी	४१२.००	४१२.००	४३०.००
	10.0 mm2	र.मी	६१८.००	६१८.००	६४५.००
	16.0 mm2	र.मी	९०१.००	९०१.००	९४१.००
	25.0 mm2	र.मी	१३३९.००	१३३९.००	१३९८.००
	35.0 mm2	र.मी	१८०३.००	१८०३.००	१८८३.००
	50.0 mm2	र.मी	२५७५.००	२५७५.००	२६८९.००
	70.0 mm2	र.मी	३५०२.००	३५०२.००	३६५७.००
	95.0 mm <sup>2</sup> Copper Conductor Armoured	र.मी	४७३८.००	४७३८.००	४९४८.००
	120.0 mm <sup>2</sup>	र.मी	५९७४.००	५९७४.००	६२३९.००
	150.0 mm <sup>2</sup>	र.मी	७४१६.००	७४१६.००	७७४६.००
	185.0 mm <sup>2</sup>	र.मी	९०६४.००	९०६४.००	९४६७.००
	240.0 mm <sup>2</sup>	र.मी	१२३६०.००	१२३६०.००	१२९१०.००
	300.0 mm <sup>2</sup>	र.मी	१४८३२.००	१४८३२.००	१५४९२.००
	400.0 mm <sup>2</sup>	र.मी	२००८५.००	२००८५.००	२०९७८.००
७८	<b>Copper Conductor Unarmoured Power Cables NS marked or equivalent</b>				
	a) 1-core				
	10 sq. mm.	र.मी	४३.००	४३.००	४४.००
	16 sq. mm.	र.मी	६५.००	६५.००	६७.००
	25 sq. mm.	र.मी	७६.००	७६.००	७९.००
	35 sq. mm.	र.मी	९१.००	९१.००	९५.००
	50 sq. mm.	र.मी	१२१.००	१२१.००	१२६.००
	70 sq. mm.	र.मी	१५८.००	१५८.००	१६५.००
	95 sq. mm.	र.मी	२१४.००	२१४.००	२२३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	120 sq. mm.	र.मी	२६०.००	२६०.००	२७१.००
	150 sq. mm.	र.मी	३०८.००	३०८.००	३२१.००
	<b>b) 2- core</b>				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२.००	७२.००	७५.००
	2.5 sq.mm	र.मी	१०३.००	१०३.००	१०७.००
	4 sq.mm	र.मी	१४४.००	१४४.००	१५०.००
	6 sq.mm	र.मी	१९६.००	१९६.००	२०४.००
	10 sq.mm	र.मी	३०९.००	३०९.००	३२२.००
	16 sq.mm	र.मी	४२७.००	४२७.००	४४६.००
	25 sq.mm	र.मी	६५९.००	६५९.००	६८८.००
	35 sq.mm	र.मी	८९६.००	८९६.००	९३५.००
	50 sq.mm	र.मी	१२३६.००	१२३६.००	१२९१.००
	70 sq.mm	र.मी	१२३६.००	१२३६.००	१२९१.००
	95 sq.mm	र.मी	२३१८.००	२३१८.००	२४२१.००
	120 sq.mm	र.मी	३०३९.००	३०३९.००	३१७४.००
	150 sq.mm	र.मी	३८११.००	३८११.००	३९८०.००
	<b>c) 3-core</b>				
	1.5 sq.mm. 3- core copper conductor	र.मी	९३.००	९३.००	९७.००
	2.5 sq.mm	र.मी	१३४.००	१३४.००	१३९.००
	4 sq.mm	र.मी	१९६.००	१९६.००	२०४.००
	6 sq.mm	र.मी	२७८.००	२७८.००	२९०.००
	10 sq.mm	र.मी	४३८.००	४३८.००	४५७.००
	16 sq.mm	र.मी	६३९.००	६३९.००	६६७.००
	25 sq.mm	र.मी	९७९.००	९७९.००	१०२२.००
	35 sq.mm	र.मी	१३१८.००	१३१८.००	१३७६.००
	50 sq.mm	र.मी	१८५४.००	१८५४.००	१९३६.००
	70 sq.mm	र.मी	२५७५.००	२५७५.००	२६८९.००
	95 sq.mm	र.मी	३५०२.००	३५०२.००	३६५७.००
	120 sq.mm	र.मी	४४२९.००	४४२९.००	४६२६.००
	150 sq.mm	र.मी	५४५९.००	५४५९.००	५७०१.००
	<b>d) 3.5 core</b>				
	25 sq.mm	र.मी	१२०५.००	१२०५.००	१२५८.००
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५.००	१५४५.००	१६१३.००
	50 sq.mm	र.मी	२१६३.००	२१६३.००	२२५९.००
	70 sq.mm	र.मी	३०१३.००	३०१३.००	३१४७.००
	95 sq.mm	र.मी	४०६९.००	४०६९.००	४२५०.००
	120 sq.mm	र.मी	५३५६.००	५३५६.००	५५९४.००
	150 sq.mm	र.मी	६३३५.००	६३३५.००	६६१६.००
	<b>e) 4-core Copper Conductor Unarmoured</b>				
	1.5 sq.mm	र.मी	११३.००	११३.००	११८.००
	2.5 sq.mm	र.मी	१७०.००	१७०.००	१७७.००
	4 sq.mm	र.मी	२५२.००	२५२.००	२६३.००
	6 sq.mm	र.मी	३५०.००	३५०.००	३६५.००
	10 sq.mm	र.मी	५५६.००	५५६.००	५८०.००
	16 sq.mm	र.मी	८४५.००	८४५.००	८८२.००
	25 sq.mm	र.मी	१३१८.००	१३१८.००	१३७६.००
	35 sq.mm	र.मी	१७७२.००	१७७२.००	१८५०.००
	50 sq.mm	र.मी	२४७२.००	२४७२.००	२५८२.००
	70 sq.mm	र.मी	३४५१.००	३४५१.००	३६०४.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	95 sq.mm	र.मी	४६८७.००	४६८७.००	४८९५.००
	120 sq.mm	र.मी	५९२३.००	५९२३.००	६१८६.००
	150 sq.mm	र.मी	७३६५.००	७३६५.००	७६९२.००
	185 sq.mm	र.मी	९०६४.००	९०६४.००	९४६७.००
	240 Sq. mm	र.मी	१२२५७.००	१२२५७.००	१२८०२.००
	300 Sq. mm	र.मी	१४८३२.००	१४८३२.००	१५४९२.००
	400 Sq. mm	र.मी	२००८५.००	२००८५.००	२०९७८.००
७९	<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>				
	<b>a) 2-core</b>				
	1.5 sq.mm	र.मी			
	2.5 sq.mm	र.मी	९३.००	९३.००	९७.००
	4 sq.mm	र.मी	११८.००	११८.००	१२३.००
	6 sq.mm	र.मी	१३४.००	१३४.००	१३९.००
	10 sq.mm	र.मी	१६०.००	१६०.००	१६७.००
	16 sq.mm	र.मी	१८०.००	१८०.००	१८८.००
	25 sq.mm	र.मी	२१६.००	२१६.००	२२५.००
	35 sq.mm	र.मी	२४७.००	२४७.००	२५७.००
	50 sq.mm	र.मी	३१९.००	३१९.००	३३३.००
	70 sq.mm	र.मी	३९७.००	३९७.००	४१४.००
	95 sq.mm	र.मी	५०५.००	५०५.००	५२७.००
	<b>b) 3-core</b>				
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	१०८.००	११२.००
	4 sq.mm	र.मी	१३४.००	१३४.००	१३९.००
	6 sq.mm	र.मी	१४९.००	१४९.००	१५५.००
	10 sq.mm	र.मी	१८०.००	१८०.००	१८८.००
	16 sq.mm	र.मी	२०६.००	२०६.००	२१५.००
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२७८.००	२९०.००
	35 sq.mm	र.मी	३३५.००	३३५.००	३४९.००
	50 sq.mm	र.मी	४२७.००	४२७.००	४४६.००
	70 sq.mm	र.मी	५४१.००	५४१.००	५६५.००
	95 sq.mm	र.मी	४९४.००	४९४.००	५१५.००
	120 sq.mm	र.मी	८३४.००	८३४.००	८७१.००
	150 sq.mm	र.मी	१००४.००	१००४.००	१०४८.००
	185 sq.mm	र.मी	१२३६.००	१२३६.००	१२९१.००
	240 sq.mm	र.मी	१५१४.००	१५१४.००	१५८१.००
	300 sq.mm	र.मी	१८५४.००	१८५४.००	१९३६.००
	400 sq.mm	र.मी	२३१८.००	२३१८.००	२४२१.००
	<b>c) 3.5 core</b>				
	25 sq.mm.	र.मी	३१९.००	३१९.००	३३३.००
	35 sq.mm	र.मी	३७१.००	३७१.००	३८७.००
	50 sq.mm	र.मी	४८९.००	४८९.००	५१०.००
	70 sq.mm	र.मी	६२८.००	६२८.००	६५५.००
	95 sq.mm	र.मी	८०३.००	८०३.००	८३८.००
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९७९.००	१०२२.००
	150 sq.mm	र.मी	११७४.००	११७४.००	१२२६.००
	185 sq.mm	र.मी	१४२१.००	१४२१.००	१४८४.००
	240 sq.mm	र.मी	१७७२.००	१७७२.००	१८५०.००
	300 sq.mm	र.मी	२२१५.००	२२१५.००	२३१३.००
	400 sq.mm	र.मी	२७८१.००	२७८१.००	२९०४.००
	<b>d) 4-core</b>				
	2.5 sq.mm	र.मी	१२४.००	१२४.००	१२९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	4 sq.mm	र.मी	१५५.००	१५५.००	१६१.००
	6 sq.mm	र.मी	१८०.००	१८०.००	१८८.००
	10 sq.mm	र.मी	१९६.००	१९६.००	२०४.००
	16 sq.mm	र.मी	२५२.००	२५२.००	२६३.००
	25 sq.mm	र.मी	३४०.००	३४०.००	३५५.००
	35 sq.mm	र.मी	४०२.००	४०२.००	४१९.००
	50 sq.mm	र.मी	५४८.००	५४८.००	५७२.००
	70 sq.mm	र.मी	७००.००	७००.००	७३१.००
	95 sq.mm	र.मी	९०१.००	९०१.००	९४१.००
	120 sq.mm	र.मी	१०८२.००	१०८२.००	११३०.००
	150 sq.mm	र.मी	१३७०.००	१३७०.००	१४३०.००
	185 sq.mm	र.मी	१६२७.००	१६२७.००	१६९९.००
	240sq.mm	र.मी	२०३९.००	२०३९.००	२१२९.००
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५२४.००	२६३६.००
	400sq.mm	र.मी	३१९३.००	३१९३.००	३३३५.००
८०	<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>				
	<b>a) 1-core</b>				
	16 sq.mm	र.मी	५२.००	५२.००	५४.००
	25 sq.mm	र.मी	७२.००	७२.००	७५.००
	35 sq.mm	र.मी	८८.००	८८.००	९१.००
	50 sq.mm	र.मी	११३.००	११३.००	११८.००
	70 sq.mm	र.मी	१४४.००	१४४.००	१५०.००
	95 sq.mm	र.मी	१९६.००	१९६.००	२०४.००
	120 sq.mm	र.मी	२३७.००	२३७.००	२४७.००
	150 sq.mm	र.मी	३९१.००	३९१.००	४०८.००
	185 sq.mm	र.मी	३६१.००	३६१.००	३७७.००
	240 sq.mm	र.मी	४४३.००	४४३.००	४६२.००
	300 sq.mm	र.मी	५३६.००	५३६.००	५५९.००
	<b>b) 2-core Aluminium conductor unarmoured</b>				
	2.5 sq.mm	र.मी	५२.००	५२.००	५४.००
	4 sq.mm	र.मी	६२.००	६२.००	६४.००
	6 sq.mm	र.मी	७७.००	७७.००	८०.००
	10 sq.mm	र.मी	९८.००	९८.००	१०२.००
	16 sq.mm	र.मी	१०३.००	१०३.००	१०७.००
	25 sq.mm	र.मी	१४४.००	१४४.००	१५०.००
	35 sq.mm	र.मी	१८५.००	१८५.००	१९३.००
	50 sq.mm	र.मी	२३७.००	२३७.००	२४७.००
	70 sq.mm	र.मी	२९९.००	२९९.००	३१२.००
	95 sq.mm 2 core	र.मी	४०२.००	४०२.००	४१९.००
	<b>c) 3-core</b>				
	2.5 sq.mm	र.मी	६२.००	६२.००	६४.००
	4 sq.mm	र.मी	७२.००	७२.००	७५.००
	6 sq.mm	र.मी	८८.००	८८.००	९१.००
	10 sq.mm	र.मी	१२४.००	१२४.००	१२९.००
	16 sq.mm	र.मी	१४४.००	१४४.००	१५०.००
	25 sq.mm	र.मी	२०६.००	२०६.००	२१५.००
	35 sq.mm	र.मी	२५८.००	२५८.००	२६९.००
	50 sq.mm	र.मी	३४०.००	३४०.००	३५५.००
	70 sq.mm	र.मी	४५३.००	४५३.००	४७३.००
	95 sq.mm	र.मी	५९७.००	५९७.००	६२३.००
	120 sq.mm	र.मी	७४२.००	७४२.००	७७५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	150 sq.mm	र.मी	८८६.००	८८६.००	९२५.००
	185 sq.mm	र.मी	१११२.००	१११२.००	११६१.००
	240 sq.mm	र.मी	१३८०.००	१३८०.००	१४४१.००
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७५१.००	१८२८.००
	<b>d) 3.5-core</b>				
	25 sq.mm	र.मी	२५८.००	२५८.००	२६९.००
	35 sq.mm	र.मी	३०९.००	३०९.००	३२२.००
	50 sq.mm	र.मी	४१२.००	४१२.००	४३०.००
	70 sq.mm	र.मी	५६७.००	५६७.००	५९२.००
	95 sq.mm	र.मी	७४२.००	७४२.००	७७५.००
	120 sq.mm	र.मी	९२७.००	९२७.००	९६८.००
	150 sq.mm	र.मी	१११२.००	१११२.००	११६१.००
	185 sq.mm	र.मी	१३९१.००	१३९१.००	१४५२.००
	240 sq.mm	र.मी	१७५१.००	१७५१.००	१८२८.००
	300 sq.mm	र.मी	२१६३.००	२१६३.००	२२५९.००
	<b>e) 4-core core aluminium unarmoured</b>				
	2.5 sq.mm	र.मी	७२.००	७२.००	७५.००
	4 sq.mm	र.मी	८२.००	८२.००	८५.००
	6 sq.mm	र.मी	९८.००	९८.००	१०२.००
	10 sq.mm	र.मी	१३४.००	१३४.००	१३९.००
	16 sq.mm	र.मी	१९६.००	१९६.००	२०४.००
	25 sq.mm	र.मी	२८८.००	२८८.००	३००.००
	35 sq.mm	र.मी	३५०.००	३५०.००	३६५.००
	50 sq.mm	र.मी	४८४.००	४८४.००	५०५.००
	70 sq.mm 4	र.मी	६३९.००	६३९.००	६६७.००
	95 sq.mm	र.मी	८४५.००	८४५.००	८८२.००
	120 sq.mm	र.मी	१०३०.००	१०३०.००	१०७५.००
	150 sq.mm	र.मी	१२८८.००	१२८८.००	१३४५.००
	185 sq.mm	र.मी	१५९७.००	१५९७.००	१६६८.००
	240 sq.mm	र.मी	२००९.००	२००९.००	२०९८.००
	300 sq.mm	र.मी	२४७२.००	२४७२.००	२५८२.००
८१	<b>General Lightig (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५२.००	२६३.००
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३२.००	२४२.००
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४२७.००	४४६.००
	1 x 20 W FTL Box fitting	सेट	४१७.००	४१७.००	४३५.००
	9/11W Mini mirror light with electronic Blast		३५५.००	३५५.००	३७०.००
८२	<b>GEWISS /BEC PVC Conduit product of Italy</b>				
	<b>RK Range</b>				
	16 mm medium rigid conduit DX 25 316	र.मी	८८.००	८८.००	९१.००
	20 mm medium rigid conduit DX 25 320	र.मी	१२४.००	१२४.००	१२९.००
	25 mm medium rigid conduit DX 25 325	र.मी	१७५.००	१७५.००	१८२.००
	32 mm medium rigid conduit DX 25 332	र.मी	२५२.००	२५२.००	२६३.००
	40 mm medium rigid conduit DX 25 340	र.मी	३४५.००	३४५.००	३६०.००
	50 mm medium rigid conduit DX 25 350	र.मी	५३०.००	५३०.००	५५३.००
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	९९९.००	१०४३.००
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६५.००	१७२.००
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२१६.००	२२५.००
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८.००	२८८.००	३००.००
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४३३.००	४५२.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७.००	५८७.००	६९३.००
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	७९३.००	८२८.००
	63 mm heavy rigid conduit DX 25 763	र.मी	९४८.००	९४८.००	९५५.४०
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९६.००	२०४.००
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२४७.००	२५७.००
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३७६.००	३९२.००
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६२३.००	६५०.००
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७४७.००	७८०.००
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९६३.००	१००५.००
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२००.००	१२५३.००
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३९.००	३९.००	३२.००
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६.००	३७.००
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४९.००	४९.००	४२.००
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६२.००	६४.००
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९८.००	१०२.००
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	११८.००	१२३.००
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६.००	३७.००
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६.००	४८.००
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५७.००	५९.००
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०३.००	१०७.००
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१३९.००	१४५.००
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४२.००	२५२.००
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४५८.००	४७८.००
	16 mm tight bend DX 40 116	र.मी	५७.००	५७.००	५९.००
	20 mm tight bend DX 40 120	र.मी	८२.००	८२.००	८५.००
	25 mm tight bend DX 40 125	र.मी	१२९.००	१२९.००	१३४.००
	32 mm tight bend DX 40 132	र.मी	२३७.००	२३७.००	२४७.००
	40 mm tight bend DX 40 140	र.मी	३३५.००	३३५.००	३४९.००
	50 mm tight bend DX 40 150	र.मी	६०३.००	६०३.००	६२९.००
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२३५९.००	२४६३.००
	4 way junction box DX 45 004	र.मी	६७०.००	६७०.००	६९९.००
	7 way junction box DX 45 007	र.मी	८०३.००	८०३.००	८३८.००
	10 way junction box DX 45 010	र.मी	१०२०.००	१०२०.००	१०६५.००
	Closing cap for junction box DX 47 000	र.मी	११८.००	११८.००	१२३.००
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	११८.००	१२३.००
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१४९.००	१५५.००
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९६.००	२०४.००
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२३७.००	२४७.००
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९८.००	१०२.००
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	११८.००	१२३.००
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५५.००	१६१.००
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८५.००	१९३.००
८३	<b>GEWISS/BEC Cable Tray with Cover and Accessories BRN Range</b>				
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८१९.००	८५५.००
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९७३.००	१०१६.००
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११७४.००	१२२६.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३१८.००	१३७६.००
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५४०.००	१६०८.००
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७१०.००	१७१०.००	१७८६.००
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१३७.००	२२२२.००
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५१३.००	२६२४.००
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३०९०.००	३२२७.००
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३२८१.००	३४२७.००
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	९८४.००	१०२७.००
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	११७९.००	१२३१.००
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१२९८.००	१३५५.००
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४६८.००	१५३३.००
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६६३.००	१७३७.००
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८५९.००	१९४१.००
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६.००	२२७६.००	२३७७.००
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२६५७.००	२७७५.००
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३४५६.००	३६०९.००
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९.००	३७४९.००	३९१५.००
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४.००	४५८४.००	४७८७.००
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३१३.००	१३७१.००
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१२२.००	२२१६.००
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२७८१.००	२९०४.००
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३६५२.००	३६५२.००	४०२३.००
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६.००	४८३६.००	५०५१.००
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५४४९.००	५६९१.००
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४.००	१४९४.००	१५६०.००
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१.००	२२७१.००	२३७२.००
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४.००	२८८४.००	३०१२.००
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४१५१.००	४३३५.००
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५०१६.००	५०१६.००	५२३९.००
८४	<b>Intrusion Detection System (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	<b>Main Controller-CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP</b>	सेट	३८८५१.००	३८८५१.००	४०५७९.००
	<b>Smoke &amp; Heat Detector-Wireless Smoke and Head Detector</b>	सेट	१०५४५.००	१०५४५.००	११०१४.००
	<b>Door Contact-Wireless Door Contact with transmitter</b>	सेट	२६७८.००	२६७८.००	२७९७.००
	<b>Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector</b>	सेट	४१७८.००	४१७८.००	४३३३.००
	<b>Panic Switch-Wireless Panic Transmitter</b>	सेट	४९२१.००	४९२१.००	५१३९.००
	<b>Key -Wireless Key to Arm and Disarm the System</b>	सेट	४७८०.००	४७८०.००	४९९२.००
	<b>Window Contact- Wired door Contact with transmitter slim</b>	सेट	२८१२.००	२८१२.००	२९३७.००
	<b>Earth Quake Detector( JDS Inc, USA)-Quake Alarm</b>	पिस	३६०१.००	३६०१.००	३७६१.००
८५	<b>Automatic Motor Operator for water motor</b>				
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४१२०.००	४३०३.००
	Upto 1 HP single phase motor	सेट	५६६५.००	५६६५.००	५९१७.००
	Upto 5 HP three phase motor	सेट	९२७०.००	९२७०.००	९६८२.००
८६	<b>Earthing Materials (ISI or other International Standard)</b>				
	6 mm thick 600mmx 600 mm G.I. Plate	गोटा	२८२९.००	२८२९.००	२९५४.००
	Funnelling Mechanisn with cover (mild steel)	सेट	६१८.००	६१८.००	६४५.००
	3.2 mm thick 600mmx 600 mm Copper Plate	गोटा	९५१७.००	९५१७.००	९९४०.००
	Copper wire (10 SWG)	र.मी.	१५५.००	१५५.००	१६१.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
८७	<b>Service wire (Al)</b>				
	2.5 mm <sup>2</sup>	र.मी.	१८.००	१८.००	१८.००
	4.0 mm <sup>2</sup>	र.मी.	२२.००	२२.००	२२.००
	6.0 mm <sup>2</sup>	र.मी.	२८.००	२८.००	२९.००
८८	<b>Lightening Arrestor for 3 Phase .</b>				
	0.5 KV	सेट	१२३६.००	१२३६.००	१२९१.००
	11 KV	सेट	४३२६.००	४३२६.००	४५१८.००
	Cross Arms V Channel.	गोटा	३०९०.००	३०९०.००	३२२७.००
	Stay set with accessories.				
	GI wire	गोटा	११८२.००	११८२.००	१२३४.००
	GI Plate	गोटा	११८५.००	११८५.००	१२३७.००
	Gay Insulator.	गोटा	५६.००	५६.००	५८.००
	Elbow	गोटा	१०३.००	१०३.००	१०७.००
	Rod , Nut	गोटा	४४५.००	४४५.००	४६४.००
	Grip	गोटा	४९.००	४९.००	५१.००
८९	<b>Overhead Insulators (0.4KV)</b>	गोटा			
	Sackle Insulator	गोटा	३१.००	३१.००	३२.००
	D-Iron	गोटा	९३.००	९३.००	९७.००
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५.००	१५.००
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३.००	२४.००
९०	<b>Overhead Insulators with fixing accessories (11KV)</b>				
	Pin Insulator	गोटा	१८५.००	१८५.००	१९३.००
	Disc Insulator	गोटा	९८९.००	९८९.००	१०३३.००
	Cross Arms V Channel.	गोटा	२७१९.००	२७१९.००	२८३९.००
	Sqarrel ACSR conductor 20mm <sup>2</sup>	र.मी.	१७.००	१७.००	१७.००
	weasel ACSR conductor 30 mm <sup>2</sup>	र.मी.	२५.००	२५.००	२६.००
	Rabbit ACSR conductor 50 mm <sup>2</sup>	र.मी.	४१.००	४१.००	४२.००
	Dog ACSR conductor 100 mm <sup>2</sup>	र.मी.	८२.००	८२.००	८५.००
९२	<b>Alternator 3 Phase Brush less with compounded Excitation.</b>				
	<b>AMF with ATS palel for DG (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	5KVA AMF with ATS palel	सेट	२२६६०.००	२२६६०.००	२३५६६.००
	7.5KVA AMF with ATS palel	सेट	२८८४०.००	२८८४०.००	२९९९३.००
	10KVA AMF with ATS palel	सेट	३६०५०.००	३६०५०.००	३७४९२.००
	15KVA AMF with ATS palel	सेट	४६३५०.००	४६३५०.००	४८२०४.००
	20KVA AMF with ATS palel	सेट	६६९५०.००	६६९५०.००	६८९५८.००
	25KVA AMF with ATS palel	सेट	७७२५०.००	७७२५०.००	७९५६७.००
	30KVA AMF with ATS palel	सेट	९२७००.००	९२७००.००	९५४८१.००
९३	<b>MCB/ISOLATOR (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२३९.००	२४९.००
	B CURVE MCB SP 40A	पोल	२८१.००	२८१.००	२९३.००
	B CURVE MCB SP 50A-63A	पोल	२८१.००	२८१.००	२९३.००
	C CURVE MCB SP 0.5-4A	पोल	२८१.००	२८१.००	२९३.००
	C CURVE MCB SP 6-32A	पोल	२३९.००	२३९.००	२४९.००
	C CURVE MCB SP 40A	पोल	४४६.००	४४६.००	४६५.००
	C CURVE MCB SP 50-63A	पोल	४४६.००	४४६.००	४६५.००
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४७९.००	५००.००
	C CURVE MCB SPN 6-32A	पोल	५१३.००	५१३.००	५३५.००
	C CURVE MCB SPN 40A	पोल	५६९.००	५६९.००	५८५.००
	C CURVE MCB SPN 50-63A	पोल	५६९.००	५६९.००	५८५.००
	C CURVE MCB DP 0.5-4A	पोल	६१७.००	६१७.००	६४४.००
	C CURVE MCB DP 6-32A	पोल	५६४.००	५६४.००	५८९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	C CURVE MCB DP 40A	पोल	६१७.००	६१७.००	६४४.००
	C CURVE MCB DP 50-63A	पोल	६१७.००	६१७.००	६४४.००
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९२५.००	९६६.००
	C CURVE MCB TP 6-32A	पोल	८४७.००	८४७.००	८८४.००
	C CURVE MCB TP 40A	पोल	९२५.००	९२५.००	९६६.००
	C CURVE MCB TP 50-63A	पोल	९२५.००	९२५.००	९६६.००
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२०६.००	१२५९.००
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११०३.००	११५२.००
	C CURVE MCB TPN 40A	पोल	१२०६.००	१२०६.००	१२५९.००
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२०६.००	१२५९.००
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१२९०.००	१३४७.००
	C CURVE MCB FP 6-32A	पोल	११८०.००	११८०.००	१२३२.००
	C CURVE MCB FP 40A	पोल	१२९०.००	१२९०.००	१३४७.००
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१२९०.००	१३४७.००
	ISOLATOR DP 40A	पोल	५५१.००	५५१.००	५७५.००
	ISOLATOR DP 63A	पोल	५५१.००	५५१.००	५७५.००
	ISOLATOR DP 80-100A	पोल	५७६.००	५७६.००	६०१.००
	ISOLATOR DP 125A	पोल	६११.००	६११.००	६३८.००
	ISOLATOR FP 40A	पोल	९०२.००	९०२.००	९४२.००
	ISOLATOR FP 63A	पोल	९०२.००	९०२.००	९४२.००
	ISOLATOR FP 80-100A	पोल	९९८.००	९९८.००	१०४२.००
	ISOLATOR FP 125A	पोल	९९८.००	९९८.००	१०४२.००
	RCCB DP 25A 30mA	पोल	३५४७.००	३५४७.००	३७०४.००
	RCCB DP 40A 30mA	पोल	३५४७.००	३५४७.००	३७०४.००
	RCCB DP 63A 30mA	पोल	३५४७.००	३५४७.००	३७०४.००
	RCCB DP 25A 100mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB DP 40A 100mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB DP 63A 100mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB DP 25A 300mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB DP 40A 300mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB DP 63A 300mA	पोल	३३४५.००	३३४५.००	३४९३.००
	RCCB FP 25A 30mA	पोल	४१५५.००	४१५५.००	४३३९.००
	RCCB FP 40A 30mA	पोल	४१५५.००	४१५५.००	४३३९.००
	RCCB FP 63A 30mA	पोल	४१५५.००	४१५५.००	४३३९.००
	RCCB FP 25A 100mA	पोल	४००४.००	४००४.००	४१८२.००
	RCCB FP 40A 100mA	पोल	४००४.००	४००४.००	४१८२.००
	RCCB FP 63A 100mA	पोल	४००४.००	४००४.००	४१८२.००
	RCCB FP 25A 300mA	पोल	४००४.००	४००४.००	४१८२.००
	RCCB FP 40A 300mA	पोल	४००४.००	४००४.००	४१८२.००
	RCCB FP 63A 300mA	पोल	४००४.००	४००४.००	४१८२.००
	MCB RX3(C) 6-32A (SINGLE POLE)	सेट		३१०.००	३२३.००
	MCB DX3 6-32A (SINGLE POLE)	सेट		५१५.००	५३७.००
	MCB DX3 40A (SINGLE POLE)	सेट		११३९.००	११८९.००
	MCB DX3 63A (SINGLE POLE)	सेट		११३९.००	११८९.००
	MCB DX3 6-32A (DOUBLE POLE)	सेट		१५८४.००	१६५४.००
	MCB DX3 40A(DOUBLE POLE)	सेट		२५५०.००	२६६३.००
	MCB DX3 63A(DOUBLE POLE)	सेट		२५५०.००	२६६३.००
	MCB DX3 6-32A(TRIPPLE POLE)	सेट		२५८६.००	२७०१.००
	MCB DX3 40A(TRIPPLE POLE)	सेट		३९४९.००	४१२४.००
	MCB DX3 63A(TRIPPLE POLE)	सेट		३९४९.००	४१२४.००
	MCB DX3 6-32A(FOUR POLE)	सेट		३४९१.००	३६४६.००
	MCB DX3 40A (FOUR POLE)	सेट		५०३४.००	५२५८.००
	MCB DX3 63A (FOUR POLE)	सेट		५०३४.००	५२५८.००
	ISOLATOR DX3 32A 240V(DOUBLE POLE)	सेट		८६१.००	८९९.००
	ISOLATOR DX3 40A 240v(DOUBLE POLE)	सेट		९५०.००	९९२.००
	ISOLATOR DX3 63A 240v(DOUBLE POLE)	सेट		१२५४.००	१३०९.००
	ISOLATOR DX3 32A 415v(TRIPPLE POLE)	सेट		१५४२.००	१६१०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	ISOLATOR DX3 40A 415v(TRIPPLE POLE)	सेट		१६५१.००	१७२४.००
	ISOLATOR DX3 63A 415v(TRIPPLE POLE)	सेट		१९५५.००	२०४१.००
	ISOLATOR DX3 32A 415v (FOUR POLE)	सेट		१६९३.००	१७६८.००
	ISOLATOR DX3 40A 415v (FOUR POLE)	सेट		२१०२.००	२१९५.००
	ISOLATOR DX3 63A 415v (FOUR POLE)	सेट		२३०४.००	२४०६.००
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३३९.००
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३३९.००
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३३९.००
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	सेट		७९८४.००	८३३९.००
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	सेट		८३८४.००	८७५७.००
	RCBO 16A 30mA 4M(DOUBLE POLE)	सेट		६५७६.००	६८६८.००
	RCBO 25A 30mA 4M(DOUBLE POLE)	सेट		६५७६.००	६८६८.००
	RCBO 32A 30MA 4M(DOUBLE POLE)	सेट		७२००.००	७५२०.००
	RCBO 40A 30MA 4M(DOUBLE POLE)	सेट		८५६३.००	८९४४.००
	RCBO 16A 30mA 7M (FOUR POLE)	सेट		९२७०.००	९६८२.००
	RCBO 25A 30mA 7M (FOUR POLE)	सेट		९२७०.००	९६८२.००
	RCBO 32A 30MA 7M (FOUR POLE)	सेट		९५६२.००	९९८७.००
	RCBO 40A 30MA 7M (FOUR POLE)	सेट		९७०६.००	१०१३७.००
	RCBO 63A 30MA 7M (FOUR POLE)	सेट		११४९४.००	१२००५.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	सेट		५६०३.००	५८५२.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	सेट		६५६०.००	६८५१.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	सेट		७८४०.००	८१८८.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	सेट		७७१८.००	८०६९.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	सेट		७६२२.००	७९६९.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	सेट		८८४५.००	९२३८.००
९४	<b>LED AC Street light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	LED AC Street light 24 W with auto on-off switch and auto dimming option including all accessories and excluding installation	गोटा	७०००.००	७०००.००	७०००.००
	LED AC Street light 50W with auto on-off switch and auto dimming option including all accessories and excluding installation	गोटा	९०००.००	९०००.००	९०००.००
	LED AC Street light 100 W with auto on-off switch and auto dimming option including all accessories and excluding installation	गोटा	१६०००.००	१६०००.००	१६०००.००
	smartbright LED street light Up-to 70% energy saving,Polycarbonate cover with high impact resistance,Robust PDC housing LM6 alloy with IP66 protection,Long life of as compared to MH/SON streetlights,System power consumption / Light output 50W/5500lm,1 to 1 replacement for 1x150W SON streetlights				
	15W	गोटा		४०००.००	४०००.००
	25W	गोटा		१०१००.००	१०१००.००
	35W	गोटा		१२१००.००	१२१००.००
	70W	गोटा		२१५००.००	२१५००.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		३७००.००	३७००.००
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		४५५०.००	४५५०.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		५३५०.००	५३५०.००
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		६८५०.००	६८५०.००
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा		९३००.००	९३००.००
९५	<b>LED BULBS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	LED Bulb(Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	६३.००	६३.००	६३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	LED Bulb 3W B22/E27 2700K/6500K	गोटा	१२४.००	१२४.००	१२४.००
	LED Bulb 5W B22/E27 2700K/6500K	गोटा	१३९.००	१३९.००	१३९.००
	LED Bulb 8.3W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 9W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 11W B22/E27 2700K/6500K	गोटा	२७०.००	२७०.००	२७०.००
	LED Bulb 14W B22/E27 2700K/6500K	गोटा	३४२.००	३४२.००	३४२.००
	High Power LED 20W E27 2700K/6500K	गोटा	५२२.००	५२२.००	५२२.००
	High Power LED 28W E27 2700K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	High Power LED 40W E27 2700K/6500K	गोटा	१००७.००	१००७.००	१००७.००
	High Power LED 50W E27 2700K/6500K	गोटा	१२६२.००	१२६२.००	१२६२.००
	1W 30lm AC 90-300v,50/60Hz 270° Beam angle,IP44 B22 white/yellow/Red/Blue/Green/Orange/Pink LED Bulb	गोटा		८५.००	८५.००
	3W/5W/7W/9W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा		२४०.००	२४०.००
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा		७८५.००	७८५.००
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k,IP44 B22/E27 Aluminuim+Thermoplastic+Polycarbonate LED Bulb	गोटा		२२७५.००	२२७५.००
	40W/60W @95lm/Watt with 120° beam angle E27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा		७७००.००	७७००.००
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा		४५५.००	४५५.००
<b>९६</b>	<b>LED BULKHEAD</b>				
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead	गोटा		२८५०.००	२८५०.००
	EnduraLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for versatile applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries.High ingress protection-IP66,Impact resistant-IK09,Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm,Pressure diecast housing with robust polycarbonate cover,Long lifetime: 50000 Hrs.				
	6W	गोटा		४०९०.००	४०९०.००
	10W	गोटा		५५००.००	५५००.००
<b>९७</b>	<b>WALL LIGHT</b>				
	UNO wall light	गोटा		१०६०.००	१०६०.००
	NOVA wall light	गोटा		१३१०.००	१३१०.००
	COMET wall light	गोटा		१३१०.००	१३१०.००
	OMEGA wall light	गोटा		१६७०.००	१६७०.००
<b>९८</b>	<b>LED STEP/FOOT LIGHT</b>				
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light	गोटा		१५००.००	१५००.००
<b>९९</b>	<b>FOOT LIGHT/STEP LIGHT</b>				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation,Durable aluminium housing, with IP20/IP44 protection from dust and water,3000k/6500k				
	2W Step/Foot light Indoor	गोटा		२२००.००	२२००.००
	3W Step/Foot light Indoor	गोटा		२८५०.००	२८५०.००
	2W Step/Foot light Outdoor	गोटा		२४२०.००	२४२०.००
	3W Step/Foot light Outdoor	गोटा		३२२५.००	३२२५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१००	<b>LED STRIP LIGHTS</b>				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा		५७०.००	५७०.००
	Power adaptor 2A/5A	गोटा		२१००.००	२१००.००
१०१	<b>STRIP/COVE/ROPE LIGHT</b>				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.		५३८.००	५३८.००
	2A LED driver for strip light	गोटा		१२७५.००	१२७५.००
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मी.		४८०.००	४८०.००
	IP 66 driver for marathon rope light	गोटा		६७५.००	६७५.००
१०२	<b>GARDEN SPIKE LIGHT</b>				
	Anthracite COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा		३७९.००	३७९.००
	12W	गोटा		५७८.००	५७८.००
१०३	<b>LED TRACK LIGHTS</b>				
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१४५०.००	१४५०.००
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१९५०.००	१९५०.००
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		२६५०.००	२६५०.००
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		४४००.००	४४००.००
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		५३५०.००	५३५०.००
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		६३५०.००	६३५०.००
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		८६५०.००	८६५०.००
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		९३००.००	९३००.००
	Stick 1MTR for Track light	गोटा		१५००.००	१५००.००
१०४	<b>SURFACE MOUNTING DOWNLIGHT</b>				
	Downlight Square 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Square 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००
	Downlight Square 18W 3000K/6500K	गोटा	७७९.००	७७९.००	७७९.००
	Downlight Round 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Round 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००
	Downlight Round 18W 3000K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	<b>Surface Mount Sownlight Luminaries:</b>				
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S- 6500 PSU	गोटा		२९९२.००	२९९२.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S- 6500 PSU WH	गोटा		३२६४.००	३२६४.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S- 6500 PSU WH	गोटा		४७६०.००	४७६०.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED20S- 6500 PSU WH	गोटा		५३०४.००	५३०४.००
	<b>RECESS MOUNTING DOWNLIGHT</b>				
	Downlight Square 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Square 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Square 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	Downlight Round 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Round 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Round 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	LED Panel Light (Slim) 2'X2' 38W 4000K/6500K	गोटा	३९७८.००	३९७८.००	३९७८.००
	LED Panel Cover (Surface/Recess)2'X2'	गोटा	७४६.००	७४६.००	७४६.००
	<b>Recessed Circular Downlight Luminaries:</b>				०.००
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा		३८०८.००	३८०८.००
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा		४२९६.००	४२९६.००
	Circular Downlight Non Dimmable - DN295B LED10S-6500 PSU	गोटा		४६२४.००	४६२४.००
	Circular Downlight Non Dimmable - DN296B LED12S-6500 PSU	गोटा		५७९२.००	५७९२.००
	Circular Downlight Non Dimmable - DN296B LED15S-6500 PSU	गोटा		६८००.००	६८००.००
	Circular Downlight Non Dimmable - DN296B LED20S-6500 PSU	गोटा		८९६०.००	८९६०.००
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा		९५२०.००	९५२०.००
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा		९०८८.००	९०८८.००
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा		९३०५.००	९३०५.००
१०५	<b>LED TUBELIGHTS</b>				०.००
	8W T5 TUBE SET 2700K FIX	गोटा		७५०.००	७५०.००
	16W T5 TUBE SET 2700K FIX	गोटा		९५०.००	९५०.००
	20W LED TUBE SET FIX	गोटा		१२५०.००	१२५०.००
	10W LED TUBE ONLY T8	गोटा		९५०.००	९५०.००
	10W LED TUBE PATTI T8	गोटा		५५०.००	५५०.००
	20W LED TUBE ONLY T8	गोटा		१०००.००	१०००.००
	20W LED TUBE PATTI T8	गोटा		६५०.००	६५०.००
	40W DOUBLE LED TUBE PATTI T8	गोटा		१७५०.००	१७५०.००
	16W LED TGUBE SET FIX 6500K	गोटा		१२५०.००	१२५०.००
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा		२५००.००	२५००.००
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा		७६०.००	७६०.००
	LED Tubelight 18W 6500K	गोटा	२६८.००	२६८.००	२६८.००
	LED Tubelight With Holder 18W 6500K	गोटा	४२३.००	४२३.००	४२३.००
१०६	<b>FLOODLIGHTS</b>				०.००
	Flood Lights 20W 6500K	गोटा	१३९२.००	१३९२.००	१३९२.००
	Flood Lights 30W 6500K	गोटा	१५७३.००	१५७३.००	१५७३.००
	Flood Lights 50W 6500K	गोटा	२२८७.००	२२८७.००	२२८७.००
	Flood Lights 70W 6500K	गोटा	३५४३.००	३५४३.००	३५४३.००
	20W 6500 LED + MULTIPLUG	गोटा		९६९०.००	९६९०.००
	30W FLOOD LIGHT + CHARGEABLE	गोटा		१२२४५.००	१२२४५.००
	10W FLOOD LIGHT 6500K	गोटा		१७८०.००	१७८०.००
	20W FLOOD LIGHT 6500K	गोटा		३९७०.००	३९७०.००
	30W FLOOD LIGHT 6500K	गोटा		३७२०.००	३७२०.००
	50W FLOOD LIGHT 6500K	गोटा		६०३०.००	६०३०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	30W FLOOD LIGHT 2700K	गोटा		३९५०.००	३९५०.००
	50W FLOOD LIGHT 2700K	गोटा		६२५०.००	६२५०.००
	150W FLOOD LIGHT 6500K	गोटा		१६२३०.००	१६२३०.००
	100W FLOOD LIGHT 6500K	गोटा		१०६४०.००	१०६४०.००
	200W FLOOD LIGHT 6500K	गोटा		२७३३५.००	२७३३५.००
	400W FLOOD LIGHT 6500K	गोटा		४०५००.००	४०५००.००
	10W FLOOD LIGHT SENSOR 6500K	गोटा		२३५०.००	२३५०.००
	20W FLOOD LIGHT SENSOR 6500K	गोटा		३८५०.००	३८५०.००
	30W FLOOD LIGHT SENSOR 6500K	गोटा		४२५०.००	४२५०.००
	50W FLOOD LIGHT SENSOR 6500K	गोटा		४९००.००	४९००.००
	50W POLE LIGHT 6500K	गोटा		८९४५.००	८९४५.००
	100W POLE LIGHT 6500K	गोटा		१४७५०.००	१४७५०.००
	50W HIGH BAY LIGHT	गोटा		८५००.००	८५००.००
	100W HIGH BAY LIGHT	गोटा		१०५००.००	१०५००.००
	20W TRACK LIGHT 6500/2700 K	गोटा		४६२०.००	४६२०.००
	1 METER TRACK STICK	गोटा		१०२०.००	१०२०.००
	Exterior Rated Flood Lights - Low Power	गोटा		१८४९६०.००	१८४९६०.००
	Exterior Rated Flood Lights - High Power	गोटा		५०३२००.००	५०३२००.००
	Exterior Rated Flood Lights - Extra High Power	गोटा		७३९८४०.००	७३९८४०.००
	<b>LED FLOOD LIGHT</b>				
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१५५०.००	१५५०.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		२६००.००	२६००.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		४९००.००	४९००.००
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		५७००.००	५७००.००
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		९६५०.००	९६५०.००
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		११०००.००	११०००.००
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१५०००.००	१५०००.००
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा		१९७००.००	१९७००.००
	<b>Smartbright LED flood light having 30000 burning hours,Polycarbonate cover enhances impact strength (IK07 rated),Pressure die-cast housing offers excellent corrosion resistance,4KV surge protection, IP65 certified,Overheating protection,Pressure die-cast housing</b>				
	10w	गोटा		३३५०.००	३३५०.००
	20W	गोटा		४४००.००	४४००.००
	30W	गोटा		६२५०.००	६२५०.००
	50W	गोटा		१४५००.००	१४५००.००
	70W	गोटा		१९०००.००	१९०००.००
	105W Tempo Flood light	गोटा		८५०००.००	८५०००.००
	300w Tango Flood Light	गोटा		१२००००.००	१२००००.००
	<b>१०७ PANEL LIGHT</b>				०.००
	3W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		६७५.००	६७५.००
	6W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		८२५.००	८२५.००
	8W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		११००.००	११००.००
	12W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		१४००.००	१४००.००
	18W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा		१८७५.००	१८७५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	20W RD CONCEAL PANEL LIGHT WH	गोटा		२२७५.००	२२७५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा		२९२५.००	२९२५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा		३०००.००	३०००.००
	3W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		६७५.००	६७५.००
	6W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		८२५.००	८२५.००
	12W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		१४००.००	१४००.००
	24W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा		३६००.००	३६००.००
	6W RD SURFACE PANEL LIGHT (WW/WH)	गोटा		११७५.००	११७५.००
	12W RD SURFACE PANEL LIGHT (WW/WH)	गोटा		१७७५.००	१७७५.००
	12W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा		१५५०.००	१५५०.००
	18W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा		२५९०.००	२५९०.००
	18W SQ SURFACE PANEL LIGHT	गोटा		१६५०.००	१६५०.००
	24W SQ SURFACE PANEL LIGHT	गोटा		३८५०.००	३८५०.००
	3W COB CONCEAL LIGHT (WW/WH)	गोटा		८७०.००	८७०.००
	5W COB CONCEAL LIGHT (WW/WH)	गोटा		९९०.००	९९०.००
	7W COB CONCEAL LIGHT (WW/WH)	गोटा		९७५.००	९७५.००
	8W COB CONCEAL LIGHT WH	गोटा		९७५.००	९७५.००
	10W COB CONCEAL LIGHT WH	गोटा		१०५०.००	१०५०.००
	12W COB CONCEAL LIGHT WH	गोटा		१६१०.००	१६१०.००
	15W COB CONCEAL LIGHT WH	गोटा		१३७५.००	१३७५.००
	30W COB CONCEAL LIGHT WH	गोटा		२६५०.००	२६५०.००
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा		६७८०.००	६७८०.००
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा		५५००.००	५५००.००
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा		५५००.००	५५००.००
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा		९५००.००	९५००.००
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा		१८५००.००	१८५००.००
	<b>LED SURFACE/RECESSED PANEL LIGHT</b>				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		७२०.००	७२०.००
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१०२०.००	१०२०.००
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१२३५.००	१२३५.००
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१४०५.००	१४०५.००
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१७५०.००	१७५०.००
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा		१९००.००	१९००.००
	<b>LED PANEL LIGHTS</b>				
	2 x 2 ,24W , @120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा		८९६०.००	८९६०.००
	1 x 1, 15W , @120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC375B CORELINE 15W LED 30S RECESS)	गोटा		५९१५.००	५९१५.००
	1x1, 24W 2160lm AC 90-300v,50Hz,Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा		४७००.००	४७००.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	2x2, 36W 3600lm AC 90-300v,50Hz, Armstrong,surface,Recessed,suspended MS sheet Panel light	गोटा		५७००.००	५७००.००
	1x4, 36W 3600lm AC 90-300v,50Hz, Armstrong,,Recessed,suspended sheet Aluminium Panel light	गोटा		१०७००.००	१०७००.००
	<b>Stellar Bright/Ace saver</b> energy saving bulbs IP44 withnlow glare,reduced flicker,no blue light hazard,wide voltage protection				
	2.7W/4W/7W	गोटा		३१०.००	३१०.००
	10.5W/12W/14W	गोटा		६८०.००	६८०.००
	17W/20W	गोटा		९३५.००	९३५.००
	40W/50W	गोटा		२९६०.००	२९६०.००
१०९	<b>Smart Lighting Fixtures:</b>				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		४४८०	४५६९.००
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		३९२०	३९९८.००
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा		२०३०	२०७०.००
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा		४९००	४९९८.००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा		२१००	२१४२.००
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा		२४५०	२४९९.००
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा		१९६०	१९९९.००
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		७७०	७८५.००
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा		४१३०	४२१२.००
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.		५३२	५४२.००
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		४०६	४१४.००
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा		१५५०	१५८५.००
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.		१०८५	११०६.००
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा		९७०६	९९००.००
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.		६६५	६७८.००
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा		१३३०००	१३५६६०.००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा		१८२००	१८५६४.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Central Distribution Box: Suitable with modules	सेट		३५०००	३५७००.००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट		२५२०००	२५७०४०.००
	Software: PPS Programming software, we can also program and customize as per client request	सेट		३९२०००	३९९८४०.००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा		९८०००	९९९६०.००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switich, as per the confirmed technical details	गोटा		८६८००	८८५३६.००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा		७९४००	७२८२८.००
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा		५८८००	५९९७६.००
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा		३२२००	३२८४४.००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा		२५२००	२५७०४.००
	Distribution Box 1: Suitable with modules	सेट		६३०००	६४२६०.००
	Ceiling Light: Suitable with modules	गोटा		११९०००	१२१३८०.००
	<b>275 gsm Pregalvanized Cable Tray &amp; Raceways</b>				
११०	<b>CABLE SUPPORT SYSTEM - FINISH - (275GSM)</b>				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी		८००	८३५.००
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र.मी		५२५	५४८.००
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी		७५०	७८३.००
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा		५५०	५७४.००
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा		५७५	६००.००
	M8-Threaded rod Electroplated,1000 mm long	र.मी		१९०	१९८.००
	M10-Threaded rod Electroplated,1000 mm long	र.मी		२९०	३०२.००
	Rod coupler, M-8,Electroplated	गोटा		९५	९९.००
	Rod coupler, M-10,Electroplated	गोटा		१०५	१०९.००
	WDJ Coupler 100,150 & 200 mm	गोटा		५७५	६००.००
	275 gsm Pregalvanized Junction Box	गोटा		२५००	२६११.००
	Coupler for BRT 900,750,450,300 & 150MM	गोटा		२५०	२६१.००
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा		२७५	२८७.००
	Bottle Bracket for BRT 100 X50MM	गोटा		२५०	२६१.००
	Bottle Bracket for BRT 150 X50MM	गोटा		४००	४१७.००
	Bottle Bracket for PCT 200 X50MM	गोटा		५५०	५७४.००
	METAL GRIP/FASTNER	गोटा		९०	९४.००
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा		५०००	५२२२.००
	BRT Hardware/PCT Hardware	गोटा		३०	३१.००
१११	<b>LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)</b>				
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		३२२५	३३६८.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		२५००	२६११.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१८५०	१९३२.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१६५०	१७२३.००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी		१४५०	१५१४.००
११२	<b>Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long</b>				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी		२५७५	२६८९.००
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी		३२५०	३३९४.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	<b>Raceways 2mm Thk WDJ [PG275GSM] Base With Cover &amp; Strap-200mm</b>	र.मी		३५००	३६५५.००
	<b>Perforated Cable Tray 1.6mm Thick--2500mm Long,Pre Galvanized</b>				
	Perforated Cable Tray <b>PCT 100MM</b> Pre-Galvanized (275GSM)				१३५०.००
	Perforated Cable Tray <b>PCT 150MM</b> Pre-Galvanized (275GSM)				१६८०.००
	Perforated Cable Tray <b>PCT 200MM</b> Pre-Galvanized (275GSM)				२०४०.००
	Perforated Cable Tray <b>PCT 300MM</b> Pre-Galvanized (275GSM)				२४००.००
	Perforated Cable Tray <b>PCT 450MM</b> Pre-Galvanized (275GSM)				३६६०.००
	Perforated Cable Tray <b>PCT 600MM</b> Pre-Galvanized (275GSM)				४६८०.००
<b>११३</b>	<b>Perforated Cable Tray 2mm Thick--2500mm Long,Pre Galvanized (275 Gsm)</b>				
	Perforated Cable Tray <b>PCT 100MM</b> Pre-Galvanized (275GSM)	र.मी		११७५	१२२२.००
	Perforated Cable Tray <b>PCT 150MM</b> Pre-Galvanized (275GSM)	र.मी		१४५०	१५०८.००
	Perforated Cable Tray <b>PCT 200MM</b> Pre-Galvanized (275GSM)	र.मी		१७७५	१८४६.००
	Perforated Cable Tray <b>PCT 300MM</b> Pre-Galvanized (275GSM)	र.मी		२०५०	२१३२.००
	Perforated Cable Tray <b>PCT 450MM</b> Pre-Galvanized (275GSM)	र.मी		३१६०	३२८६.००
	Perforated Cable Tray <b>PCT 600MM</b> Pre-Galvanized (275GSM)	र.मी		४०३०	४१९१.००
<b>११४</b>	<b>Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long</b>				
	Perforated Cable Tray with <b>2mm Thk Cover PCT 100MM</b> Pre-Galvanized	र.मी		१९७६	२०५५.००
	Perforated Cable Tray with <b>2mm Thk Cover PCT 300MM</b> Pre-Galvanized	र.मी		४०५०	४२१२.००
	Perforated Cable Tray with <b>2mm Thk Cover PCT 450MM</b> Pre-Galvanized	र.मी		६२५०	६५००.००
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
<b>११५</b>	<b>MEDIUM/HEAVY MECHANICAL STRESS(MMS)</b>				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		१११	११५.००
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		१३९	१४४.००
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी		२६१	२७१.००
	Precision Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा		९०	९३.००
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा		१००	१०४.००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा		२१४	२२२.००
<b>११६</b>	<b>DEEP TYPE</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा		१४५	१५०.००
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा		१७२	१७८.००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा		२२५	२३४.००
<b>११७</b>	<b>SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR</b>				
	20/25MM Round U Clip/Space Bar saddle	गोटा		४२	४३.००
	20/25MM Coupler	गोटा		२५	२६.००
	20/25 mm slip type Bend	गोटा		८९	९२.००
	20/25mm Round Elbow	गोटा		४४	४५.००
	20/25mm Round Tee	गोटा		६१	६३.००
	20/25mm Male/female Bush Adaptor	गोटा		४०	४१.००
<b>११८</b>	<b>POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE</b>				
	16/20/25 MM Flexiable conduits pipe	र.मी		९१	९४.००
	32/40mm flexiable conduits pipe	र.मी		१७६	१८३.००
<b>११९</b>	<b>FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS</b>				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी		१२०	१२४.००
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी		२०५	२१३.००
<b>१२०</b>	<b>FLEXIABLE PIPE GLAND</b>				
	16/20/25MM PVC GLAND	गोटा		७५	७८.००
	32/40MM PVC GLAND	गोटा		१०७	१११.००
<b>१२१</b>	<b>uPVC MINI/MAXI TRUNKING PROFILE(LISTY)</b> made with unplastidices polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance,fire retardant,corrosion free,thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी		४५	४६.००
	25x15mm	र.मी		५८	६०.००
	50x50mm	र.मी		४८०	४९९.००
	50x100mm	र.मी		१८६०	१९३४.००
<b>१२२</b>	<b>Suspended-Surface Mounted Luminaires</b>				
	PureLine Slim Surface & Suspended 60mm/75mm Width Suspended 60mm/75mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from. Type				
	SP780 P LED52S-6500 PSU W6L224 OD SI	गोटा		४५१७६	४६९८३.००
	SP780 P LED26S-6500 PSU W6L112 OD S	गोटा		२२५८८	२३४९१.००
	SP781X LED46S-6500 PSU W7L224 OD SI	गोटा		५६४७०	५८७२८.००
	SP781 X LED22S-6500 PSU W6L112 OD SI	गोटा		२६३५२	२७४०६.००
	End Plate SP780 EP60 GREY	गोटा		५२५	५४६.००
	ZPH780 N2000	गोटा		९५०	९८८.००
	ZPH780 1MTR 5C 0.75sq mm Transparent cable	गोटा		९००	९३६.००
<b>१२३</b>	<b>Pureline Slim Connector 60mm</b>				
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+T, Y etc. Type	गोटा			
	SP781X LED44S-6K PSU W6 SI L CONN 22X2	गोटा		९५००	९८८०.००
	CCT options: 4000K, 5700K, 6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU) MRP	गोटा		६१००	६३४४.००
<b>१२४</b>	<b>Pureline Taper</b>				
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60mm & top width of 50mm), it also has option of designer end caps which provide design inspiration through geometric patterns. Multiple option of light distribution, run lengths, color options & lumen pack for different application available. Type				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा		२८२३५	२९३६४.००
	SP810P LED26S-6500 PSU W6L120 OD SI	गोटा		२३५३०	२४४७१.००
	SP811P LED66S-6500 PSU W6L240 OD SI	गोटा		५६४७०	५८७२८.००
	SP810P LED52S-6500 PSU W6L240 OD S	गोटा		४६११७	४७९६१.००
१२५	<b>PureLine Slim Connectors &amp; Decorative Shapes 50mm</b>				
	PureLine Slim Connectors & Decorative Shapes 50mm Recessed Mounted 50mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा		५०८२३	५२८५५.००
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा		३६२३५	३७६८४.००
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा		३०११७	३१३२१.००
	SP780X LED48S-6500 PSU W5 OD WH + CONN	गोटा		४६११७	४७९६१.००
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा		२७८५८	२८९७२.००
	SP780X LED36S-6500 PSU W5 OD WH T CONN	गोटा		१७३१७	१८००९.००
	SP780X LED24S-6500 PSU W5 OD WH L CONN	गोटा		१८८२३	१९५७५.००
१२६	<b>PureLine</b>				
	PureLine Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths				
	SP680P LED39S 6500 PSU WH L120 S1	गोटा		१६३७६	१७०३१.००
	SP680P LED78S 6500 PSU WH L240 S1	गोटा		३२०००	३३२८०.००
	SP680X1 LED34S 6500 PSU WH L120 S1	गोटा		३२०००	३३२८०.००
	SP680P LED68S 6500 PSU WH L240 S1	गोटा		३०११७	३१३२१.००
	SP680X1 LED78S 4000-6500 PSU WH L240 S1	गोटा			२७२००.००
	SP680X2 LED78S 4000-6500 PSU WH L240 S1	गोटा			२७२००.००
१२७	<b>SmartBrite Linear</b>				
	SmartBrite Linear SmartBright Linear provides an extremely durable and high efficacy yet cost effective linear solution surface mounted and suspended applications like offices, retail stores, metro stations, etc				
	SP095V LED40S 865 W7L120 PSU WH	गोटा		११२९५	९६००.००
	SP095V LED26S 865 W7L120 PSU WH	गोटा		१०३५३	८८००.००
१२८	<b>SmartBrite Surface</b>				
	SmartBrite Surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.				
	SM270C LED 30S 6500 PSU WH	गोटा		१०३५२	८८००.००
१२९	<b>Cirrus Surface</b>				
	Cirrus Surface Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser. Type				
	SM365C LED32-6500 PSU OD GR	गोटा		१०३५२	८८००.००
	SM366C LED32-6500,4000 PSU OD GR	गोटा			८८००.००
	SM366C LED32-6500,4000 PSU OD WH	गोटा			८८००.००
१३०	<b>Cirrus Mini Pro</b>				
	Cirrus Mini Pro Cirrus Mini Pro is a general lighting application luminaire (with a dimension of 312mm X 312mm), a perfect solution for all surface mount indoor general lighting application. Type				
	SM200C LED15S 4000-6500 PSU OD WH	गोटा			४९६०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SM200C LED16S 6500 PSU OD WH	गोटा		५८३५	६०६८.००
१३१	<b>DaySpace Suspended</b>				
	DaySpace Suspended DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design				
	SP740B LED25S/865 W60L60 PSU WH	गोटा		३२०००	३३२८०.००
	SP740B LED30S/865 W60L60 PSU WH	गोटा		३५७६५	३७१९५.००
	SP740B LED36S/865 W60L60 PSU WH	गोटा		४१४११	४३०६७.००
	SP740B LED25S/865 W60L60 PSD WH	गोटा		४३२९५	४५०२६.००
	SP740B LED30S/865 W60L60 PSD WH	गोटा		४५१७६	४६९८३.००
	SP740B LED36S/865 W60L60 PSD WH	गोटा		४७६०	४९५०.००
१३२	<b>DaSpace Recessed Mounted</b>				
	DaySpace Recessed DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design.				
	RC740B LED25S/865 W60L60 PSU WH	गोटा		२५४११	२६४२७.००
	RC740B LED36S/865 W60L60 PSD WH	गोटा		३९५३०	४११११.००
१३३	<b>PowerBalance</b>				
	PowerBalance Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling				
	RC600B M LED30S-6500 PSU W30L120 WH	गोटा		२२५८८	२३४९१.००
	RC600B M LED30S-6500 PSD W60L60 WH	गोटा		२९१७६	३०३४३.००
१३४	<b>WingLine</b>				
	WingLine Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	RC480B LED25S/865 W60L60 PSU WH	गोटा		९४११	९७८७.००
१३५	<b>CoreView</b>				
	CoreView A unique recessed mounted 2'X2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort				
	RC 420B M LED 30S 6500 PSU WH	गोटा		११२९४	११७४५.००
	RC 420B M LED 30S 6500 PSD WH	गोटा		१४११७	१४६८१.००
१३६	<b>PureLine TechZone G2</b>				
	PureLine TechZone G2 Pureline Techzone is offered in two versions suitable for 150mm & 100mm technical zones. Sturdy extruded Aluminum housing with Sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance				
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा		१४८७०	१४८७०.००
	RC810B LED52S 6500 PSU W10L240 OD WH	गोटा		२९७४१	२४४८०.००
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा		१७१२९	१७१२९.००
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा		३४८२३	३४८२३.००
	RC810 W10 ENDPLATE	गोटा		६६०	६६०.००
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा		९५०	९५०.००
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा		१०३५	१०३५.००
१३७	<b>PureLine Slim Recessed 60mm/ 75mm</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	PureLine Slim Recessed 60mm/ 75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	RC780B LED52S-6500 PSU W7L240 OD SI	गोटा		४३२९४	४३२९४.००
	RC780B LED26S-6500 PSU W7L120 OD SI	गोटा		२२०२३	२२०२३.००
<b>१३८</b>	<b>PureLine Slim Recessed 50mm</b>				
	PureLine Slim Recessed 50mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from.				
	RC780B LED52S-6500 PSU W5L226 OD WH	गोटा		२८२३५	२८२३५.००
	RC780X LED12S-6500 PSU W5L56 OD WH	गोटा		९०३६	९०३६.००
	RC780X LED52S-6500 PSU W5L226 OD WH	गोटा		२७६७०	२७६७०.००
<b>१३९</b>	<b>PureLine TechZone</b>				
	PureLine TechZone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling. Type				
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा		१५०५९	१५०५९.००
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा		३०११७	३०११७.००
<b>१४०</b>	<b>FullGlow 1'x4'</b>				
	FullGlow 1'x4' Fully diffused recessed mounted 1'X4' LED luminaire with high transmittive diffuser suitable for indoor spaces				
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा		१२२३५	१२२३५.००
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा		१६०००	१६०००.००
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा		१४११७	१४११७.००
<b>१४१</b>	<b>GreenSquare</b>				
	GreenSquare General purpose recessed mounted 2'X2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.				
	RC140B LED30S-6500 PSU WH OD	गोटा		८२८२	८२८२.००
	RC140B LED30S-4000 PSD WH OD	गोटा		१०१६४	१०१६४.००
<b>१४२</b>	<b>Cirrus</b>				
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	LED33-6500 PSU OD WH	गोटा		९०३५	९०३५.००
	RC366B LED33-6500 PSU OD WH	गोटा		९०३५	९०३५.००
<b>१४३</b>	<b>SmartBright</b>				
	SmartBright Extruded Aluminium batten available in 2ft & 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories)				
	BN 021 LED40S- 6500 PSU GR (4 ft)	गोटा		२८२१	२८२१.००
<b>१४४</b>	<b>Downlighters &amp; Spot Lights</b>				
	GreenSpace Flex GreenSpace Flex is a modular range of downlighters, with extremely low glare (UGR)The range is available in Narrow (15°), Medium (24°) & Wide Beam (38°) optics, suitable for different applications & ceiling heights				
	RS378Z M102 D150 R-R AJU	गोटा		८४७०	८४७०.००
	RS378Z M87 D130 R-R AJ	गोटा		६७७६	६७७६.००
	RS378Z M55 D75 R-U AJ	गोटा		२८२३	२८२३.००
	RS378Z M55 D75 R-R AJ Trim	गोटा		३२००	३२००.००
	RS378Z M55 D75 R-R FX PH WP	गोटा		२८२३	२८२३.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	RS378B P6 927 PSU-E MB M55	गोटा		५६४७	५६४७.००
	RS378B P6 927 PSU-E WB M55	गोटा		९०३५	९०३५.००
	RS378B P6 930 PSU-E WB M55	गोटा		१६९४१	१६९४१.००
<b>१४५</b>	<b>LuxSpace Pro</b>				
	LuxSpace Pro LuxSpace Pro is a deep recessed downlighter range with extremely low glare (UGR& high quality faceted reflector for superior lighting and aesthetics. The range is available in Medium (32°) & Wide Beam (65°) optics for both standard and high ceiling applications				
	DN590B M LED6S-6500 PSU WH WB	गोटा		९०३५	९०३५.००
	DN590B M LED10S-6500 PSU WH MB	गोटा		९०३५	९०३५.००
	DN590B M LED20S-6500 PSU WH MB	गोटा		९०३५	९०३५.००
<b>१४६</b>	<b>GreenPerform Sleek</b>				
	GreenPerform Sleek GreenPerform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace. Robust PDC housing ensures long system. Narrow rim renders a pleasing aesthetic look				
	DN295B LED6S-6500 PSU WH	गोटा		२६३५	२६३५.००
	DN295B LED10S-6500 PSU WH	गोटा		३२००	३२००.००
	DN296B LED12S-6500 PSU WH	गोटा		३९५२	३९५२.००
	DN296B LED15S-6500 PSU WH	गोटा		४७०५	४७०५.००
	DN296B LED20S-6500 PSU WH	गोटा		५६४७	५६४७.००
<b>१४७</b>	<b>Sleek Surface Downlight</b>				
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen				
	SM250C LED7S- 6500 PSU WH	गोटा		२०७०	२०७०.००
	SM250C LED12S- 6500 PSU WH	गोटा		२२५९	२२५९.००
	SM251C LED16S- 6500 PSU WH	गोटा		३२००	३२००.००
	SM250C LED12S- 6500 PSU WH	गोटा		२२५८	२२५८.००
	SM251C LED20S- 6500 PSU WH	गोटा		३६७०	३६७०.००
<b>१४८</b>	<b>ArchSpace</b>				
	ArchSpace ArchSpace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/ Universities etc. With its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height*, uniform lighting distribution and superior features of Driver make ArchSpace an undisputed winner when it comes to the surface/ cylindrical downlight category.				
	SP320P LED6S-6500 PSU DIA100 WH	गोटा		७७७	७७७.००
	SP320P LED6S-6500 PSU DIA80 WH	गोटा		८६५८	८६५८.००
<b>१४९</b>	<b>GreenLED Ultima Square</b>				
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile				
	DN096B LED6S-6500 PSU WH	गोटा		२९७४	२९७४.००
	DN097B LED10S-6500 PSU WH	गोटा		३७२७	३७२७.००
<b>१५०</b>	<b>GreenLED Ultima Round</b>				
	GreenLED Ultima Round Ultra sleek recessed downlight for low height false ceiling in round profile				
	DN091B LED6S-6500 PSU WH	गोटा		२९७४	२९७४.००
	DN092B LED10S-6500 PSU WH	गोटा		३७२७	३७२७.००
<b>१५१</b>	<b>SkySpot COB</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	SkySpot COB • New series of LED Spot fixtures specially designed for commercial use • Ideal for retail showrooms, hospitality, offices • Elegant fixed spot with a focused 36 degree beam angle • Long life with 30,000 burning hours with CRI>80 • Wide choice: Available in 7/12/18/22W, Round, 3000K & 6500				
	7W Sky Spot COB (WW)	गोटा		२६६३	२६६३.००
	12W Sky Spot COB (CW)	गोटा		३३२२	३३२२.००
	18W Sky Spot COB (CW)	गोटा		४१४१	४१४१.००
	22W Sky Spot COB (CW)	गोटा		४१४१	४१४१.००
<b>१५२</b>	<b>Green LED I</b>				
	Green LED I • High performance LED Downlights for commercial applications • 100 lumen / watt efficacy • Efficient heat sink (die cast) with Steel clips • Integrated driver control (for easy installation				
	DN191B LED6S-6500 PSU WH S2	गोटा		२६६३	२६६३.००
	DN192B LED10S-6500 PSU WH S2	गोटा		३३२२	३३२२.००
	DN193B LED12S-6500 PSU WH S2	गोटा		४१४१	४१४१.००
	DN194B LED16S-6500 PSU WH S2	गोटा		५१७६	५१७६.००
	DN195B LED20S-6500 PSU WH S2	गोटा		६२११	६२११.००
<b>१५३</b>	<b>Essential Smart Bright Track Lights</b>				
	Essential Smart Bright Track Lights Essential SmartBright Track Light range is a high performance, hassle free solution for up to 5 years of use. Range has high efficacy of up to 100 lm/W, and Aluminum housing for better thermal management. Available in black & white color housing.				
	ST030T LED8/830 8W 220-240V I MB WH	गोटा		४०००	४०००.००
	ST030T LED12/830 14W 220-240V I NB W	गोटा		४५००	४५००.००
	ST030T LED20/830 23W 220-240V I NB WH	गोटा		५५००	५५००.००
	ST030T LED30/830 35W 220-240V I NB WH	गोटा		६५००	६५००.००
	TRACK LIGHT STICK BK 1-MTR	गोटा		२८००	२८००.००
<b>१५४</b>	<b>EcoAccent</b>				
	EcoAccent Recessed mounted Accent Lighting luminaire with diecast aluminum heat sink and sand grain finishing reflector, available in two lumen packs with option of DALI dimmable driver				
	RS271B LED20/830 PSU-E NB WH	गोटा		११२९४	११२९४.००
	RS271B LED20/850 PSD MB WH	गोटा		१४११७	१४११७.००
	RS271B LED40/850 PSD MB WH	गोटा		१५०५८	१५०५८.००
<b>१५५</b>	<b>Optimus LED Trunking</b>				
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	LL199X 1XDLED40-6500 PSE OD WH S1	गोटा		८४७०	८४७०.००
	LL199X 1XDLED57-6500 PSE OD WH	गोटा		११६७०	११६७०.००
	TTX199/01 LED HANGING KIT	गोटा		१८८२	१८८२.००
<b>१५६</b>	<b>Waterproof LED Luminaires</b>				
	Smartbright Waterproof IP65, Dust and Waterproof LED luminaire with Polycarbonate Housing suitable for wall & ceiling mount applications				
	WT201C LED44S-6500 PSU L120	गोटा		७५२९	७५२९.००
	WT201C LED24S-6500 PSU L120	गोटा		५६४७	५६४७.००
<b>१५७</b>	<b>Waterproof LED Luminaire</b>				
	Waterproof LED Luminaire Surface/Suspended Mounted waterproof (IP65) luminaire suitable for single and twin T8 TLED lamps				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	TCW450 P 1XTLED 19W P3397	गोटा		४९४९	४९४९.००
	TCW450 P 2XTLED 19W P3397	गोटा		४७०५	४७०५.००
१५८	<b>PureSpace Clean Room Range</b>				
	PureSpace Clean Room Range PureSpace is a comprehensive Cleanroom luminares range with options for bottom opening, top opening, 2'x2' as well 1'x4'				
	CR652B LED60S-6500 PSU CA TO W30L120 WH	गोटा		३३८८२	३३८८२.००
	CR652B LED36S-6500 PSU CA TO W60L60 WH	गोटा		२४४७०	२४४७०.००
	CR652B LED80S-6500 PSU CA TO W60L60 WH	गोटा		३३८८२	३३८८२.००
१५९	<b>Skyline Street Light</b>				
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code				
	BRP 340 LED 150 CW HO SLC S2 PSU GR	गोटा		२६३५२	२६३५२.००
	BRP 340 LED 175 CW HO SLC S2 PSU GR	गोटा		३०९९७	३०९९७.००
	BRP 340 LED 200 CW HO SLC S2 PSU GR	गोटा		३३८८२	३३८८२.००
१६०	<b>Skyline Xtra Street Light</b>				
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts. (170W -235W). Pole Dia: 48-60mm				
	BRP360 LED 213 CW HO SLC S1 PSU GR	गोटा		४५९७६	४५९७६.००
	BRP360 LED 240 CW HO SLC S1 PSU GR	गोटा		५०८२३	५०८२३.००
	BRP360 LED 265 CW HO SLC S1 PSU GR	गोटा		५४५८८	५४५८८.००
	BRP360 LED 295 CW HO SLC S1 PSU GR	गोटा		६२९९७	६२९९७.००
१६१	<b>GreenLine V2 Street Light</b>				
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system. Suitable for A1 and A2 category roads. Pole Dia : 48-60mm Type				
	BRP409 LED115 CW SLC FG PSU GR V2	गोटा		९७६९४	९७६९४.००
	BRP409 LED130 CW SLA FG PSU GR V2	गोटा		९९२००	९९२००.००
१६२	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.				
	BRP042 P LED25 CW SLE PSU GR DX	गोटा		५६४७	५६४७.००
	BRP030 LED35 CW MR PSU GR DX	गोटा		६५८८	६५८८.००
	BRP031 LED45 CW MR PSU GR DX	गोटा		९४९९	९४९९.००
	BRP032 LED70 CW MR PSU GR DX	गोटा		९३९७६	९३९७६.००
	BRP046 LED 30 CW MR S1 PSU GR	गोटा		८४७०	८४७०.००
	BRP046 LED 36 CW MR S1 PSU GR	गोटा		९४५०	९४५०.००
	BRP046 LED 39 CW MR S1 PSU GR	गोटा		९९७५	९९७५.००
१६३	<b>Tango XL LED</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Reacrecational sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	गोटा		१०७६७०	१०७६७०.००
	BVP485 LED427 CW NB PSU SPD GR	गोटा		११७४५८	११७४५८.००
	BVP485 LED540 CW AWB PSU SPD GR	गोटा		१४६८३२	१४६८३२.००
	BVP485 LED560 CW AWB PSU SPD GR	गोटा		१५६२३५	१५६२३५.००
<b>१६४</b>	<b>Tempo Mini</b>				
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics( NB) to ensure uniform distribution				
	BVP180 LED50 CW PC WB 50W 120-270 PSU	गोटा		९५००	९५००.००
	BVP181 LED62 CW PC WB 70W 120-270 PSU	गोटा		१३५००	१३५००.००
	BVP182 LED100 CW FG WB 100W 120-270 PSU	गोटा		१९०००	१९०००.००
<b>१६५</b>	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type				
	BVP183 LED140 CW FG WB 150W PSU	गोटा		२६३५२	२६३५२.००
	BVP184 LED196 CW FG WB 200W PSU	गोटा		३३६८२	३३६८२.००
<b>१६६</b>	<b>Landscape Lighting</b>				
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK10 Post Top lantern with symmetric Light distribution				
	BGP300 LED28 757 PSU PC IN S1	गोटा		३३६८२	३३६८२.००
	BGP300 LED40 757 PSU PC IN S1	गोटा		३५७६४	३५७६४.००
	BGP300 LED50 757 PSU PC IN S1	गोटा		३७६४७	३७६४७.००
	LED Post Top Reliable and aesthetic designed IP65 post top lantern with symmetric light distribution and limited upward light component. Type H				
	BGP161 LED2500/NW PSU 220-240V 7043 IN	गोटा		३७६४७	३७६४७.००
<b>१६७</b>	<b>CityCube Bollard P</b>				
	CityCube Bollard is a robustly designed IP65/IK10 bollard and is easy to install with base plate.	गोटा			
<b>१६८</b>	<b>CityCube Bollard T</b>				
	BCP400 LED09 T CW PSU GR S1	गोटा		३२०००	३२०००.००
<b>१६९</b>	<b>CityCube Bollard D</b>				
	BCP400 LED09 D CW PSU GR S1	गोटा		२१६४७	२१६४७.००
<b>१७०</b>	<b>LED Bollard</b>				
	BCP151 LED150/WW PSU 220-240V 7043	गोटा		२२५८८	२२५८८.००
<b>१७१</b>	<b>LED Step Light</b>				
	BWG150 LED50/WW PSU 220-240V IP67 7043	गोटा		१३१७६	१३१७६.००
<b>१७२</b>	<b>UNIIn-ground: LED Marker</b>				
	UNIIn-ground Range UniIn Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	BBP210 LED50/WW 1W 12V 30D	गोटा		२२५८	२२५८.००
	BBP211 LED90/WW 2W 12V 30D	गोटा		३०११	३०११.००
	Driver & accessories price extra for 12 V.	गोटा		२२५८	२२५८.००
<b>१७३</b>	<b>UNIIn-ground: LED Ground Guide</b>				
	Multiple lighting emission windows to make space out.	गोटा			

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	BBP212 LED45/WW 3W 100-240V	गोटा		४१४१	४१४१.००
	BBP213 LED110/WW 6W 100-240V	गोटा		६०२३	६०२३.००
१७४	<b>UNIIn-ground: Ground Burial</b>				
	UNIIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	BBP340 LED220/WW 3W 20D 100-240V	गोटा		९४११	९४११.००
	BBP341 LED540/WW 6W 20D 100-240V	गोटा		१३५५२	१३५५२.००
	BBP342 LED1200/WW 12W 20D 100-240V	गोटा		२५४११	२५४११.००
	BBP343 LED1800/WW 18W 20D 100-240V	गोटा		२७२९४	२७२९४.००
	BBP344 LED3600/WW 36W 20D 100-240V	गोटा		२८२३५	२८२३५.००
	BBP343 LED RGB 18W 20D 24V	गोटा		३०११७	३०११७.००
	BBP343 LED R 18W 20D 100-240V	गोटा		२१६४७	२१६४७.००
१७५	<b>UNIIn-ground: Linelite</b>				
	UNIIn-ground: Linelite UniInground Linear makes space distinctive with more safety and convenience of installation				
	BBP403 LED50/WW 2W 24V L300	गोटा		१३१५६	१३१५६.००
	BBP403 LED RGB 9W 24V L300 GM	गोटा		१७८८२	१७८८२.००
	BBP412 LED200/WW 7W 24V L1200	गोटा		२५४११	२५४११.००
	BBP412 LED RGB 36W 24V L1200 GM	गोटा		३२९४१	३२९४१.००
१७६	<b>Tunnel Lights</b>				
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	BWP352 LED69/NW 60W 220-240V DM2 MP1	गोटा		७५९५	७५९५.००
	BWP352 LED137/NW 120W 220-240V DM2 MP1	गोटा		१३१५६५	१३१५६५.००
	BWP352 LED206/NW 180W 220-240V DM2 MP1	गोटा		१६९४११	१६९४११.००
	BWP352 LED274/NW 240W 220-240V DM2 MP1	गोटा		२३५२९५	२३५२९५.००
१७७	<b>UNI Urban</b>				
	BDP461 LED33 WW 110-277V TS	गोटा		७५२९४	७५२९४.००
	BDP461 LED65 WW 110-277V TS	गोटा		९४११७	९४११७.००
	BDP461 LED100 WW 110-277V TS	गोटा		१३१५६४	१३१५६४.००
१७८	<b>Jargeua - Post Top</b>				
	Jargeua - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.				
	Jargeua -Post Top	गोटा		७५२९४	७५२९४.००
१७९	<b>Architectural Lights color kinetics</b>				
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories				
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UL/Ce	गोटा		१६९४११	१६९४११.००
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels				
	ColorGraze Intellihue Powercore, 1ft, 9 Degree	गोटा		१४११५६	१४११५६.००
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.				
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE	गोटा		२८२३५२	२८२३५२.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.				
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount	गोटा		९४९९७	९४९९७.००
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers—illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rock-solid reliability.				
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/CQC	गोटा		४७०५८८	४७०५८८.००
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.				
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4ft), Clear Flat Lens	गोटा		९५०५८८	९५०५८८.००
	Archipoint ArchiPoint iColor Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications				
	Archipoint iColor Powercore, Clear Flat Lens, 100-240V, UL/CE	गोटा		३७६४७	३७६४७.००
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants				
	iColor MR G3, 30 Degree	गोटा		९५०५८	९५०५८.००
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all—from display+Bling messages on curved building façades to bringing stunning LED light shows to stadium roofs.				
	iColor Flex LMX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader	गोटा		४७०५८	४७०५८.००
	iColor Flex LMX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader	गोटा		४७०५८	४७०५८.००
<b>१८०</b>	<b>Controllers / Power Supplies / Keypads / Softwares</b>				
	Controller, Light System Manager (Gen 5) 15000 Node	गोटा		९४९९६	९४९९६.००
	Ethernet Switch with POE Ports For Use with Colordial2	गोटा		९६०००	९६०००.००
	Controller, Activesite Gateway	गोटा		९९२९४९	९९२९४९.००
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for façade, landscape and outdoor flood lighting applications like; illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.				
	Uniflood C Small (27W-36W)	गोटा		९५०५८८	९५०५८८.००
	Uniflood C large(110W-150W)	गोटा		९७८८२३	९७८८२३.००
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like; illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm,500mm, 520m & 1000mm)				
	UniStrip G4 AC BCP383(15W-50W)	गोटा		२३५२९४	२३५२९४.००
	UniStrip G4 AC BCP385 (50W-120W)	गोटा		३७६४७०	३७६४७०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	GreenPerform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019, GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design				
	BY718P LED100/CW PSU NB IN	गोटा		२६३५२	२६३५२.००
	BY718P LED150/CW PSU NB IN	गोटा		३३८८२	३३८८२.००
	BY718P LED200/CW PSU NB IN	गोटा		३७६४७	३७६४७.००
<b>१८१</b>	<b>Industrial Battens</b>				
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option				
	BN308C LED20S-6500 L60 PSU WH	गोटा		३५७६	३५७६.००
	BN308C LED40S-6500 L120 PSU WH	गोटा		८४७०	८४७०.००
	BN308C LED60S-6500 L120 PIR WH	गोटा		१०१६४	१०१६४.००
<b>१८२</b>	<b>TMC 501 Mounting rail for TLED lamps.</b>				
	TMC 501 P 1xT-LED 22W P3241	गोटा		१८८२	१८८२.००
	TMC 501 P 2xT-LED 22W P3242	गोटा		३०११	३०११.००
<b>१८३</b>	<b>Highbays</b>				
	BY515P LED100S 5700 NB PSU GR	गोटा		२४४७०	२४४७०.००
	BY515P LED150S 5700 NB PSU GR	गोटा		२८२३५	२८२३५.००
	BY515P LED250S 5700 NB PSU GR	गोटा		४१४११	४१४११.००
<b>१८४</b>	<b>Upvc Conduit Pipe</b>				
	Upvc Conduit Pipe (Light Stress)				
	20mm	र.मी		१२८	१२८.००
	25mm	र.मी		१६५	१६५.००
	32mm	र.मी		२२५	२२५.००
	Upvc Conduit Pipe (Medium Stress)				
	20mm	र.मी		१८८	१८८.००
	25mm	र.मी		२२५	२२५.००
	32mm	र.मी		२८५	२८५.००
	Upvc Conduit Pipe (Heavy Stress)				
	20mm	र.मी		३९२	३९२.००
	25mm	र.मी		४५०	४५०.००
	32mm	र.मी		५२५	५२५.००
<b>१८५</b>	<b>Upvc Elec. Conduit Fittings</b>				
	Circular Box - Terminal (1 way)				
	20mm	गोटा		४६	४६.००
	25mm	गोटा		५७	५७.००
	Circular Box - Angle (2 way)				
	20mm	गोटा		५५	५५.००
	25mm	गोटा		६२	६२.००
	Circular Box - Through (2 way)				
	20mm	गोटा		५७	५७.००
	25mm	गोटा		६२	६२.००
	Circular Box - Tee (3 way)				
	20mm	गोटा		६२	६२.००
	25mm	गोटा		६९	६९.००
	Circular Box - Intersection (4 way)				
	20mm	गोटा		६९	६९.००
	25mm	गोटा		७४	७४.००
	Deep Circular Box - Terminal (1 way)				
	20mm	गोटा		८९	८९.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	25mm	गोटा		१०९	१०९.००
	32mm	गोटा		१२५	१२५.००
	Deep Circular Box - Angle (2 way)				
	20mm	गोटा		९८	९८.००
	25mm	गोटा		११४	११४.००
	32mm	गोटा		१३६	१३६.००
	Deep Circular Box - Through (2 way)				
	20mm	गोटा		११४	११४.००
	25mm	गोटा		१२५	१२५.००
	32mm	गोटा		१२६	१२६.००
	Deep Circular Box - Tee (3 way)				
	20mm	गोटा		१०३	१०३.००
	25mm	गोटा		१२०	१२०.००
	32mm	गोटा		१४७	१४७.००
	Deep Circular Box - Intersection (4 way)				
	20mm	गोटा		१०९	१०९.००
	25mm	गोटा		१२५	१२५.००
	32mm	गोटा		१५८	१५८.००
	Slip Type Bend - Long				
	20mm	गोटा		४४	४४.००
	25mm	गोटा		५७	५७.००
	Slip Type Bend - Normal				
	20mm	गोटा		२६	२६.००
	25mm	गोटा		३७	३७.००
	32mm	गोटा		९५	९५.००
	Coupler				
	20mm	गोटा		१३	१३.००
	25mm	गोटा		१९	१९.००
	32mm	गोटा		३६	३६.००
	Reducer Coupler 25 x 20				
	25mm	गोटा		२२	२२.००
	Space Bar Saddle				
	20mm	गोटा		२४	२४.००
	25mm	गोटा		३०	३०.००
	32mm	गोटा		४२	४२.००
	Elbow				
	20mm	गोटा		२३	२३.००
	25mm	गोटा		३२	३२.००
	Tee				
	20mm	गोटा		३६	३६.००
	25mm	गोटा		४५	४५.००
	Fan Box without Rod 20mm X				
	25mm	गोटा		१७०	१७०.००
	Fan Box with Rod 20mm X				
	25mm	गोटा		५७५	५७५.००
	Inspection Elbow				
	20mm	गोटा		१०५	१०५.००
	25mm	गोटा		१३५	१३५.००
	Inspection Tee				
	20mm	गोटा		८०	८०.००
	25mm	गोटा		११०	११०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	Circular Extension Ring				
	20mm	गोटा		३०	३०.००
	25mm	गोटा		३७	३७.००
	Female Bush Adaptor				
	20mm	गोटा		२९	२९.००
	25mm	गोटा		३७	३७.००
	Bending Spring				
	20mm	गोटा		११५०	११५०.००
	25mm	गोटा		१२५०	१२५०.००

## Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
१	Solar PV Module	प्रति.वाट	९०.००	९०.००	९२.००
२	Solar Tubular Battery ( 200Ah@c20,12v)	गोटा	३२१००.००	३२१००.००	३३०६३.००
३	Solar Tubular Battery ( 150 Ah@c20,12v)	गोटा	२४५००.००	२४५००.००	२५२३५.००
४	Solar Tubular Battery ( 100 Ah@c20,12v)	गोटा	१७०००.००	१७०००.००	१७५१०.००
५	Solar Tubular Battery ( 80 Ah@c20,12v)	गोटा	१६९००.००	१६९००.००	१७४०७.००
६	Solar Tubular Battery ( 60 Ah@c20,12v)	गोटा	१२२००.००	१२२००.००	१२५६६.००
७	Solar Tubular Battery ( 40 Ah@c20,12v)	गोटा	८०००.००	८०००.००	८२४०.००
८	Solar Gel Battery ( 200 Ah@c20,12v)	गोटा	६६७००.००	६६७००.००	६८७०१.००
९	Solar Gel Battery ( 150 Ah@c20,12v)	गोटा	५०२००.००	५०२००.००	५१७०६.००
१०	Solar Gel Battery ( 100 Ah@c20,12v)	गोटा	३६१००.००	३६१००.००	३७८३३.००
११	Solar Gel Battery ( 80 Ah@c20,12v)	गोटा	३११००.००	३११००.००	३२०३३.००
१२	Solar Gel Battery ( 75 Ah@c20,12v)	गोटा	२७६००.००	२७६००.००	२८४२८.००
१३	Solar Gel Battery ( 40 Ah@c20,12v)	गोटा	१५८००.००	१५८००.००	१६२७४.००
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३६७००.००	३७८०१.००
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३२६००.००	३३५७८.००
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१८७००.००	१९२६१.००
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३३४७५.००
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२४६१७.००
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	२०३९४.००
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१५२४४.००
२१	Charge controller 20a/12-24 V	गोटा	६०००.००	६०००.००	६१८०.००
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	५०४७.००
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७८१.००
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६४८.००
२५	Solar dusk to down controller 20A/12Vwith driver curcuit	गोटा	४५००.००	४५००.००	४६३५.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	१३६००.००	१३६००.००	१४००८.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२४३००.००	२५०२९.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५७५९.००
२९	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४३५६९.००
३०	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३६८७४.००
३१	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२७६०४.००
३२	Solar street light 40W	गोटा	१५१००.००	१५१००.००	१५५५३.००
३३	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२३६०.००
३४	Solar street light 20W	गोटा	८६००.००	८६००.००	८८५८.००
३५	Solar street light 12W	गोटा	५६००.००	५६००.००	५७६८.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	गोटा	१७४००.००	१७४००.००	१७९२२.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for bottom 4m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९७७६.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for bottom 5m 6" for top 3 m	गोटा	२१४००.००	२१४००.००	२२०४२.००
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for bottom 6 m 6" for top 3 m	गोटा	२१७००.००	२१७००.००	२२३५१.००
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२१४००.००	२२०४२.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	२४७००.००	२४७००.००	२५४४१.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	२६९००.००	२६९००.००	२७७०७.००
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	२९१००.००	२९१००.००	२९९७३.००
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७२००.००	७२००.००	७४१६.००
४५	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३५००.००	१३९०५.००
४६	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६५००.००	१६९९५.००
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२२९००.००	२३५८७.००

## Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
४८	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२४३००.००	२५०२९.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०२००.००	२०८०६.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४२००.००	२४९२६.००
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७५००.००	७५००.००	७३६४५.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४३०००.००	१४५८६०.००
५३	Ms light Arms	सेट	२२००.००	२२००.००	२२६६.००
५४	SPV mounting frame	सेट	५८००.००	५८००.००	५९७४.००
५५	Battery box	सेट	४५००.००	४५००.००	४६३५.००
५६	Battery stand	सेट	४५००.००	४५००.००	४६३५.००
५७	12W SENSOR SOLAR POLE LIGHT	सेट		१६५७५.००	१७०७२.००
५८	18W SENSOR SOLAR POLE LIGHT	सेट		१९७३०.००	२०३२९.००
५९	<b>Solar Lights:</b>				
	All in one solar street light - 2000 Lumens	गोटा		२३९२००.००	२३५८२४.००
	All in one solar street light - 3000 Lumens	गोटा		२५८४००.००	२६३५६८.००
	All in one solar street light - 4500 Lumens	गोटा		३९२८००.००	३९९०५६.००
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा		५३०४००.००	५४९००८.००
	Solar Poles with street lights luminaries 6000 Lumens	गोटा		६३९२००.००	६५९९८४.००
	All in One solar Street Light - 5000 Lumens	गोटा		२८५६००.००	२९१३९२.००
	All in one solar street light - 8500 Lumens	गोटा		३४८१६०.००	३५५१२३.००
	All in one solar street light - 12000 lumens	गोटा		३८६२४०.००	३९३९६४.००